



item	Photos	Model No.	Specificaton	Qty/ctn	Carton size	Vol/Carton m³	NW	GW	HS CODE
1		FSD036L01	3.6V CORDLESS SCREWDRIVER 1300mah battery Lithium-ion Full metal gear box No load speed:210rpm Max torque:5N.m 3-5Hr charger 50pc screwdriver bits Package:Plastic Window case Accessories:49pcs CRV screwdriver bits, 1pc bit holder	6	45*27*18.5	0.0225	6.80	7.20	8467.2990
2		FSD036L02	3.6V CORDLESS SCREWDRIVER 1300mah battery Lithium-ion No load speed:180rpm Max torque:3.5N.m 3-5Hr charger Include 4pc screwdriver bits Package:Doubl blister Accessories:4pc screwdriver bits	20	36.5*29.5*46	0.0495	10.00	11.00	8467.2990
3		FSD040L01	4V CORDLESS SCREWDRIVER 1300mah battery Lithium-ion Full metal gear box No load speed:230rpm Max torque:5N.m 3-5Hr charger Package:blow molded case Accessories:49pcs	10	45*27*18.5	0.0225	9.00	10.00	8467.2990
4		FSD036L03	3.6V Li-ion CORDLESS SCREWDRIVER 800mah battery Lithium-ion Full metal gear box No-load speed:260rpm Torque force: 2.5N.M electric 10N.M manually Charging time:90 minutes with USB cable LED light forward-reverse Quick release chuck Accessory:1 pc USB cable 1 pc 110MM 2 head bit (PH2-SL6) Packed with double blister	20	40.5*29*19.4	0.2280	5.00	5.50	8467.2990
5		FSD036L04	3.6V Li-ion cordless Precision screwdriver kit 3.6V Li-ion battery No load speed: 200/min Chunk size: 1/6"(4.4mm) Max torque: 0.2 Nm(Full Battery) Micro-USB charging cable Include 20PCS screwdriver bits S2 Package:Plastic Window case	20	42*20*14	0.0118	4.55	4.85	8467.2990
6		FCMG0401	4V Cordless Mini Ginder 2000mAh Li-ion battery No load speed: 5000-25000/min Dia.of Chuck: :Φ3.2mm USB TYPE-C charging cable 42 PCS accessories with clear box: 4pcs Grinding wheel with shank:Ø 3.2mm 4pcs Diamond bits: Ø3.2mm 2pcs Hss cutter: Ø3.2mm 1pc Hss drill: Ø3.2mm 1pc Mandrel for cut off wheels: Ø3.2mm 1pc Mandrel for felt wheels:Ø3.2mm 1pc Steel brush:Ø3.2mm 4pcs Sanding band 1pc Sanding shank:Ø3.2mm 2pcs Felt wheel 10pcs Cut off wheel 10pcs Sanding paper 1pc spanner	20	50.5*26.5*34	0.0455	13.00	14.00	8467.2910

42pcs
accessoires

7		FCD12L04C	12V Lithium 2 speed Drill 1pc Battery 1500mAh Li-ion No-load speed:0-350/0-1300rpm Max torque: 20N.m Clutch: 20+1 setting Chuck: 10mm single sleeve 3-5Hr slow charger Power display LED Light Accessories: With 2PCS 50MM Bits Package: Canvas bag	10	44*36.5*24	0.0385	15.00	14.00	8467.2100
8		FCD12L04	12V Lithium 2 speed Drill 2pcs. Battery 1500mAh Li-ion No-load speed:0-350/0-1300rpm Max torque: 20N.m Clutch: 20+1 setting Chuck: 10mm single sleeve 1Hr quick charger,VDE plug Power display LED Light Accessories: With 2PCS 50MM Bits Package: BMC+Color box	5	42*26*30.5	0.0333	11.00	10.00	8467.2100
9		FBP1204	Lithium-ion battery pack,12V, 1500mAh, For the FIXTEC Cordless drill Item:FCD12L04 and FCD12L04C, Packed in Color box	40	27.5*24*28	0.0185	14.5	15.4	8507600090
10		FCD120K60	Cordless drill kit with 60pcs accessories 12V, 1500mAh Li-ion battery No-load speed:0-400/0-1400rpm Max torque: 28N.m Clutch: 18+1 setting Chuck: 10mm Charging time: 3~5 hours Include 5pcs wood drills (3/4/5/6/8mm) Include 5pcs HSS drills (3/4/5/6/8mm) 3pcs flat wood drills (13/16/19mm) 30pcs screwdriver bits 25mm 10pcs screwdriver bits 50mm 1pc bit holder 1pc flexible shaft 1pc bit holder with handle 1pc 6" long nose plier 1pc measuring tape 3m 1pc utility knife 18mm 1pc plastic level 9"	5	56.5*34.5*31.5	0.0614	15.70	16.30	8467.2100
11		FCD12L06	12V LITHIUM CORDLESS DRILL, 2x1500mah Li-ion battery 10mm keyless chuck, No load speed:0-350/0-1400rpm Clutch style: 20+1 Max torque:25N.m LED WORKING LIGHT With battery capacity indicator With spindle lock function	5	51.5*34*28.5	0.0499	\$14.00	\$13.00	8467.2100
12		FBP1206	Lithium-ion battery pack,12V, 1500mAh, For the FIXTEC Cordless drill Item:FCD12L06, Packed in Color box	40	30.5*25.5*20.5	0.0159	9.6	10.6	8507600090

13		FCD20L03	20V CORDLESS DRILL, 2x1500mah Li-ion battery 10mm keyless chuck, No load speed:0-400/0-1400rpm Cluth style: 18+1 Max torque:32N.m LED WORKING LIGHT With spindle lock function 1Hr charger Package:Blow mold case Include:2pcs 50mm double ended bits	5	52*33.5*27.5	0.0480	15.50	16.50	8467.2100
14		FBP2003	Lithium-ion battery pack,20V, 1500mAh, For the FIXTEC Cordless drill Item:FCD20L03, Packed in Color box	40	33.5*31.5*26	0.0274	14.4	15.4	8507600090
15		FCD20L01	20V CORDLESS DRILL, 2x2000mah Li-ion battery 10mm keyless chuck, No load speed:0-400/0-1400rpm Cluth style: 18+1 Max torque:32N.m LED WORKING LIGHT With spindle lock function 1Hr charger Package:Blow mold case Include: 6pcs HSS drill bit, 6pcs screwdriver bits 25mm, 1pc bit holder	4	42*37.5*34	0.0536	14.0	15	8467.2100
16		FCD20LFX	20V CORDLESS IMPACT DRILL Industrial quality 2x2000mAh Li-ion battery No-load speed: 0-500/0-1800rpm Max torque: 45 N.m Impact rate: 0~19500 ipm Clutch: 20+1 setting Chuck: 13mm metal chuck LED WORKING LIGHT With battery capacity indicator With spindle lock function Charging	4	40.5*37.5*33.5	0.0509	15.80	16.50	8467.2100
17		FCRH13LFX	20V Cordless rotary Hammer Bare tool (battery and charger are not included) SDS-plus Impact rate:0~5000 bpm Rated speed: 0~850 rpm Max. impact energy:1.3 J Max. drilling diameter in concrete:13mm Weight bare tool:1.7Kg	4	34*29*22.5	0.0222	5.60	6.20	8467210000
18		FCRH22LFX	20V Cordless Brushless Rotary Hammer Bare tool (battery and charger are not included) Rated Voltage:20V Toolholder: SDS-plus No-load Speed:0-1400rpm Impact frequency: 4500 r/min Drilling diameter: 22mm Impact energy: 1.7J maximun drilling diameter in concrete:22mm	5	42*32*26.5	0.0356	9.00	10.00	84672100
19		FCRH22LFX-4	20V Cordless Brushless Rotary Hammer 2x4.0Ah Li-ion battery Rated Voltage:20V Toolholder: SDS-plus No-load Speed:0-1400rpm Impact frequency: 4500 r/min Drilling diameter: 22mm Impact energy: 1.7J maximun drilling diameter in concrete:22mm Charging time: 90 minutes	4	49x35.5x41	0.0720	17.00	18.00	84672100

20		FCID150LFX	20V Cordless impact driver Bare tool (battery and charger are not included) Rated Voltage:20V No-load Speed:1900rpm Impact Rate:0-3100bpm Max Torque:150Nm Chuck Diameter:1/4" HEX LED light	10	47.5*27*39.5	0.0510	12.80	14.00	84672100
21		FCIW300LFX	20V Cordless Brushless Impact Wrench Bare tool (battery and charger are not included) Rated Voltage:20V No-load Speed:0-950/1400/1900rpm Impact Rate:2400bpm Max Torque:300Nm Chuck Diameter:1/2" LED light	10	47.5*27.5*34.5	0.0450	11.80	13.00	84672100
22		FCIW300LFX-2	20V Cordless Brushless Impact Wrench Include 2x2.0Ah Li-ion battery Rated Voltage:20V No-load Speed:0-950/1400/1900rpm Impact Rate:2400bpm Max Torque:300Nm Chuck Diameter:1/2" LED light Charging time: 50 minutes Package: Canvas bag	4	46x29x28.5	0.0380	14.00	15.00	84672100
23		FCAG100LFX	20V Cordless Brushless Angle Grinder Bare tool (battery and charger are not included) Rated Voltage:20V No load speed: 10500RPM Diameter:Φ100mm Thread of grinder spindle:M10	6	34*32*26	0.0280	11.00	11.60	8467299000
24		FCAG115LFX	20V Cordless Brushless Angle grinder Bare tool (battery and charger are not included) Rated Voltage:20V load speed: 10500RPM Diameter:Φ115mm Thread of grinder spindle:M14	No	34*32*26	0.0280	11.00	11.60	467299000
25		FCAG115LFX-4	20V Cordless Brushless Angle grinder Include 2x4.0Ah Li-ion battery Rated Voltage:20V No load speed: 10500RPM Diameter:Φ115mm Charging time: 90 minutes Thread of grinder spindle:M14 Package: Canvas bag	4	49x35.5x41	15.0000	15.00	16.00	8467299000
26		FCAG125LFX	20V Cordless Brushless Angle grinder Bare tool (battery and charger are not included) Rated Voltage:20V load speed: 10500RPM Diameter:Φ125mm Thread of grinder spindle:M14	No	34*32*26	0.0280	11.00	11.60	8467299000
27		FCRS100LFX	20V Cordless Reciprocating Saw Bare tool (battery and charger are not included) No-load speed: 0-3000rpm Cutting capacity for wood : 100mm Cutting capacity for metal:6mm Stroke length: 22mm Accesories: 1pc balde for wood	5	43*38.5*19	0.0315	7.70	8.20	8467299000

28		FCCS165LFX	20V Cordless Circular Saw 165mm Bare tool (battery and charger are not included) No load speed:4000RPM Blade diameter:165x20mm 18T Max cutting capacity: 54mm	4	67*43*24	0.0692	8.80	9.80	8467299000
29		FCJS80LFX	20V Cordless Jig saw Bare tool (battery and charger are not included) No load speed: 0-3000spm Stroke length: 20mm With Pendulum with LED Light With quick release chuck Max cutting capacity: 80mm in wood 6mm in steel	5	49.5*27*24	0.0321	11.50	12.00	8467299000
30		FCSG20LFX	20V Cordless Spray Gun Bare tool (battery and charger are not included) Rated Voltage:20V No-load speed:32000rpm, Container Volume:800mL Nozzle:1.8mm Max. Viscosity:60 DIN-Secs	6	53*27.5*42	0.0612	6.40	7.20	8424200000
31		FCST50LFX	20V Cordless air Nailer/Stapler 2" Bare tool (battery and charger are not included) Rated Voltage:20V Max Firing Speed: 100nails/staples per minute Max Magazine capacity: holds up to 100 nails / staples Max Length of nails: 50mm 18 Gauge Max Length of staples: 40mm 18 Gauge Shots/full	4	40.8*29.8*28.3	0.0344	11.20	13.00	467299000
32		FCBL28LFX	20V Cordless Blower /Vacuum Bare tool (battery and charger are not included) Rated voltage:20V No-load Speed:0-18000 rpm Rated Air flow: 2.8 m3/min Two functions: Blower/Vacuum	4	53.5*37*20.2	0.0400	6.00	6.50	85163100
33		FCVC06LF	20V Cordless Vacuum Cleaner Bare tool (battery and charger are not included) Battery voltage:20V Dust cup capacity :650ml Vacuum/ (KPa):≥6KPa Max flow:0.7 m3/min Accessories: Crevice nozzle, extension pipe 33mm, floor brush, brush nozzle	4	47.5*32*31.5	0.0480	7.00	7.50	8508190000
34		FCIF11LFX	DC voltage battery:20V Bare tool (battery and charger are not included) 12V DC vehicle:12V Maximum Pressure:160 PSI / 11BAR High Pressure Hose Length:79 cm	4	49.5*31.6*23.5		7.60	8.10	8414809090

35		FCFL30LFX	20V Li-ion Cordless Work Light Bare tool (battery and charger are not included) Expend power:30/20/10W Luminous flux: 2700/2000/1100LM Tilt adjustment: 0-360°	4	45*26*47.5	0.0556	8.00	8.60	9405409000
36		FCF230LFX	20V Li-ion Cordless Fan Bare tool (battery and charger are not included) Speed: Hi:2400rpm, Low:1600rpm Air volume: Hi-450CFM, Low:280CFM Wattage: 25 watts (1.4A) Fan size : 230mm / 3x fan blades Tilt adjustment:0-360°	2	53*38*37	0.0745	6.00	6.80	8414599099
37		FCCS355LFX	40V brushless electric chain saw Bare tool (battery and charger are not included) Voltage :40V (2*20V) Chain speed :16m/s&12m/s, Output power: 1000W Brushless motor Motor speed: 8500RPM Chain bar size: 14"	2	45.5*45.5*26.1	\$0.05	9.10	10.40	8467.2210.00
38		FCHT450LFX	20V LI-ION Cordless Hedge Trimmer Bare tool (battery and charger are not included) Battery voltage:20V No load speed: 2000/min Blade length:450mm Cutting capacity:Φ18mm	2	85.5*24.4*25	0.0522	4.20	7.00	8467299000
39		FCGB200LFX	20V LI-ION Cordless Garden Blower Battery voltage:20V Air volume:1.53m3/min Air speed:62m/s	4	45*45*39	0.0790	5.00	8.50	8467299000
40		FCGT300LFX	20V LI-ION Cordless Grass trimmer Bare tool (battery and charger are not included) Battery voltage:20V No load speed:7500 /min Cutting line diameter:Φ1.6mm Max cutting capacity:Φ300mm	2	102*20.8*23.7	0.0503	3.40	5.80	8467299000
41		FAHG51601	Grass trimmer head line Material:Nylon Wire Diameter: 1.6mm wire length:5m 2PCS/SETS	60	46*25.7*16.5	0.0195	4.80	5.20	697428144577
42		FBP2000LX	20V LI-ION battery 2000mAh Li-Ion battery	20	27.5*26*18.2	0.0130	8.20	7.20	8507600090
43		FBP4000LX	20V LI-ION battery 4000mAh Li-Ion battery	10	42*15.5*15	0.0130	7.70	6.70	8507600090

44		FBCH20001	Fast Battery charger, 220-240V~50/60Hz 2.2A, VDE plug	20	41.5*31*27	0.0350	10.00	9.00	8504401990
45		FBCH20001-BS	Fast Battery charger, 220-240V~50/60Hz 2.2A, BS plug	20	41.5*31*27	0.0350	10.00	9.00	8504401990
46		FTB27	Canvas bag Size: 27*22*22cm Suitable for cordless drill, driver, impact wrench, jig saw, etc	50	47*29*59	0.0810	15.50	15.00	\$4,202,920,000.00
47		FTB43	Canvas bag 43*18.5*30cm	30	45*30*69	0.0930	16.50	16.00	\$4,202,920,000.00
48	 5m cable	FED35001	Electric Drill Voltage/Frequency:220-240V~50/60Hz Input power:350W 10MM keyless chuck No load speed: 0-500/0-1200rpm Torque set: 23+1 Max torque force: 35N.m Drilling capacity:steel:10mm;wood:20mm	10	55.5*27*40.5	0.0689	16.00	15.00	8467.2100
49		FED40006	Electric Drill Voltage/Frequency:220-240V~50/60Hz Input power:400W 6MM key chuck No load speed: 0-3500rpm Drilling capacity:steel:6mm;wood:20mm	10	47.5*34.5*23	0.0377	\$14.00	\$11.50	8467.2100
50		FED40010	Electric Drill Voltage/Frequency:220-240V~50/60Hz Input power:400W 10MM key chuck No load speed: 0-3500rpm Drilling capacity:steel:10mm;wood:20mm	10	47.5*34.5*23	0.0377	\$14.00	\$11.50	8467.2100
51		FED55002	Electric Drill INDUSTRIAL Voltage/Frequency:230V/50HZ Input power:550W 10MM keyless chuck No load speed: 0-3000rpm Drilling capacity: steel:10mm/wood:20mm Aluminum gear box Package:Color box Accessories:1 set carbon brush	10	53.5*37.5*23.5	0.0471	16.00	17.00	8467.2100
52		FID60002	Impact Drill Voltage/Frequency:230V/50HZ Input power:600W 13MM key chuck No load speed: 0-3000rpm Max impact rate:48000bpm Drilling capacity: steel:13mm/concrete:13mm/ wood:25mm Package:Color box Accessories:1set carbon brush;1pc depth stop;1pc auxiliary handle;1pc chuck key	5	38*30*26	0.0296	11.50	12.50	8467.2100

53	Promotion 	FID600K50	Impact Drill kit with 50pcs accessories Voltage/Frequency:230V/50HZ Input power:600W 13MM key chuck No load speed: 0-3000rpm Max impact rate:48000bpm Drilling capacity: steel:13mm/concrete:13mm/ wood:25mm Package:BMC+color box Accessories:1pc 8Oz Claw hammer 1pc 6" combination plier CR-V 2pcs 6" screwdrivers CR-V 1pc 3M measuring tape 1pc 18mm utility knife 8pcs hex wrench 20pcs screwdriver bits 25mm 1 bit bit holder 5pcs wood drill bit (3/4/5/6/7mm) 5pcs HSS drill bit (3/4/5/6/7mm) 5pcs Masonry drill bit (3/4/5/6/7mm)	4	42*38.5*34	0.0550	18.00	19.00	8467.2100
54		FID80002	Impact Drill Voltage/Frequency:230V/50HZ Input power:800W 13MM key chuck No load speed: 0-3000rpm Max impact rate:48000bpm Drilling capacity: steel:13mm/concrete:13mm/ wood:25mm Package:Color box Accessories:1set carbon brush;1pc depth stop;1pc auxiliary handle;1pc chuck key	5	42*33.5*27	0.0380	13.75	14.55	8467.2100
55		FID85001	Impact Drill Voltage/Frequency:230V/50HZ Input power:850W 13MM key chuck No load speed: 0-3000rpm Max impact rate:48000bpm Drilling capacity: steel:13mm/concrete:16mm/ wood:30mm Aluminum gear housing Package:Color box Accessories:1set carbon brush;1pc depth stop;1pc auxiliary handle;1pc chuck key	5	46.5*34*27.5	0.0435	16.20	17.20	8467.2100
56		FID10501	Impact Drill Voltage/Frequency:230V/50HZ Input power:1050W 13MM key chuck No load speed: 0-1100/3000rpm Max impact rate:17600/48000bpm Drilling capacity: steel:13mm/concrete:20mm/ wood:30mm AL gear housing Package:Color box Accessories:1set carbon brush;1pc depth stop;1pc auxiliary handle;1pc chuck key	4	44*26*33.5	0.0415	15.80	16.80	8467.2100
57		FRH50001	Rotary hammer 20mm Voltage/Frequency:230V/50HZ Input power:500W Chuck:SDS-plus No load speed:0-1000rpm Impact rate: 0-3900bpm Impact Joules:1.5J Drilling capacity:20mm Package:Blow mold case Accessories:1set carbon brush;1pc depth stop;1pc auxiliary handle; 3pcs drills	4	44.5*38.5*32.5	0.0557	16.00	16.80	8467.2100
58		FRH80001	Rotary hammer 26mm Voltage/Frequency:230V/50HZ Input power:800W Chuck:SDS-plus No load speed:0-900rpm Impact rate: 0-4000bpm Impact Joules:3J Drilling capacity:26mm Package:Blow mold case Accessories: 1set carbon brush;1pc depth stop;1pc auxiliary handle;2pcs SDS chisels &3pcs drills	3	46*43*35	0.0692	20.50	21.50	8467.2100

59		FRH90001	Rotary hammer 26mm Voltage/Frequency:230V/50HZ Input power:900W Chuck: SDS-plus No load speed:850rpm Max impact rates:4200bpm Impact Joules:5J Drilling capacity: 26mm Package:Blow mold case Accessories: 1set carbon brush;1pc depth stop;1pc auxiliary handle;2pcs SDS chisels &3pcs drills;1pc grease box;1pc spanner;1pc depth stop;1pc dust protector	2	44.5*26*35	0.0405	12.80	13.80	8467.2100
60		FRH15002	Rotary hammer 32mm Voltage/Frequency:230V/50HZ Input power:1500W Chuck: SDS-plus No load speed:900rpm Max impact rates:4300bpm Impact Joules:5.5J Drilling capacity: 32mm Package:Blow mold case Accessories: 1set carbon brush;1pc depth stop;1pc auxiliary handle;2pcs SDS chisels &3pcs drills;1pc grease box;1pc spanner;1pc depth stop;1pc dust protector	2	47*32.2*40.5	0.0613	16.50	17.50	8467.2100
61		FRH18002	Rotary hammer 36mm Voltage/Frequency:220-240V~50/60Hz Input power:1800W SDS-plus No load speed:820rpm Max impact rates:4000bpm Impact Joules:7J Drilling capacity: 36mm Net weight:5.20kgs Accessories: 8/10/12mm drill bit 1pc point chisel bit 1pc flat chisel bit	2	47*32.2*40.5	0.0613	23.50	22.50	8467.2100
62		FRH16001	SDS Max Rotary hammer 40mm Voltage/Frequency:230V/50HZ Input power:1600W Chuck: SDS-Max No load speed:0-550rpm Max impact rates:3850bpm Impact Joules:9J Drilling capacity: 40mm Package:Blow mold case Accessories: 1pc SDS+ hammer drill bit 1pc point chisel bit	2	47*32.2*40.5	0.0613	18.20	19.20	8467.2100
63		FDH110130	HEX-GAN Demolition braker Voltage/Frequency:220V~50/60Hz Input power: 1100W IMPACT RATE: 3800Bpm Impact energy per stroke:13J Net Weight:6.5kgs Accessories: 1pcOil tube 1pc 250mm point chisel bit 1pc 250mm flat chisel bit 1set carbon brush 1pc wrench of oil hole 1pc Metal box+Color sleeve	2	51.5*26*33	0.0442	\$18.50	\$11.50	84672990.00
64		FDH130135	HEX-GAN Demolition braker Voltage/Frequency:220V~50/60Hz Input power: 1300W Impact energy per stroke:19J IMPACT RATE: 3850Bpm Net Weight:6.1kgs Accessories: 1pcOil tube 1pc 250mm point chisel bit 1pc 250mm flat chisel bit 1set carbon brush 1pc wrench of oil hole 1pc Blow mold case+Color box	2	50.5*25.5*32.5	0.0419	\$16.00	\$17.00	84672990.00

65		FDH13001	HEX-GAN Demolition braker Voltage/Frequency:230V/50HZ Input power:1300W Cylinder size: 35mm Chuck: 17mm HEX Max impact rates:2900bpm Impact Joules:10J Net Weight:6.5kgs Package:Blow mold case Accessories: 1 set carbon brush; 1pc auxiliary handle; 1pc 17x280mm Hex Pointed&Flat chisels; 1pc oilcan ;1pc oil cap wrench	2	57*26.5*36	0.0544	20.50	17.50	8467.2990
66		FDH15002	HEX-GAN Demolition braker Voltage/Frequency:230V/50HZ Input power:1500W Chuck: 30mm HEX Max impact rates:1450bpm Impact Joules:45J Net Weight:15kgs Package:Metal box Accessories: 1 set carbon brush; 1pc auxiliary handle;1pc 30x410mm Hex.Pointed&Flat chisels;1pc oilcan ; 1pc oil cap wrench;1pc 5/6 hex spanner	1	71.5*30.5*18	0.0393	19.50	21.90	8467.2990
67		FDH170145	1700W Demolition braker VOLTAGE/FREQUENCY:220V~50/60Hz RATED POWER: 1700W Impact rates: 1900 Bpm Chuck: 30mm HEX Impact energy per stroke:68J Net Weight:15kgs Accessories: 1pc 380mm point chisel bit 1pc 380mm flat chisel bit	1	88*35*19.7	0.0607	22.000	23.000	84672990.00
68		FDH18001	SDS Max Demolition hammer Voltage/Frequency:230V/50HZ Input power:1800W Chuck: SDS-MAX No load speed:900-1890rpm Impact energy: 6-25J Weight: 11Kg Package:Blow mold case Accessories: 1pc point chisel	1	69x21x48	0.0700	16.00	17.00	8467.2990
69		FDH20002	HEX-GUN Demolition braker Voltage/Frequency:230V/50HZ Input power:2100W Chuck: 30mm HEX Max impact rates:1600bpm Impact Joules:85J Net Weight:22.5kgs Package:Blow mold case Accessories: 1 set carbon brush; 1pc auxiliary handle,1pc 30x400mm point chisel;1pc 30x400mm flat chisel ;1pc oilcan;	1	87*54*18	0.0846	28.90	41.90	8467.2990
70	 Grease type	FDH190065	1900W Demolition braker VOLTAGE/FREQUENCY:230V~50Hz POWER:1900W Constant power Impact rates: 2200BPM Chuck:30mm HEX Net Weight:18kgs Impact Joules:75J Higher efficiency, less vibration Accessories: 1pc 400mm point chisel bit 1pc 400mm flat chisel bit 1pc Grease tube 1set carbon brush 1pc M10 hex wrench for grease hole BMC+CARTRON BOX	1	83.5*39.5*19	0.06	27.00	26.00	84672990.00
71		FEIW11001	Impact wrench Voltage/Frequency:220-240V~50/60Hz Input Power:1100W No load speed: 2200RPM Torque:450NM 1/2" square connector Max.torque:300Nm Socket: 17/19/21/22mm Package: blow mold case	3	44*38*35	0.0719	19.00	20.00	8467.2990

72		FAG10002	ANGLE GRINDER 100mm Voltage:230V/50HZ Power:700W No-Load speed:11000rpm Diameter:Φ100mm Thread of grinder spindle:M10 Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	6	39*35*25	0.0341	12.00	13.00	8467.2910
73		FAG10007	ANGLE GRINDER 100mm. rear switch Voltage:220-240V~50/60Hz Power:710W No-Load speed:12000rpm Diameter:Φ100mm Thread of grinder spindle:M10	6	35*33.5*25	0.0294	13.00	12.00	8467.2910
74		FAG10003	750W ANGLE GRINDER Voltage:220-240V~50/60Hz Power:750W No-Load Speed: 12000rpm Diameter:Φ100mm Thread of grinder spindle:M10 Side switch	6	35*33.5*25	0.0290	15.00	14.00	8467.2910
75		FAG900100R	900W ANGLE GRINDER Voltage:220-240V~50/60Hz No Load Speed: 11000r/min Disc diameter: 100mm Thread of grinder spindle:M10 Rear switch Accessories: 1pc spanner 1pc quick change guard 1 set carbon brush	6	38*34.5*22	\$0.03	\$13.00	\$12.00	8467.2910
76		FAG900100	900W ANGLE GRINDER Voltage:220-240V~50/60Hz No Load Speed: 11000r/min Disc diameter: 100mm Thread of grinder spindle:M10 Side switch Accessories: 1pc spanner 1pc quick change guard	6	38*34.5*22	\$0.03	\$13.00	\$12.00	8467.2910
77		FAG900100V	900W ANGLE GRINDER Voltage:220-240V~50/60Hz No Load Speed:3800-11000 r/min Disc diameter: 100mm Thread of grinder spindle:M10 Side switch Accessories: 1pc spanner 1pc quick change guard 1 set carbon brush	6	38*34.5*22	\$0.03	\$13.00	\$12.00	8467.2910
78		FAG11503	ANGLE GRINDER 115mm Voltage:220-240V~50/60Hz Power:750W No-Load speed:12000rpm Diameter:Φ115mm Thread of grinder spindle:M14	6	35*33.5*25	0.0294	13.00	12.00	8467.2910
79		FAG11504	ANGLE GRINDER 115mm Voltage:230V/50HZ Power:900W No-Load Speed: 11000rpm Diameter: 115mm Thread of grinder spindle:M14 Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	6	34.5*33*26	0.0296	13.60	14.30	8467.2910
80		FAG900115V	900W ANGLE GRINDER Voltage:220-240V~50/60Hz No Load Speed: 3800-11000 r/min Disc diameter: 115mm Thread of grinder spindle:M14 Side switch Accessories: 1pc spanner 1pc quick change guard	6	38*34.5*22	\$0.03	\$14.00	\$13.00	8467.2910

81		FAG11507	1050W Angle grinder Voltage:220-240V~50/60Hz Rated Input Power:1050W No Load Speed: 12000r/min Disc diameter: 115mm Thread of grinder spindle:M14 Accessoriie: 1pc wrench 1set carbon brush	6	39*36.5*24.5	0.0349	\$16.00	\$15.00	8467.2910
82		FAG11507V	1050W Angle grinder Voltage:220-240V~50/60Hz Rated Input Power:1050W No Load Speed: 4000-12000r/min Disc diameter: 115mm Thread of grinder spindle:M14 Accessoriie: 1pc wrench 1set carbon brush	6	39*36.5*24.5	0.0349	\$16.00	\$15.00	8467.2910
83		FAG12503	ANGLE GRINDER 125mm Voltage:230V/50HZ Power:900W No-Load Speed: 11000rpm Diameter: 125mm Thread of grinder spindle:M14 Extra cost for restart protection: \$1.50 Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	6	34.5*33*26	0.0296	13.60	14.30	8467.2910
84		FAG12503V	ANGLE GRINDER 125mm Voltage:230V/50HZ Power:900W No-Load Speed: 4000-11000rpm Diameter: 125mm Thread of grinder spindle:M14 Extra cost for restart protection: \$1.50 Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	6	34.5*33*26	0.0296	13.60	14.30	8467.2910
85		FAG12504	ANGLE GRINDER 125mm Voltage:230V/50HZ Power:1200W No-Load Speed: 11000rpm Diameter: 125mm Thread of grinder spindle:M14 Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	4	44.5*29.5*26	0.0341	11.30	12.00	8467.2910
86		FAG12504V	ANGLE GRINDER 125mm Voltage:230V/50HZ Power:1200W No-Load Speed: 4000-11000rpm Diameter: 125mm Thread of grinder spindle:M14 Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	4	44.5*29.5*26	0.0341	11.30	12.00	8467.2910
87		FAG18001	ANGLE GRINDER 180mm Voltage:230V/50HZ Power:1800W No-Load Speed: 8500rpm Diameter: 180mm Thread of grinder spindle:M14 Rotary rear handle Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	2	49.5*26*15.5	0.0199	9.00	9.70	8467.2910
88		FAG18004	ANGLE GRINDER 180mm Voltage:230V/50HZ Power:2000W No-Load Speed: 8500rpm Diameter: 180mm Thread of grinder spindle:M14 Rotary rear handle Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	2	49.5*26*15.5	0.0199	9.00	9.70	8467.2910
89		FAG18002	ANGLE GRINDER 180mm Voltage:230V/50HZ Power:2350W No-Load Speed: 8500rpm Diameter: 180mm Thread of grinder spindle:M14 Rotary rear handle Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	2	57.5*26*19	0.0284	11.50	12.00	8467.2910

90		FAG23004	ANGLE GRINDER 230mm INDUSTRIAL Voltage:230V/50HZ Power:2000W No-Load Speed: 6500rpm Diameter: 230mm Thread of grinder spindle:M14 Rotary rear handle Package:Color box 1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	2	51.5*27.5*17.5	0.0248	11.00	12.00	8467.2910
91		FAG23002	ANGLE GRINDER 230mm Voltage:230V/50HZ Power:2350W No-Load Speed: 6500rpm Diameter: 230mm Thread of grinder spindle:M14 Rotary rear handle Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc protection guard;1pc auxiliary handle	2	57.5*26*19	0.0284	11.50	12.00	8467.2910
92		FPO18002	Electric Polisher Voltage/Frequency:230V/50HZ Input power:1400W No load speed:1000-3300rpm Pad size: 180mm Protective type/Protective Package:Color box Accessories:1pc buffing bonnet;1pc auxiliary handle;1pc buffing plate;1pc hex key	4	46.5*32*30.5	0.0454	14.50	15.50	8467.2910
93		FCP24001	Car polisher Voltage/Frequency:230V/50HZ Input power:120W No-load speeds:3000/min Pad size: 240mm Rotary handle	4	52*28*48	0.0700	12.00	11.00	8509.8010
94		FMG17001	MINI GRINDER 220-240V~50/60Hz Power:170W No-Load speed:8000-35000rpm Dia.of chuck:Φ1.6/3.2mm Package:Blow mold case Accessories: 40pcs accessories 1pc flexible shaft	6	58.5*35*27.5	0.0563	11.50	12.00	8467.2910
95		FSG40001	Die grinder, 400W Rated voltage:230V/50Hz No-load speed:3000-26000r/min Disc diameter size:6mm Package:Color box Accessories: 1 set of carbon brush;2pcs wrench	10	45*42.5*23.5	0.0449	20.00	20.80	8467.2910
96		FSG75001	STRAIGHT GRINDER Voltage/Frequency:230V/50HZ Input power:750WCollect:6mm No load speed:7000-30000rpm Slide switch Anti-slip handle Package:Color box Accessories: 1 set of carbon brush;2pcs wrench	6	54*42*12	0.0272	12.50	13.50	8467.2910
97		FMT30001	MULTI-FUNCTION TOOLS Voltage/Frequency:230V/50HZ Input power:300W No load speed:15000-22000rpm Package:Blow mold case Accessories:4pcs sanding paper 1pc sanding base 1pc scraper 1pc plunge cutter	6	38.5*37*43	0.0783	19.00	20.00	8467.2290
98		FJS60001	JIG SAW Voltage/Frequency:230V/50HZ Input power:600W Stroke length:17.5mm No load speed:800-3000SPM Bevel cut:0-45° Obtial setting:4 sections Cutting capacity: wood:85mm/metal:8mm Package:Color box Accessories:1 set of carbon brush; 1 hexagon spannerr	5	41.5*27*24	0.0269	10.00	10.50	8467.2990

99		FJS85001	JIG SAW Voltage/Frequency:230V/50HZ Input power:850W Stroke length:20mm No load speed:800-3000SPM Bevel cut:0-45° Obtial setting:4 sections Cutting capacity: wood:100mm/metal:10mm With Laser Aluminum base Package:Color box Accessories:1 set of carbon brush;one hex spanner;1parallel guide	5	41.5*27*24	0.0269	12.50	13.10	8467.2990
100		FRS10501	Reciprocating saw Voltage/Frequency:230V/50HZ Input power:1050W Stroke length:28mm No load speed:0-2500SPM Cutting capacity: wood:150mm quick blade change Package:Color box Accessories:1 set of carbon brush;one blade for wood, one blade for metal	4	55*38*24	0.0500	16.00	15.00	8467.2290
101		FCS18501	CIRCULAR SAW Voltage/Frequency:230V/50HZ Input power:1300W Blade size: 185mm 24T No Load speed:4700rpm Bevel cut:0-45° Cutting capacity: 90°@65mm 45°@45mm Package:Color box Accessories:1 set carbon brush; 1pc 185mm TCT blade; 1 parallel guide; 1 hex key;	4	52.8*36.3*55	0.1054	17.50	18.50	8467.2290
102		FCS18503	CIRCULAR SAW Voltage:220-240V~50/60Hz Input power:1380W Blade diameter:185mm No Load speed:4700rpm Bevel cut:0-45° Cutting capacity: 90°@65mm 45°@45mm	4	65*46.5*28	0.0689	20.50	19.00	8467.2990
103		FCS18502	CIRCULAR SAW INDSTRIAL Voltage:220-240V~50/60Hz Input power:1400W Blade diameter:185mm No Load speed:4700rpm Bevel cut:0-45° Cutting capacity: 90°@65mm 45°@45mm	2	51.5*39*29	0.0582	15.00	14.00	8467.2290
104		FCS23501	CIRCULAR SAW INDSTRIAL Voltage/Frequency:230V/50HZ Input power:2200W Blade size: 235mm 60T No Load speed:3800rpm Bevel cut:0-45° Cutting capacity: 90°@84mm 45°@64mm Package:Color box Accessories:1 set carbon brush; 1pc 235mmx60T TCT blade; 1 parallel guide; 1 hex key;	2	57.5x41x22.5	0.0530	17.00	18.00	8467.2290
105		FLT55001	Electric Trimmer Voltage:220-240V~50/60Hz Input power:550W No-Load Speed:33500r/min Disc diameter size:6MM Accessories: A pair of carbon brushes; open end wrench; straight line guide (with a nut); guide bush ;6.35 mm collet	6	50.5*25.5*23.5	0.0300	12.00	13.20	8467.2990

106		FRT18002	ELECTRIC ROUTER Voltage:220-240V~50/60Hz No-load Speed:23000r/min Power:1800W Diameter of collet:12/8/6mm Plunge 0-50mm	2	42.5*29*29	0.0357	14	13.00	8467.2990
107		FRT18001	ELECTRIC ROUTER Voltage/Frequency:230V/50HZ Input power:1800W No load speed:6000-22000rpm Diameter of collet:12/8/6mm Plunge 0-50mm With constant power,soft start Package:Color box Accessories:1set of carbon brush;6/8/10mm collect; 1 parallel guide;1 template guide;1centering pin;1extraction adapter;1spanner	2	38*32*33	0.0401	12.00	13.00	8467.2990
108		FPL60001	ELECTRIC PLANER Voltage/Frequency:230V/50HZ Input power:600W Planing speed:16000rpm Planing depth:0-1mm Planing width, max: 82mm Aluminum base Package:Color box Accessories:1 set of carbon brush;1 dust bag; 1 parallel guide;1 rebating depth guide;1 hex wrench	4	35*32.5*39.5	0.0449	13.00	14.00	8467.2920
109		FPB8201	Planer blade: 82mm Material: HSS Used for FPL60001	200	44.5*23*20	0.0205	19.30	19.80	8208.2000
110		FPL85001	ELECTRIC PLANER Voltage/Frequency:230V/50HZ Input power:850W Planing speed:16000rpm Planing depth:0-3mm Planing width, max: 82mm Aluminum base Package:Color box Accessories:1 set of carbon brush;1 dust bag; 1 parallel guide;1 rebating depth guide;1 hex wrench	4	37*33*37	0.0452	14.50	15.50	8467.2920
111		FPL90001	ELECTRIC PLANER Voltage/Frequency:230V/50HZ Input power:900W Planing speed:14500rpm Planing depth:0-3mm Planing width, max: 82mm Aluminum base Package:Color box Accessories:1 set of carbon brush;1 dust bag; 1 parallel guide;1 rebating depth guide;1 hex wrench	4	35*32.5*39.5	0.0522	14.60	15.40	8467.2920
112		FPB8202	Planer blade: 82mm Material: HSS Used for FPL85001 & FPL90001	120	33*22*19	0.0138	5.60	5.80	8208.2000
113		FPS24002	1/4 SHEET Palm Sander Voltage:220-240V~50/60Hz Input Power: 240W No load speed: 14000 opm Pad size: 108X113mm (1/4sheet) Aluminum base Package:Color box Accessories:1pc dust bag; 1pc sanding paper	5	65*19.5*17	0.0220	7.00	7.50	8467.2910
114		FFS22001	1/3 SHEET ORBITAL SANDER Voltage/Frequency: 230V/50Hz Input Power: 220W No load speed: 6000-12000 opm Pad size: 90X187mm (1/3sheet) Aluminum base Package:Color box Accessories:1set carbon brush;1pc dust bag;1pc sanding paper	5	53.5*30*18.5	0.0300	8.80	10.60	8467.2910

115		FRS12501	Rotary sander Voltage:230V~50Hz Input power:450W No-load speed:6000-13000 opm Pad size: 125mm plastic bases with vercro With active dust suction function acc 1pc sanding paper 1pc dust box	4	53*30*20	0.03	10.20	9.70	8467.29
116		FBS90001	BELT SANDER Voltage/Frequency:230V/50HZ Input power:900W Sanding speed:120-380m/min Sanding size:76x533mm Available for corner sanding Package:Color box Accessories:1 set of carbon brush; 1 dust bag; 1 sanding belt	3	51.5*40.5*20.5	0.0428	11.00	12.00	8467.2910
117		FDS08001L	Drywall Sander with LED Voltage/Frequency:230V/50HZ Input power:800W No-load speed:1200-2300rpm Sanding disc dia.:180mm With 2 strip 7W LED lights With the dust collection system ACCESSORIES: 1pc dust collect bag 1pc auxiliary handle 2pcs connectors 2M dust collect pipe 2pc each of 150#,180#,240# sanding paper	4	62*32*54	0.1070	15.00	16.00	8467.2910
118		FDS08002L	Drywall Sander with LED Voltage:220-240V~50/60Hz Input power:800W No-load speed:800-1800rpm grind disc dia.:215mm sandpaper dia.:225mm Adjustable work length from 1.2-1.65m 4m cable With 2 strip 7W LED light ACCESSORIES: 2M dust collect pipe, 1pc each of 60#,80#,120#,150#,180#,240# sand disc 1pc dust bag Package: carry bag+color box	2	71*30*56	0.1193	10.00	13.50	8467.2910
119		FDSP180001	5pcs DRYWALL SANDER PAPER Paper size:Ø190mm 180 grit Package:Color box Used with FDS08001L	100	43.5*30*51.5	0.0672	6.80	13.00	8467.2910
120		FDSP225120	5pcs DRYWALL SANDER PAPER Paper size:Ø225mm120 grit Package:Color box Used with FDS08002L	100	53*48*31	0.0789	13.50	15.00	6805.2000
121		FDSP225150	5pcs DRYWALL SANDER PAPER Paper size:Ø225mm 150 grit Package:Color box Used with FDS08002L	100	53*48*31	0.0789	13.50	15.00	6805.2000
122		FMX16002	Electric Mixer Rated voltage: 220-240V~50/60Hz Input power:1600W Speed I: 250-500rpm/min Speed II: 400-800rpm/min Mixing paddle diameter:140mm Mixing paddle length:590mm Mixing Volume: 85 litres Tool connection: M14 insert screw coupling Mixing paddle diameter:140mm Dual speed and change gear selector setch smoothly Removing mixer easily Electronic soft start function	2	67*36*22.5	0.0543	12.00	13.50	8474.3100

123		FEV80001	Concrete Vibrator Voltage/Frequency:220V-50/60Hz Input power:800W No load speed:4200r/min Max shaft used:φ35MM	10	45*31*36	0.0502	20.00	18.00	8467.2990
124		FEV12001	Concrete Vibrator Voltage/Frequency:220V-50/60Hz Input power:1200W No load speed:4600r/min Max shaft used:φ50MM	10	45*33.5*36	0.0543	25.00	24.00	8467.2990
125		FVS35150	Concrete vibrator shaft ,35MM*1.5M	10	150*15*15	0.0338	35.44	35.00	8467.9990
126		FBL40001	BLOWER Voltage/Frequency:230V/50HZ Input power:400W No-load speed: 14000rpm Air volume:3.3m ³ /min Package:Color box Accessories: 1set carbon brush; 1pc dust collection bag;1pc blowing pipe	4	39x24x39.5	0.0370	6.00	7.00	8467.2990
127		FBL60001	BLOWER Voltage/Frequency:230V/50HZ Input power:600W No-load speed: 6000-16000rpm Air volume:4m ³ /min Package:Color box Accessories: 1set carbon brush; 1pc dust collection bag;1pc blowing pipe	4	44.5x25.5x42	0.0480	8.00	9.00	8467.2990
128		FHG20002	HEAT GUN Voltage/Frequency:230V/50HZ Input power:2000W Temperature& Air Flow: I:350℃ 300L/M II:550℃ 500L/M Package:Color box Accessories: 4pc nozzle	10	53*29*49.5	0.0761	10.70	11.70	8419.8991
129		FHG20003	HEAT GUN, INDUSTRIAL QUALITY Voltage:220-240V~50/60Hz Input power:2000W Temperature& Air Flow: Setting I : 50℃ 250L/M Setting II : 50- 450℃ 250L/M SettingIII: 50- 600℃ 500L/M With Four Nozzles	10	47.6*30.6*28	0.0408	12.00	13.00	8419.8990.90
130		FGG08001	Glue Gun Voltage/Frequency:120-240V/50/60Hz Input power:80W Preheat time: 5-7 min Flow glue: 14-16g/min Glue stick diameter: 11mm Package:Doubl blister Accessories: 2pcs glue stick	48	59*47*42	0.1165	16.00	18.00	8516.7990
131		FGS07150	Glue stick, professional quality 7*150mm 10 PCS/Bag	200	51*21*25	0.027	11.00	11.80	\$35,069,120.00
132		FGS11150	Glue stick, professional quality 11*150mm 10 PCS/Bag Used for FGG08001	100	61*25*25	0.038	14.00	14.61	\$35,069,120.00

133		FHESI030	Electric soldering iron Voltage/Frequency:230V/50HZ Input power:30W Package:Doubl blister	50	54*37*36	0.0897	9.00	10.00	8515.1100
134		FSG08001	ELECTRIC SPRAYER Voltage/Frequency:230V/50HZ Input power:80W (Water) Flow Rate: 250ml/min Max. Spraying Pressure: 140Bar Max. Viscosity : 35DIN-s Nozzle:0.8mm Container Capacity:700ml Package:Color box Accessories:1 pc flexible nozzle extension; 1pc viscosity measuring cup;1 pc cleaning needle	4	53*29.2*27.8	0.0004	8.00	8.60	8424.2000
135		FSG8002	ELECTRIC SPRAYER Voltage:220-240V~50/60Hz Input power:800W (Water) Flow Rate :1100ml/mim Paint Cup Capacity:1200MAL Max. Viscosity:70 DIN-s Nozzle size:Φ2.5 mm Air Pressure:0.1-0.3 Bar Air Hose Length:1.8 meters Accessoreis: 1x shoulder strap ·1x viscosity measuring cup ·1x nozzle cleaning needle	4	57*48.27	0.0740	11.50	12.50	8424.2000
136		FMC12401	MARBLE CUTTER Voltage/Frequency:230V/50HZ Input power:1240W No-Load Speed:13000rpm Blade size:110mm Cutting Capacity: 34mm Package:Color box Accessories:1 set carbon brush;1pc spanner;1pc socket wrench;1pc water hose	4	46*26.5*40	0.0488	13.60	16.00	8467.2990
137		FMC14501	Marble Cutter Blade Diameter :110mm Voltage & Frequency :220-240V~50/60Hz No-load Speed :13000r/min Input Power : 1450W 1pc water pipe 1pc water connection, 1pc faucet, 1 pc spanner, 1 pc flange wrench, 1 pair carbon brushes	4	46.5*46*19.5	0.0430	12.50	13.50	8467.2990
138		FET21415	Electric Tacker Voltage:220-240V~50/60Hz Rated Current: 5A Rated Firing Speed:≤20pcs/min Staple Specification:Type 53 Brad Nail Specification:Type F Staple Loading Capacity:100pcs Nail Loading Capacity: 80pcs Features: Impact adjustable ; -Contact (Depress to fire) safety switch; -Bottom loading of staples/nails; -Anti jam mechanism Accessories: 400 pcs staples 14mm 100 pcs nails 15mm	10	41*36*29	0.0428	14.90	15.70	8467.2990

139		FET22532	Electric Tacker Voltage:220-240V~50/60Hz Rated Current: 9A Rated Firing Speed: ≤20pcs/min Staple Specification:Type 600 Brad Nail Specification:Type F Staple / Nail Loading Capacity:100pcs Features: -Impact adjustable; -Contact safety switch depress to fire ; -Side loading of staples and nails; -Easy jam clear mechanism; -Overmolded soft grip Accessories: ·300pcs staples 19mm ·100pcs nails 25mm ·1x Hexagon key	6	55*29.6*25	0.0407	13.02	13.98	8467.2990
140		FBG12501	BENCH GRINDER 5" Voltage/Frequency:230V/50HZ Input power:150W No-load speed: 2950rpm@50Hz 3450rpm@60Hz Wheel Size: φ125x16xφ12.7mm Package:Color box Accessories:1pc 36grit abrasive grinding wheel;1pc 60 grit abrasive grinding wheel	2	38.5*30*22.5	0.0260	9.60	10.60	8460.9010
141		FBG15001	BENCH GRINDER 6" Voltage/Frequency:230V/50HZ Input power:150W No-load speed: 2950rpm@50Hz 3450rpm@60Hz Wheel Size: φ150x16xφ12.7mm Package:Color box Accessories:1pc 36grit abrasive grinding wheel;1pc 60 grit abrasive grinding wheel	2	42.5x31x22.5	0.0296	10.00	11.00	8460.9010
142		FBG20001	BENCH GRINDER 8" Voltage/Frequency:230V/50HZ Input power:350W No-load speed: 2950rpm@50Hz 3450rpm@60Hz Wheel Size: φ200x20xφ16mm Package:Color box Accessories:1pc 36grit abrasive grinding wheel;1pc 60 grit abrasive grinding wheel	2	54.5X44X30.5	0.0731	21.00	23.00	8460.9010
143		FDP35002	DRILL PRESS Voltage/Frequency:230V-/50Hz Input power:350W Max drilling capacity:Ø13mm Spindle Travel: 50mm Column Diameter:46mm Spindle speed:5speed:760~3070rpm Total height: 580mm Distance Spindle/Column 104mm Distance Spindle/Table 200mm Distance Spindle/Base 290mm Table size:160x160mm Base size:291x183mm Package:Color box Accessories:1 pc chuck key;2pcs hex key	1	47.5*36.5*24.5	0.0425	15.00	16.80	8465.9500
144		FDP55016	DRILL PRESS Voltage/Frequency:230V-/50Hz Input power:550W Max drilling capacity:Ø16mm Spindle Travel: 80mm Column Diameter:φ72 Class of speed:16 Speed 50Hz : 180-2770R.P.M. 60Hz: 220-3320R.P.M. Spindle Tape:MT2 Total height: 980mm Distance Spindle/Column 162.5mm Distance Spindle/Table 450mm Distance Spindle/Base 630mm Swing:325mm Table size::Ø290mm Base size:420X250mm Column Diameter(mm): Ø72mm Cast iron base and Table Color box	1	77*45*27	0.0936	36.00	38.00	84592900.00

145		FDP75001	DRILL PRESS Voltage/Frequency:230V-/50Hz Input power:750W Max drilling capacity:Ø20mm (3/4") Spindle Travel: 80mm Column Diameter:φ72 12 Speeds: 50Hz:180~2770rpm 60Hz:220~3320rpm Total height: 1580mm Distance Spindle/Column 162.5mm Distance Spindle/Table 725mm Distance Spindle/Base 1205mm Table size:250x250mm Base size:460x270mm Cast iron working table, Cast iron base Package: brown box Accessories:1 pc chuck key;2pcs hex key	1	111*45*27.5	0.1374	57.00	60.00	8465.9500
146		FCO35507	355MM CUT OFF SAW Voltage:230V/50HZ Power:2000W No-Load Speed: 3800rpm Cutting disc size: 355mm Max cutting capacity: Round pipe 105mm/Square110*110mm	1	53*30*39	0.0620	12.60	11.30	8461.5000.90
147		FCO35501	355MM CUT OFF SAW Voltage:230V/50HZ Power:2000W No-Load Speed: 3800rpm Cutting disc size: 355mm Max cutting capacity: Round pipe 115mm/Square115x115mm/ Rectangle 150x102mm Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc 355mm blade	1	52.5x32x41	0.0689	15.00	17.00	8461.5000
148		FCO35506	355MM CUT OFF SAW Voltage:230V/50HZ Power:2400W No-Load Speed: 4100rpm Cutting disc size: 355mm Max cutting capacity: Round pipe 130mm/Square115x115mm/ Rectangle 150x102mm Package:Color box Accessories:1 set carbon brush;1pc wrench;1pc 355mm blade	1	55*31*41	0.0700	15.00	17.00	8461.5000
149	INDUSTRIAL 	FCO2635501	355MM CUT OFF SAW Voltage:230V/50HZ Power:2600W No-Load Speed: 3800rpm Cutting disc size: 355mm Max cutting capacity: Round pipe 105mm/Square110*110mm	1	58.5*34*42.5	0.0847	\$17.20	\$15.65	8461.5000.90
150		FMS21002	210MM COMPOUND MITRE SAW Voltage:220-240V~50/60Hz Power:1500W Blade dia:210mmX24T No-load speed:5000r/min 8" single bevel compound Cutting capacity: 0° x 0° 120 x 55mm 45° x 0° 83 x 55mm 0° x 45° 120x30mm 45°left 25x83 mm 45°right 30x83 mm Accessories: Dust bag,wrench,wood clamp, extension bars	1	47.5x36.5x33	0.0572	6.90	8.00	8465.9100

151		FMS21003	210mm Sliding Miter Saw W/laser Voltage:230V~50Hz Power: 1500W Blade dia: 210mm x 40T No-load speed:5000r/min single bevel With Laser Accessories: 1pc Dust bag,1pc blade wrench, 2pcs extension bars, 1pc wood clamp 70x220 70x155 35x220 35x155 1pc Dust bag,1pc blade wrench, 2pcs	1	65*45*38	0.1111500	10.50	12.00	8465.9100
152		FMS25501	255MM COMPOUND MITRE SAW W/laser Voltage:230V/50HZ Power: 1600W Blade size: 255mm No-load speed: 5000r/min Mitre table angles: -45° - +45° Bevel angles:0-45° Cutting capacity: 0°/ 0° : 65x140mm 45°/ 0° : 65x90mm 0° /45° : 38x140mm 45°/45°: 38x90mm Aluminum base Package:Color box Accessories: 1 set carbon brush;1 dust bag;1 pc 255mm blade;2pcs extension wing;1 pc hex key,1 pc work clamp	1	56*45*38.5	0.0970	10.00	12.00	8465.9100
153	INDUSTRIAL 	FMS25503	255MM COMPOUND MITRE SAW IDEAL for cutting Aluminum (need with TCT saw blade for Aluminum) Voltage:230V/50HZ Power:2000W Blade dia: 255mm No-load speed: 5000rpm Cutting capacity: 90°/ 45° : 70x140mm 45°/ 0° : 35x140mm 45°/45°: 35x100mm Aluminum base With Laser	1	59*45*42	0.1115	14.65	11.45	84659100.0000
154	INDUSTRIAL 	FMS25502	255MM SLIDING COMPOUND MITRE SAW W/laser Voltage:230V/50HZ Power:1800W Blade dia: 255mm No-load speed: 5000rpm Mitre table angles: -45° - +45° Double Bevel angles:45° (left) to 45° (right) Cutting capacity: 0°/ 0° : 90x305mm 45°/ 0° : 90x215mm 0° /45° : 38x305mm 45°/45°: 38x215mm Aluminum base With Laser Package:Color box Accessories: 1 set carbon brush;1 dust bag;1 pc 255mm blade;2pcs extension wing;1 pc hex key,1 pc work clamp	1	95*55*37	0.1933	17.00	20.50	8465.9100
155		FTS18001	TABLE SAW Voltage:230V/50HZ Power:1800W Blade dia: Ø250xØ30mmx24T No-load speed: 5000rpm Cutting angles:0 - 45° Cutting capacity: 85mm @0° 65mm @45° Table size : 642x478mm Left/Right extension table size : 642x226mm Overheight: 829mm Dust port diameter: Ø35mm Package:Color box	1	70*57*33	0.1197	12.00	13.00	8465.9100
156		FBS3502001	BAND SAW 8" Voltage:230V/50HZ Power:350W Max. cutting height 80MM Max.cutting width 200MM Saw wheel diameter : 210mm Line speed of saw blade: 15m/s Saw specification: 1400*6.5*0.35mm Table size: 300*300mm Table pivot capacity : 0-45° steel table Package:Color box	1	35*27.5*72	0.0693000	15.5	17.00	84659100.00

157		FTP20001	THICKNESS PLANER Voltage:230V/50HZ Power: 2000W Speed:8000r/min Feed speed:6m/min Planing Width:330mm Planing Depth:0~3mm Planing height:6~160mm blade quantity.:2pcs Package: brown box	1	57*36*45.5	0.0934	28.00	30.50	8465.9200
158		FPT162001	Jointer&Planer Voltage:230V/50Hz Power:1600W Speed:8000r/min Feed speed:6m/min Max.Planer Width:204mm Planing Depth:0~3mm Planing height:6~120mm Fence:512x80mm Fence angle: 90°-135° Planer working table:746x210mm Thicknessing working table:268x208mm Knife blade size:210x16.5x1.8mm Package: brown box	1	84*46.5*44	0.1718640	22.5	25.00	8465.9200
159		FCHS4001	Electric chain saw Electric voltage/frequency:220V~50Hz Power:2000W China chain and bar length of blade:16" chain speed:13.5m/s engine oil tank capacity:150ml VDE plug + 0.35m cable With quick replace blade function(SDS) Hand guard + soft grip + low kickback Package:Color box	2	56.5*36.5*23.5	0.0485	7.00	9.00	8467.2210.00
160		FGSHC5824	Gasoline chain saw Engine:1-Cylinder,2-Stroke,Air-cooling Displacement:58CC Rated output power:2.6kw length of blade:24" Chain pitch:3/8"/0.325" Gauge:0.050"/0.058" relevant speed:7000rpm Idle speed:3000rpm Oil/Fuel mixture ratio:1:35:00 Fuel tank capacity:550ml Oil tank capacity:260ml Package:Color box	2	61*54*32	0.1054	17.00	18.00	8467.2210.00
161		FKSC0004	Chain saw blade 4" 1/4" mini pitch 0.050" 1.08mm gauge 28 links	50	43*27*23	0.027	1.90	3.90	8202400000
161		FKSC0016	Chain saw blade 16" 3/8" mini pitch 0.050" 1.3mm gauge 57 links	50	43*27*23	0.0267	9.9	10.90	8202.4000
162		FKSC0024	Chain saw blade 24" 0.325" pitch 0.058" 1.5mm gauge 94 links	50	43*27*23	0.0267	18.6	20.50	8202.4000

163		FHPW1002	High Pressure Washer Induction motor Pressure:65bar Max pressure:100bar Flow:4.8L/min Max flow:6L/MIN Motor:1500W Voltage:220-240V ~ 50/60Hz 5M Cable with VDE plug Package: Color box Accessories: *1x spray gun *1x 5M pressure hose	1	33*27*28	0.0250	7.40	8.30	8424.3000
164		FHPW1001	High pressure cleaner Voltage:220V, 50/60Hz Carbon brush motor Pressure:70bar Max pressure:100bar Flow:5L/min Max flow:5.5L/min Motor:1400W Package: Color box Accessories: *1x spray gun 2x gun rod *1x 5m pvc hose *1x clip	1	27.5*25*42.4	0.0292	4.60	5.20	8424.3000
165		FHPW1201	High pressure cleaner Carbon brush motor Pressure:80bar Max pressure:120bar Flow:5.5L/min (5L/min-120V) Max flow:6L/min (6.8L/min-120V) Motor:1500W Voltage:220V, 50/60Hz Package: Color box Accessories: *1x spray gun * 2x gun rod *1x 5m pvc hose *1x clip	1	27.5*25*42.4	0.0292	4.80	5.40	8424.3000
166		FHPW1401	High pressure cleaner Carbon brush motor Pressure:100bar Max pressure:140bar Flow:5.5L/min (4.9L/min-120V) Max flow:6.7L/min (6.5L/min-120V) Motor:1800W Voltage:220V, 50/60Hz Package: Color box Accessories: *1x spray gun * 1x gun rod *1x 5m pvc hose *1x clip *1x soap bottle	1	35*32.1*50	0.0562	8.90	9.90	8424.3000
167		FHPW1601	High pressure cleaner Carbon brush motor Pressure:120bar Max pressure:160bar Flow:5.5L/min (4.1L/min-120V) Max flow:6.7L/min (8L/min-120V) Motor:2200W Voltage:220V, 50/60Hz Package: Color box Accessories: *1x spray gun * 1x gun rod *1x 6m PU hose *1x clip*1x soap bottle	1	39.5*37*91.6	0.1340	13.40	15.40	8424.3000
168		FWI13001	High pressure washer 220-240v-50/60HZ Power: 1300w (induction motor) No load speed: 2800rpm Max pressure: 7 Mpa Working pressure: 1-6Mpa Max rated flow: 10L/min	1	59*30*35	0.0620	19.50	16.50	8424.3000

169		FVC301	WET & DRY VACUUM CLEANER Voltage: 220-240V 50/60Hz Motor: 1200W 100% copper Tank capacity: 30L Max Suction: 16-19KPa Max air flow: $\geq 1.8\text{m}^3/\text{min}$ HEPA Package:brown box 5M Cable with VDE plug Accessories: 1pc 1.5m flexible hose & handle set 1pc metal two parts tube 1pc wet&dry brush 1pc crevice nozzle 1pc dust brush	1	44.5*41*61.5	0.1122	8.50	10.30	8508190000.0000
170		FVC601	WET & DRY VACUUM CLEANER Voltage: 220-240V 50/60Hz Motor: 2x1200W 100% copper Tank capacity: 60L Max Suction: 16-19KPa Max air flow: $\geq 1.7\text{m}^3/\text{min}$ HEPA Package:brown box 5.5M Cable with VDE plug Accessories: 1pc 1.5m flexible hose & handle set 1pc metal two parts tube 1pc wet&dry brush 1pc crevice nozzle 1pc dust brush	1	69*57.5*82	0.3254	20.00	23.00	8508.1900
171		FIWM20-140LCD	INVERTER MMA WELING MACHINE With LCD Input Voltage (V):AC-230V; Frequency (Hz) :50/60Hz; Output Current Range (A) :20-140A; Electrode (mm) :1.6-4.0MM; Weight: 3.2g Package:Color box Accessories: 1pc Face shield 1pc brush	4	65*42*26	0.0710	20.00	21.00	8515.3900.00
172		FIWM20-160LCD	INVERTER MMA WELING MACHINE With LCD Input Voltage (V):AC-230V;Frequency (Hz) :50/60Hz; Output Current Range (A) :10-160A; Electrode (mm) :1.6-4.0MM; Weight: 4.3Kg Package:Color box Accessories: 1pc Face shield 1pc brush	2	50*41*32	0.0656	10.80	13.20	8515.3900.00
173		FIWM20-180LCD	INVERTER MMA WELING MACHINE With LCD Input Voltage (V):AC-230V; Frequency (Hz) :50/60Hz; Output Current Range (A) :10-180A; Electrode (mm) :1.6-5.0MM; Weight: 4.4Kg Package:Color box Accessories: 1pc Face shield 1pc brush	2	50*41*32	0.0656	10.80	13.20	8515.3900.00
174		FIWM30-200LCD	INVERTER MMA WELING MACHINE With LCD Input Voltage (V):AC-230V; Frequency (Hz) :50/60Hz; Output Current Range (A) :10-200A; Electrode (mm) :1.6-5.0MM;, Weight: 3.2Kg Package:Color box Accessories: 1pc Face shield 1pc brush	2	35*31.5*29	0.0320	8.20	9.20	8515.3900.00
176		FIWM13-300	INVERTER MMA WELING MACHINE Input Voltage (V):AC-230V/380V; Frequency (Hz) :50/60Hz; Output Current Range (A) :20-300A; Electrode (mm) :1.6-5.0MM; Weight: 18.5Kg Package:Color box Accessories: 1pc Face shield 1pc brush	1	50*41*32	0.0656	11.40	13.80	8515.1100
177		FPP3701	1/2HP Peripheral PUMP Power:370W(1/2HP) Pump lift:35m Suction height: 8M Q.max:35L/min Outlet diameter:1" Copper wire Motor Brass impeller Thermal ProtectorPackage:Color box	4	42x28.5x22	0.0263	9.50	13.60	8413.7091.90

178		FPP7501	1HP Peripheral PUMP Power:750W(1HP) Pump lift:65m Suction height: 8M Q.max:50L/min Outlet diameter:1" Copper wire Motor Brass impeller Thermal Protector Package:Color box	2	35x35x22	0.0287	19.00	19.50	8413.7091.90
179		FCP3701	1/2HP Centrifugal PUMP Power:370W(1/2HP) Pump lift:20m Suction height: 8M Q.max:60L/min Outlet diameter:1" Copper wire Motor Brass impeller Thermal ProtectorPackage:Color box	2	30x21x51	0.0321	15.40	16.40	8413.7091.90
180		FCP7501	1HP Centrifugall PUMP Power:750W(1HP) Pump lift:32m Suction height: 8M Q.max:110L/min Outlet diameter:1" Copper wire Motor Brass impeller Thermal Protector Package:Color box	1	33x23x28	0.0213	12.50	13.50	8413.7091.90
181		FSP37001	1/2HP submersible pump Power:370W(1/2HP) H.max:17.5m Q.max:80L/min Outlet diameter:1" Copper wire Motor Thermal Protector Package:Color box	1	42.5*25*22	0.0234	9.00	11.00	8413.7091.90
182		FSP75001	1/2HP submersible pump Power:750W(1HP) H.max:32.5m Q.max:120L/min Outlet diameter:1" Copper wire Motor Thermal Protector Package:Color box	1	43.5*25*23.5	0.0256	14.00	16.00	8413.7091.90
183		FSLP100I	1HP self-priming pump Power:750W(1HP) H.max:45m Suction height: 9m Q.max:60L/min Outlet diameter:1" Copper wire Motor Thermal Protector Package:Color box	1	46.5*20*22	0.0209	13.60	14.60	8413.7091.90
184		FSPP37011	Self-priming peripheral pump 220V 50Hz 0.5HP 370w Head(m):32 Max flow rate: 40L/min Outlet:1"	1	29*19*28	0.0154	8.50	9.50	\$8,413.71
185		FDPD370P	Sewage Submersible Pump 220V 50Hz 0.5HP 370w Head(m):6.5 Max flow rate: 108L/min Outlet:1-1/4" 6meters of rubber wire	4	42*34*34.5	0.0493	18.40	20.40	\$8,413.71
186		FDPD750P	Sewage Submersible Pump 220V 50Hz 1.0HP 750w Head(m):7 Max flow rate: 133L/min Outlet:1-1/4" 6meters of rubber wire	2	33.5*21*34.5	0.0243	10.80	11.80	\$8,413.71

187		FAPC01	Automatic pump control 220v 50Hz Max:10A Max:1.1kw Max:10bar Max:55℃	12	52*44*28	0.0641	12.00	15	8413.9100
188		FAPC02	Automatic pump control 220v 50Hz Max:10A Max:1.1kw Max:10bar Max:55℃	12	53*48*25	0.0636	16.50	18.50	8413.9100
189		FDWP2503	Deep well pump 3" 220v 50Hz 0.33Hp 250W Head(m):47 Max flow rate: 45L/min Outlet Dia:Φ1" 30meters of cable	1	103*11*20	0.0227	11.14	10.32	\$8,413.71
190		FDWP3703	Deep well pump 3" 220v 50Hz 0.5Hp 370W Head(m):64 Max flow rate: 45L/min Outlet Dia:Φ1" 30meters of cable	1	115*11*20	0.0253	11.53	12.46	\$8,413.71
191		FDWP5503	Deep well pump 3" 220v 50Hz 0.75Hp 550W Head(m):89 Max flow rate: 45L/min Outlet Dia:Φ1" 30meters of cable	1	132*11*20	0.0290	13.32	14.19	\$8,413.71
192		FDWP7503	Deep well pump 3" 220v 50Hz 1.0Hp 750W Head(m):115 Max flow rate: 45L/min Outlet Dia:Φ1" 30meters of cable	1	150*11*20	0.0330	15.33	16.51	\$8,413.71
193		FDWP11003	Deep well pump 3" 220v 50Hz 1.5Hp 1100W Head(m):162 Max flow rate: 45L/min Outlet Dia:Φ1" 30meters of cable	1	115*10*12+103*11*20	0.0378	30.50	31.98	\$8,413.71
194		FDWP3704	Deep well pump 4" 220v 50Hz 0.5Hp 370W Head(m):50 Max flow rate: 80L/min Outlet Dia:Φ1-1/4" 30meters of cable	1	103*11*20	0.0227	13.28	14.19	\$8,413.71
195		FDWP5504	Deep well pump 4" 220v 50Hz 0.75Hp 550W Head(m):58 Max flow rate: 100L/min Outlet Dia:Φ1-1/4" 30meters of cable	1	103*11*20	0.0227	14.65	15.55	\$8,413.71
196		FDWP7504	Deep well pump 4" 220v 50Hz 1.0Hp 750W Head(m):73 Flow(L/MIN):100 Outlet Dia:Φ1-1/4" 30meters of cable	1	115*11*20	0.0256	16.90	17.80	\$8,413.71
197		FDWP11004	Deep well pump 4" 220v 50Hz 1.5Hp 1100W Head(m):102 Max flow rate: 100L/min Outlet Dia:Φ1-1/4" 30meters of cable	1	130*11*20	0.0286	20.60	21.95	\$8,413.71


198		FDWP15004	Deep well pump 4" 220v 50Hz 2.0Hp 1500W Head(m):131 Max flow rate: 100L/min Outlet Dia:Φ1-1/4" 30meters of cable	1	150*11*22	0.0363	24.05	25.35	\$8,413.71
199		FDWP75004A	Deep well pump 4" for Agriculture 220v 50Hz 1.0Hp 750W Head(m):44 Max flow rate: 180L/min Outlet Dia:Φ2" 30meters of cable	1	110*11*20	0.0242	16.70	17.65	\$8,413.71
200		FDWP11004A	Deep well pump 4" for Agriculture 220v 50Hz 1.5Hp 1100W Head(m):57 Max flow rate: 180L/min Outlet Dia:Φ2" 30meters of cable	1	120*11*20	0.0264	20.05	20.95	\$8,413.71
201		FDWP15004A	Deep well pump 4" for Agriculture 220v 50Hz 2.0Hp 1500W Head(m):76 Max flow rate: 180L/min Outlet Dia:Φ2" 30meters of cable	1	140*11*22	0.0339	23.15	24.30	\$8,413.71
202		FGWP101	Gasoline pump Engine 2.5HP (PR154F) Max Lift height:10m Max. Suction height: 6m Max flowing volume: ~6m3/min Outlet diameter:1" Displacement: 98cc Oil tank capacity:1.4L Work time: 2.5Hour Package:Brown box	1	35.5*31.5*39.5	0.0442	10.50	11.00	8413.7091.90
203		FGWP151	Gasoline pump Engine 2.5HP (PR154F) Max Lift height:21m Max. Suction height: 6m Q.max:12m3/min Outlet diameter:1.5" Displacement: 98cc Oil tank capacityL 1.4L Work time: 2.5Hour Package:Brown box	1	35.5*31.5*39.5	0.0442	11.00	12.00	8413.7091.90
204		FGWP201	Gasoline pump Engine 7HP (PR170F), single cylinder Max Lift height:32m Max. Suction height: 7m Q.max:30m3/hour Outlet diameter:2" Displacement: 212cc Oil tank capacityL 3.6L Work time: 2.5Hour Package:Brown box	1	51*42*43	0.0921	21.50	23.30	8413.7091.90
205		FGWP301	Gasoline pump Engine 7HP (PR170F), single cylinder Max Lift height:30m Max. Suction height: 7m Q.max:55m3/hour Outlet diameter:3" Displacement: 212cc Oil tank capacityL 3.6L Work time: 2.5Hour Package:Brown box	1	52.5*38*44	0.0878	23.50	25.50	8413.7091.90
206		FGWP401	Gasoline pump Engine 9HP (PR177F), single cylinder Max Lift height:35m Max. Suction height: 5m Q.max:96m3/hour Outlet diameter:4" Displacement: 270cc Oil tank capacityL 6L Work time: 2.5Hour Package:Brown box	1	63*47.5*53	0.1586	38.00	41.00	8413.7091.90
207		FGG09501	Gasoline generator Output voltage: 220-240V~50/60Hz Max. power: 800W Rated power: 650W DC12V, 8.3A Displacement: 63.6CC Fuel tank capacity: 4.2L Continuous work time: 6 hour Package:Brown box	1	38.5*31.5*33	0.0400	18.00	20.00	8501.3200

208		FGG30001	Gasoline generator Output voltage: 220-240V~50/60Hz Max. power: 2800W Rated power: 2500W DC12V, 8.3A Engine: 6.5HP Displacement: 196CC Fuel tank capacity: 15L manual recoil New weight: 45Kg Package:Brown box	1	61*44*45	0.1210	45.00	47.00	8501.3200
209		FGG35001	Gasoline generator Output voltage: 220-240V~50/60Hz Max. power: 3100W Rated power: 2800W DC12V, 8.3A Engine: 7HP Displacement: 208CC Fuel tank capacity: 15L Electric and manual recoil E start with battery 6.5Ah New weight: 51Kg Package:Brown box	1	59*47*52	0.1442	51.00	56.55	8501.3200
210		FGG65001	Gasoline generator Output voltage: 220-240V~50/60Hz Max. power: 5500W Rated power: 5000W DC12V, 8.3A Engine: 13HP Displacement: 389CC Fuel tank capacity: 25L Electric and manual recoil E start with battery 9Ah Net weight: 84Kg Package:Brown box	1	71*52.5*60.6	0.2259	84.00	90.60	8501.3200
211		FDG50001S	Disel Generator Output: 220-240v-50/60HZ Rated Power: 4.4kw power: 4.8kw DC: 12v/8.3A Phase: single phase Fuel tank capacity: 16L Displacement: 406cc Lube oil capacity: 1.65L Low oil alarm system Electric Srarter Package:Carton	1	108.5*55*77	0.4574	147.00	158.00	8501.2110
212		FDWG45001	Diesel generator/welder Single-cylinder, 4 stroke air cooled diesel engine Dispalcement: 418cc Engine speed: 3600rpm Max out put: 10hp Electric start Fule tank: 5.5L Lube oil: 1.65L Welder Rated output: 4.5kw Current: 190A Electrode (mm) :2.2-4.0MM;	1	81.5*53*54.5	0.2354	90.00	85.00	8501.2110
213		FCAC12250	DC12V Car Air Compressor Able to inflate: bike tires , car tires, athletic balls Air Pressure (Max): 260 PSI Special Features: - high pressure 260 psi -inflates ave. tires in 6 minutes -low power consumption Continuous Usage time : up to 15 minutes, coninuous Accessories: 2 nozzle adapters and 1 sports needle 12v power cord: 3m cord with 10A fuse	10	49*30*21.5	0.0689	7.50	8.50	8414.8090.90
214		FAC20241	2HP 24L air compressor Power: 1500W, 2HP Tank size: 24L Air delivery: 206L/min Pressure: 8 bar(115psi) Speed: 2850RPM N.W: 25Kg Package:Brown box	1	62x28x62	0.1076	25.00	27.00	8414.8040.90

215		FAC25501	2.5HP 50L air compressor Power: 1800W, 2.5HP Tank size: 50L Air delivery: 206L/min Pressure: 8 bar(115psi) Speed: 2850RPM N.W: 35Kg Package: Brown box	1	81x33x69	0.1844	35.00	37.00	8414.8040.90
216		FAC31001	3HP 100L air compressor Power: 2200W, 3HP Tank size: 100L Air delivery: 206L/min Pressure: 8 bar(115psi) Speed: 1050RPM Air Delivery(L/MIN,C.F.M):250L/MIN Neight Weight: 70KGS	1	112*43*83	0.4000	76	86.00	8414.8040.90
217		FAC31501	3HP 150L air compressor Voltage:220V-50HZ Rated power:2.2KW (3HP) No load speed:1050rpm Tank volume:150L(26.3Gal) Work pressure:8bar(115psi) Cylinder:Φ65*2 Air Delivery(L/MIN,C.F.M):250L/MIN Neight Weight: 82KGS	1	130*48*89.5	0.5600	82	87.00	8414.8040.90
218		FAC32001	3HP 200L Air Compressor Voltage:220V-50HZ Rated power:2.2KW (3HP) No load speed:1050rpm Tank volume:200L Work pressure:8bar(115psi) Cylinder:Φ65*2 Air Delivery(L/MIN,C.F.M):250L/MIN Neight Weight: 120KGS	1	137x54x98	0.7250	120	125.00	8414.8040.90
219		FAC33001	3HP 300L Air Compressor Voltage:220V-50HZ Rated power:2.2KW (3HP) No load speed:1050rpm Tank volume:300L Work pressure:8bar(115psi) Cylinder:Φ65*2 Air Delivery(L/MIN,C.F.M):250L/MIN Neight Weight: 200KGS	1	153x54x100	0.8300	200	210.00	8414.8040.90
220		FAC350075	7.5HP 500L Air Compressor Voltage:380V-50HZ Rated power:5.5KW (7.5HP) No load speed: Tank volume:500L Work pressure:8bar(115psi) Cylinder:Φ80*3 Air Delivery(L/MIN,C.F.M):670L/MIN,23.80C.F.M Neight Weight: 320KGS	1	193x68x123	1.6200	320	330.00	8414.8040.90
221		FACN5040	2 IN 1 Combo brad nailer Adjustable exhaust Soft grip handle reduce fatigue Touch-strike security system is safe for the operator Adjustable depth-of-drive Quick-release nosepiece for fast clearing of jams Max Length of nails: 50mm 18 Gauge Brad Nail Max Length of staples: 40mm 18 Gauge staple Package: Color box	10	56*32*27	0.0484	15.00	16.00	8467.1900
222		FABNF50	Air Brad Nailers Adjustable exhaust Soft grip handle reduce fatigue Touch-strike security system is safe for the operator Quick-release nosepiece for fast clearing of jams Adjustable depth-of-drive Max Length of nails: 50mm Package: Color box	10	56*32*26	0.0484	15.00	16.00	8467.1900

223		ABN08016	Air Staper Nailer Soft grip handle reduce fatigue Easy-open latch-For quick and comfortable loading Max Length of staples: 16mm Package: Color box	10	53*30*19.5	0.0310	11.00	12.00	8467.1900
224		ABN0F30	Air Brad Nailer Adjustable exhaust Soft grip handle reduces fatigue Touch-strike security system is safe for the operator Max Length of nails: 30mm Package: Color box	10	52.5*32*21.5	0.0361	12.50	13.50	8467.1900
225		FAIW12340	1/2" Air Impact Wrench Free speed: 7000RPM; Max Torque: 340 NM Die cast aluminum body,Reversible Adjustable torque. Built-in air regulator varies speed&power Ideal for tire changing and general assembling work and other workshop applications Front exhaust Color box	10	38*21.5*43	0.0351	21.50	22.50	8467.1900
226		FHDAIW12680	1/2" Heavy Duty Air Impact Wrench Free speed: 7000RPM; Max Torque: 680 NM Durable twin hammer impact mechanism Adjustable power regulator Easy-to-service two-piece construction Super power and performance features to tackle the toughest jobs with ease Ideal for installing threaded fasteners and for other workshop applications Handle exhaust	10	38*24*23	0.0210	14.00	15.00	8467.1900
227		AROS1150	6" Random Orbit Sander Free speed: 9000RPM Built-in regulator for speed control Low vibration,lightweight and ergonomic design 3/32" orbit pattern Fitted with six inch 6 hole velcro pad Ideal for producing fine finishes on wood,metal,fiberglass and orther compound materials Dust tube and dust collecting bag included	10	60*28.5*33	0.0564	15.00	16.00	8467.1900
228		FAT0005	Air tools 5pcs set SUCTION SPRAY GUN painting gun, blowing gun, washing gun, inflating gun, spiral hose. Color Box	10	59*45*57	0.1513	21.00	25.00	8424.2000
229		FASG4075	Air spray gun Fluid Nozzle:Φ1.5mm (1.0-2.5mm) Aluminum Cup(up): 400cc Patter Width:110-180mm Pressure:3.5-5bar Working	20	55*43.5*26.5	0.0634	\$16.00	\$16.00	\$842,420,000.00
230		FASG3101	Air spray gun Fluid Nozzle: $\varnothing$ 1.5mm Aluminum Cup: 1000cc Pattern Width: 110-220mm Working pressure:3.0-4.0bar Color box	10	57*35*30	0.0599	12.00	14.00	8424.2000




231		FASG4051	Air spray gun Fluid Nozzle: $\varnothing$ 1.5mm Aluminum Cup:500cc Pattern Width:120-220mm Working pressure:3.0-4.0bar Air Consumption:5 CFM Color Box	20	57*36*40	0.0821	16.00	18.00	8424.2000	
232		FASG3102	Air spray gun Nozzle Size: $\varnothing$ 1.8MM Aluminum Cup:1000cc Pattern Width:160-240mm Working Pressure:3.5-5bar Air Consumption:6 CFM Color Box	20	57*36*40	0.0821	16.00	18.00	8424.2000	
233		FAWG1001	Air Cleaning Gun Cup Capacity:1000cc Color Box	20	55*44*22	0.0532	13.00	14.00	8424.2000	
234		FADG1001	Air Duster Gun Nozzle length: 20mm Slide Card	50	46*29*22	0.0294	7.00	8.00	8424.2000	
235		FATG0001	Air tyre inflating gun Air Inlet: 1/4" Rated pressures100PSI Max. Pressure: 115PSI Slide Card	40	50*40*25	0.0500	16.00	18.00	8414.8090.90	
236		FAH0005	Air hose 5M	50	43*35*43	0.1220	12.00	13.00	3917.3300	
237		FAH0010	Air hose 10M	25	66*21*20	0.0291	12.00	13.00	3917.3300	
238		FAH0015	Air hose 15M	25	67*30*26	0.0523	17.00	18.00	3917.3300	
239		FST1816	Staples Crown size:5.7mm Length size: 16mm 5000pcs/box FACN5040	Ga18 Used for	10	20*19*14.5	0.0055	\$13.50	\$14.50	\$820,559,000.00
240		FST1825	Staples Crown size:5.7mm Length size: 25mm 5000pcs/box FACN5040	Ga18 Used for	5	20*14.5*14.5	0.0042	\$10.00	\$11.00	\$820,559,000.00

241		FST1830	Staples Ga18 Crown size:5.7mm Length size: 30mm 5000pcs/box Used for FACN5040	5	20*17*14.5	0.0049	\$12.30	\$13.30	\$820,559,000.00
242		FST1832	Staples Ga18 Crown size:5.7mm Length size: 32mm 5000pcs/box Used for FACN5040	5	20.5*18*14.5	0.0054	\$13.00	\$14.00	\$820,559,000.00
243		FST1835	Staples Ga18 Crown size:5.7mm Length size: 35mm 5000pcs/box Used for FACN5040	5	20*19.5*14.5	0.0057	\$14.30	\$15.30	\$820,559,000.00
244		FST1840	Staples Ga18 Crown size:5.7mm Length size: 40mm 5000pcs/box Used for FACN5040	5	23*19*14.5	0.0063	\$16.50	\$17.50	\$820,559,000.00
245		FST2108	Staples Ga21 Crown size:12.8mm Length size: 8mm 5000pcs/box Used for FABN08016	25	37*19*13.5	0.0095	\$13.00	\$14.00	\$820,559,000.00
246		FST2110	Staples Ga21 Crown size:12.8mm Length size: 10mm 5000pcs/box Used for FABN08016	25	37*24*13.5	0.0120	\$15.50	\$16.50	\$820,559,000.00
247		FST2112	Staples Ga21 Crown size:12.8mm Length size:12mm 5000pcs/box Used for FABN08016	25	37*27*13.5	0.0135	\$17.50	\$18.50	\$820,559,000.00
248		FST2114	Staples Ga21 Crown size:12.8mm Length size:14mm 5000pcs/box Used for FABN08016	25	37*31.5*13.5	0.0157	\$20.00	\$21.00	\$820,559,000.00
249		FNA1815	Staples Ga18 Size:1.25*1.0*15mm 5000pcs/box Used for FABNF50/ FABN0F30/FET21415/FET22532	20	26*14*10.5	0.0038	\$11.60	\$12.60	\$820,559,000.00
250		FNA1820	Staples Ga18 Size:1.25*1.0*20mm 5000pcs/box Used for FABNF50/ FABN0F30/FET22532	20	26*14*13	0.0047	\$15.00	\$16.00	\$820,559,000.00
251		FNA1825	Staples Ga18 Size:1.25*1.0*25mm 5000pcs/box Used for FABNF50/ FABN0F30/FET22532	20	32*14*13	0.0058	\$18.70	\$19.70	\$820,559,000.00
252		FNA1830	Staples Ga18 Size:1.25*1.0*30mm 5000pcs/box Used for FABNF50/ FABN0F30/FET22532	10	31*14*8.3	0.0036	\$10.80	\$11.80	\$820,559,000.00
253		FNA1835	Staples Ga18 Size:1.25*1.0*35mm 5000pcs/box Used for FABNF50	10	32*14*9.5	0.0043	\$12.70	\$13.70	\$820,559,000.00
254		FNA1840	Staples Ga18 Size:1.25*1.0*40mm 5000pcs/box Used for FABNF50	10	32*14*10.5	0.0047	\$14.50	\$15.50	\$820,559,000.00


255		FNA1850	Staples Ga18 Size:1.25*1.0*50mm 5000pcs/box Used for FABNF50	10	31.5*14*12.5	0.0055	\$18.60	\$19.60	\$820,559,000.00
256		FST1131206	Staples Crown size:11.3mm Length size: 6mm 1000pcs/box Used for FHHS414	100	33*18.5*13.7	0.0084	\$9.50	\$10.50	\$820,559,000.00
257		FST1131208	Staples Crown size:11.3mm Length size: 8mm 1000pcs/box Used for FHHS414	100	33*21.5*13.7	0.0097	\$11.50	\$12.50	\$820,559,000.00
258		FST1131210	Staples Crown size:11.3mm Length size: 10mm 1000pcs/box Used for FHHS414	100	33*27*13.7	0.0122	\$14.00	\$15.00	\$820,559,000.00
259		FST1131212	Staples Crown size:11.3mm Length size: 12mm 1000pcs/box Used for FHHS414	100	34*32*13.7	0.0149	\$15.00	\$16.00	\$820,559,000.00
260		FBJ102	2 TON WELDED BOTTLE JACK Min. height:168mm Lifting height:100mm Adjustable Height:48mm	6	34*23.5*20.5	0.0170	12.00	13.60	\$84,254,210.00
261		FBJ104	4 TON WELDED BOTTLE JACK Min. height:188mm Lifting height:115mm Adjustable Height:60mm	6	37.5*26.5*22.5	0.0300	16.80	18.80	\$84,254,210.00
262		FBJ106	6 TON WELDED BOTTLE JACK Min. height:207mm Lifting height:125mm Adjustable Height:70mm	4	28*26.5*24.5	0.0190	14.80	16.60	\$84,254,210.00
263		FBJ110	10 TON WELDED BOTTLE JACK Min. height:222mm Lifting height:145mm Adjustable Height:80mm	4	29.5*27.5*26	0.0220	19.20	20.80	\$84,254,210.00
264		FBJ120	20 TON WELDED BOTTLE JACK Min. height:235mm Lifting height:150mm Adjustable Height:60mm	2	31.5*18.5*27.5	0.0170	17.20	19.00	\$84,254,210.00
265		FJTJ202	2 Ton Hydraulic Trolley Jacks Capacity: 2 Ton Min. height:135mm Max. height:340mm Product Size: 447*196*135mm	1	46*21.5*14.5	0.0150	8.70	9.40	\$84,254,210.00
266		FJTJ203	3 Ton Hydraulic Trolley Jacks Capacity:3 Ton Min. height:135mm Max. height:400mm Product Size: 592*240*146mm	1	63*28*16.5	0.0300	16.40	17.00	\$84,254,210.00
267		FJJS302	Jack Stand Capacity: 2Ton Min. Height: 268mm Max Height: 418mm 2pcs/SET	1	21*19.5*35.5	0.0150	5.00	5.46	\$73,269,090.00



268		FJJS303	Jack Stand Capacity: 3Ton Min. Height: 276mm Max Height: 420mm 2pcs/SET	1	22.5*20.5*36	0.0170	6.60	7.10	\$73,269,090.00
269		FHCP1006	Combination pliers size:6",Material:CRV	50	55*26*32	0.0458	12.00	13.00	8203.2000
270		FHCP1007	Combination pliers size:7",Material:CRV	50	55*26*32	0.0458	14.00	15.00	8203.2000
271		FHCP1008	Combination pliers size:8",Material:CRV	50	55*27*32	0.0475	17.00	18.00	8203.2000
272		FHLN1006	Long nose pliers size:6" ,Material:CRV	50	53*23*29	0.0354	9.00	10.00	8203.2000
273		FHLN1008	Long nose pliers size:8" ,Material:CRV	50	51*25*31	0.0395	12.00	13.00	8203.2000
274		FHBN1006	Bent nose pliers,size:6" Material:CRV	50	53*23*29	0.0354	9.00	10.00	8203.2000
275		FHFN1006	Flat nose pliers,size:6" Material:CRV	50	53*23*29	0.0354	9.50	10.50	82032000
276		FHDC1006	Diagonal cutting pliers,size:7" Material:CRV	50	53*24*30	0.0382	11.00	12.00	82032000
277		FHDC1007	Diagonal cutting pliers, size:7", Material:CRV	50	55*26*32	0.0458	13.00	14.00	82032000
278		FHWS1006	Wire stripping plierssize:6", Material:CRV	50	55*24*32	0.0422	10.00	11.00	82032000
279		FHEC1006	End cutting pliers, size:6",Material:CRV	50	53*23*32	0.0390	13.00	14.00	82032000
280		FHPK031	3PCS PLIERS SET 1pc combination pliers 7" 1pc diagonal pliers 6" 1pc long nose pliers 6" Chrome-vanadium steel Black coating polishing Packing:double blister	24	48*30*-35	\$0.05	\$16.50	\$17.50	\$82,032,000.00

281		FHPK032	3PCS PLIERS SET 1pc combination pliers 7" 1pc diagonal pliers 6" 1pc long nose pliers 6" Chrome-vanadium steel Polish and anti-rust oil Packing:double blister	24	48*30*35	\$0.05	\$16.50	\$17.50	\$82,032,000.00
282		FHCP207	7" Insulated combination pliers CR-V,VDE certification	60	50.5*30*46.5	0.0704	19.00	20.00	82032000
283		FHLNP206	6" Insulated long nose pliers CR-V,VDE certification	60	50.5*26*40.7	0.0534	11.50	13.00	82032000
284		FHDCP207	7" Insulated diagonal cutting pliers CR-V,VDE certification	60	50.5*30*44.5	0.0674	18.50	20.00	82032000
285		FHMPS003	3pcs Mini plier set size: 4.5"combination plier 4.5"long nose plier 4.5"diagonal cutting Material:plier45#	48	44*31*25	0.0341	20.00	22.00	82032000
286		FHHSB008	8pcs Handtools set *1pc 7"combination pliers * 1pc 6"long nose pliers *1pc 8"adjustable wrench *2pc 5*100mm screwdriver *1pc 18mmknife *1pc 3M*16mm steel measuring type *1pc test screwdriver Material: pliers: 45# wrench: 45# screwdriver:6150Crv	12	35*28*30	0.0294	15.00	16.00	82060000
287		FHTS026	26PCS Hand Tools Sets With Heavy Duty Plastic Tool Box 17" 9pcs Long arm hex key set 1.5/2.5/3/4/5/6/8/10mm; 5pcs Combination spanners set 8/10/12/14/17mm; 3pcs Slotted screwdriver 5x100mm; 6x125mm; 6.0x150mm; 3pcs Phillips screwdriver PH1x100mm; PH2x125mm; PH2x150mm; 1pc Combination pliers 180mm(7"); 1pc Claw hammer 8oz; 1pc Snap-off blade knife 18mm; 1pc Measuring tape 5mx19mm ; 1pc Garden gloves 10"(XL); 1pc Heavy duty plastic tool box 17"(420x220x195mm);	4	44.5*43.5*40.5	0.0784	15.00	16.00	82060000
288		FHPP3010	Pump pliers size:10" Material:CRV	40	35.5*35*25	0.0311	18.00	19.00	82032000
289		FHRP3008	Rabbit pliers size: 8" Material:CRV	50	40*28.5*21	0.0239	14.00	15.00	82032000
290		FHCPP3008	Carpenter plier size: 8" Material:CRV	50	40*28.5*23	0.0262	19.00	20.00	82032000
291		FHPW1008	8" Pipe wrench Material:Carbon Steel	24	23*20*12	0.0055	9.60	11.00	82032000

292		FHPW1010	10" Pipe wrench Material:Carbon Steel	24	26.5*24.5*13.5	0.0088	17.00	19.00	82032000
293		FHPW1012	12" Pipe wrench Material:Carbon Steel	24	29.5*26.5*14.5	0.0113	23.00	24.00	82032000
294		FHPW1014	14" Pipe wrench Material:Carbon Steel	18	33.5*14.5*24.5	0.0119	22.00	24.00	82032000
295		FHPW1018	18" Pipe wrench Material:Carbon Steel	12	41.5*30.5*9.5	0.0120	22.00	24.00	82032000
296		FHPW1024	24" Pipe wrench Material:Carbon Steel	5	62.5*12.5*23	0.0180	14.00	16.00	82032000
297		FHPW1036	36" Pipe wrench Material:Carbon Steel	3	78.5*13*15	0.0153	17.00	19.00	82032000
298		FHPW1048	48" Pipe wrench Material:Carbon Steel	2	103.5*14.5*10	0.0150	16.00	18.00	82032000
299		FHBC1018	Bolt cutter size: 18" Material:Carbon Steel	10	47.5*27.5*16	0.0209	14.00	15.00	82032000
300		FHBC1024	Bolt cutter size: 24" Material:Carbon Steel	10	63.5*31.5*17	0.0340	14.00	15.00	82032000
301		FHPCS3007	4pcs Circlip plier set size:7",Material:CRV	20	48*34.6*21	0.0349	13.50	14.50	82032000
302		FHCJT4010	Curved jaw lock plier size:10"(250mm), Material:CRV	36	39*33*29	0.0373	18.50	20.00	82032000
303		FHLNT4009	Long nose locking plier size:9"(215mm), Material:CRV	36	34*32*24	0.0261	14.00	15.50	82032000
304		FHLNT5009	Long nose locking plier size:9"(215mm), Material:carbon steel	36	30*28*22	0.0018	11.50	13.50	82032000
305		FHCJT5010	Curved jaw lock plier size:10"(250mm), Material:carbon steel	36	30*28*22	0.0018	12.00	14.00	82032000
306		FHGC0004	G clamps ,size:4" Material:Nodular cast iron	24	22.5*22.5*26.5	0.0134	16.00	18.00	82057000
307		FHGC0005	G clamps ,size:5" Material:Nodular cast iron	16	26*24.5*21.5	0.0137	15.00	17.00	82057000
308		FHGC0006	G clamps ,size:6" Material:Nodular cast iron	12	30.5*29.5*13.5	0.0121	14.00	16.00	82057000
309		FHATS010	Antivibration tin slip ,size:10" Material:CRV	36	66*34*24	0.0539	16.00	17.00	82033000




310		FHATL010	Antivation tin slip(left), size:10" Material:CRV	36	66*32*24	0.0430	16.00	17.00	82033000
311		FHATR010	Antivation tin slip(right), size:10" Material:CRV	36	66*32*24	0.0430	16.00	17.00	82033000
312		FHTS0010	Tin slip,size:10" Material:Carbon Steel	40	54*35*28	0.0529	19.00	21.00	82033000
313		FHGS0008	Garden scissors,size:8" Material:4Cr13 The aluminum alloy handle	48	33.5*28.6*26.8	0.0257	12.50	13.50	82130000
314		FHHDS052	Hedge shear ,size:52CM, Material:The blade 50 # 4 MM thick pipe thickness of 0.8 MM double colored handle	12	56*24*27.5	0.0370	15.00	16.00	82130000
315		FHLP0070	Lopper,size:70CM, Material:The blade 50 # 4 mm thick double colored handle	12	76*31.5*25.5	0.0610	13.00	14.00	82130000
316		FHWS0007	Wire stripper,size:7" Material:50# Two- color handle	90	50*24*26	0.0312	13.00	14.00	82032000
317		FHWD0007	Duck mouth stripping pliers, size:7" fierce stripping range 0.5 3.2 mm	50	59.5*24.5*25	0.0364	11.50	12.50	82032000
318		FHPPC042	7" PVC pipe cutter Size: 180mm cutting range 3-42 mm, Aluminum alloy handle shell Blade material: 65Mn	50	72*29.5*28	0.0595	15.50	16.50	82055900
319		FHPPC142	9" PVC pipe cutter, Size: 225mm cutting range 3-42 mm, Aluminum alloy handle shell Blade material: SK5	48	56*30*36	0.0610	23.00	25.00	82055900

320		FHWC2006	6MM 1/4" wood chisel Material:CRV	40	38.5*21.5*31	0.0257	7.00	8.00	82053000
321		FHWC2012	12MM 1/2"wood chisel Material:CRV	40	38.5*21.5*31	0.0257	8.00	9.00	82053000
322		FHWC2016	16MM 5/8" wood chisel Material:CRV	40	38.5*21.5*31	0.0257	8.80	9.80	82053000
323		FHWC2019	19MM 3/4" wood chisel Material:CRV	40	38.5*21.5*31	0.0257	9.00	10.00	82053000
324		FHWC2025	25MM 1" wood chisel Material:CRV	40	38.5*21.5*31	0.0257	10.00	11.00	82053000
325		FHWC2032	32MM 1 1/4" wood chisel Material:CRV	40	38.5*21.5*31	0.0257	11.00	12.00	82053000
326		FHWCZT04	4PCS wood chisel set 6/12/19/25mm	10	39*36*31	0.0435	8.50	9.50	82053000
327		FHCCF5019	Cold chisel, size:19×16×254mm , Material:65C Hardness: HRC55-60	20	38*33*41	0.0514	14.00	16.00	82053000
328		FHCCF5025	Cold chisel size: 25×19×305mm, Material:65C Hardness: HRC55-60	20	38*37*41	0.0576	17.00	19.00	82053000
329		FHCC5016	Concrete chisel size: 4×16×254mm, Material:65C Hardness: HRC55-60	20	38*33*41	0.0514	14.00	17.00	82053000
330		FHCC5019	Concrete chisel size: 4×19×305mm, Material:65C Hardness: HRC55-60	20	38*37*41	0.0576	17.00	19.00	82053000
331		FHFW5008	Flat wood file, size:8", Material:T12 HRC62	50	46*41*29	0.0547	13.00	14.00	82031000
332		FHHR5008	Half round wood file size:8", Material:T12 HRC62	50	46*41*29	0.0547	12.50	13.50	82031000

333		FHRW5008	Round wood file size:8", Material:T12 HRC62	50	46*41*29	0.0547	9.00	10.00	82031000
334		FHSTF008	Slim taper files size:8", Material:T12	200	29.5*28*16	0.0132	19.50	20.50	82031000
335		FHTSF008	Triangle steel file size:8", Material:T12	100	29.5*28*8	0.0066	13.00	14.00	82031000
336		FHFSF008	Flat steel file size:8", Material:T12	100	29.5*28*8	0.0066	14.50	15.50	82031000
337		FHHRSF08	Half round steel file size:8", Material:T12	100	29.5*28*8	0.0066	13.50	14.50	82031000
338		FHRSF008	Round steel file size:8", Material:T12	200	29.5*28*16	0.0132	16.00	17.00	82031000
339		FHFSS006	6pcs File set size:4*160*6, Material:T12	100	38*35*22.5	0.0299	12.80	13.80	82031000
340		FHSFS005	5pcs Steel file set size:8", Material:T12	20	44*40*24	0.0211	17.50	18.50	82031000
341		FHBP20016	BALL PEIN HAMMER, 16oz ,Fiber glass handle	36	38.5*36.5*22	0.0309	26.00	27.00	82052000
342		FHBP20024	BALL PEIN HAMMER, 24oz,Fiber glass handle	24	43.5*30*24	0.0313	21.00	22.00	82052000
343		FHCH20008	CLAW HAMMER,8oz ,Fiber glass handle	36	38*33*17	0.0213	14.00	15.00	82052000
344		FHCH20016	CLAW HAMMER,16oz,Fiber glass handle	36	46*38*20	0.0350	27.00	28.00	82052000
345		FHMH60500	MACHINIST HAMMER, 500g,Fiber glass handle	24	38*31*21	0.0247	17.00	18.00	82052000
346		FHMH61000	MACHINIST HAMMER, 1000g,Fiber glass handle	18	46*41*14	0.0264	22.00	23.00	82052000
347		FHSH61000	STONING HAMMER, 1000g,Fiber glass handle	18	34*33*14	0.0157	25.00	26.00	82052000

348		FHSH62000	STONING HAMMER, 2000g,Fiber glass handle	12	40*37*12	0.0178	25.00	26.00	82052000
349		FHRH90016	RUBBER HAMMER, 16oz,Fiber glass handle	24	42*42*23.5	0.0415	17.00	18.00	40170020
350		FHAX60600	AXE,600g,Fiber glass handle	24	45*35*23	0.0362	24.00	25.00	8201400090
351		FHWB6024	PRY BAR, SIZE:24"*18,600mm Material:45# carbon steel	10	76*15*7	0.0080	14.00	14.50	82055900
352		FHSS0638	Slotted screwdriver size: 6×38mm Material:CRV	240	45*29*51	0.0700	16.50	17.50	82054000
353		FHSS0375	Slotted screwdriver size: 3×75mm Material:CRV	240	45*29*51	0.0700	16.50	17.50	82054000
354		FHSS4100	Slotted screwdriver size: 4×100mm Material:CRV	240	45*29*51	0.0700	16.50	17.50	82054000
355		FHSS5100	Slotted screwdriver, size:5×100mm,Material:CRV	240	45*29*51	0.0666	16.50	17.50	82054000
356		FHSS6125	Slotted screwdriver, size: 6×125mm Material:CRV	144	36.5*35*40.5	0.0517	14.10	15.10	82054000
357		FHSS6150	Slotted screwdriver, size: 6×150mm Material:CRV	144	36.5*35*40.5	0.0517	15.10	16.10	82054000
358		FHSS6200	Slotted screwdriver, size: 6×200mm Material:CRV	144	36.5*35*40.5	0.0517	15.10	16.10	82054000

359		FHPH238	Phillips screwdriver, PH2 size: 6×38mm ,Material:CRV	240	45*29*51	0.0700	16.50	17.50	82054000
360		FHPH075	Phillips screwdriver, PH0 size: 3×75mm ,Material:CRV	240	45*29*51	0.0700	16.50	17.50	82054000
361		FHPH5100	Phillips screwdriver, PH1 size: 5×100mm ,Material:CRV	240	45*29*51	0.0666	16.50	17.50	82054000
362		FHPH6125	Phillips screwdriver, PH2 size: 6×125mm ,Material:CRV	144	36.5*35*40.5	0.0517	14.10	15.10	82054000
363		FHPH6150	Phillips screwdriver, PH2 size: 6×150mm ,Material:CRV	144	36.5*35*40.5	0.0517	15.10	16.10	82054000
364		FHPH6200	Phillips screwdriver, PH2 size: 6×200mm ,Material:CRV	144	36.5*35*40.5	0.0517	15.10	16.10	82054000
365		FHPZ075	Pozidriv screwdriver, PZ0 size: 3×75mm, Material:CRV	240	45*29*51	0.0700	16.50	17.50	82054000
366		FHPZ5100	Pozidriv screwdriver, PZ1 size: 5×100mm, Material:CRV	240	45*29*51	0.0666	16.50	17.50	82054000
367		FHPZ6125	Pozidriv screwdriver, PZ2 size: 6×125mm, Material:CRV	144	36.5*35*40.5	0.0517	14.10	15.10	82054000
368		FHPZ6150	Pozidriv screwdriver, PZ2 size: 6×150mm, Material:CRV	144	36.5*35*40.5	0.0517	15.10	16.10	82054000




369		FHPZ6200	Pozidriv screwdriver, size: 6×200mm, Material:CRV	144	36.5*35*40.5	0.0517	15.10	16.10	82054000
370		FHCSSL0375	Slotted Screwdriver 3*75mm Carbon steel Magnetized	144	28*20.5*20	0.0115	5.00	4.00	82054000
371		FHCSSL4100	Slotted Screwdriver 4*100mm Carbon steel Magnetized	144	40*26*24	0.0250	10.00	9.00	82054000
372		FHCSSL5100	Slotted Screwdriver 5*100mm Carbon steel Magnetized	144	40*26*24	0.0250	11.00	10.00	82054000
373		FHCSSL6150	Slotted Screwdriver 6*150mm Carbon steel Magnetized	144	40*31.5*24	0.0302	14.00	13.00	82054000
374		FHCSPH075	Phillips Screwdriver PH0 3*75mm Carbon steel Magnetized	144	28*20.5*20	0.0115	5.00	4.00	82054000
375		FHCSPH1100	Phillips Screwdriver PH1 5*100mm Carbon steel Magnetized	144	40*26*24	0.0250	11.00	10.00	82054000
376		FHCSPH2150	Phillips Screwdriver PH2 6*150mm Carbon steel Magnetized	144	40*31.5*24	0.0302	14.00	13.00	82054000
377		FHCSPZ075	Pozidriv Screwdriver PZ0 3*75mm Carbon steel Magnetized	144	28*20.5*20	0.0115	5.00	4.00	82054000
378		FHCSPZ1100	Pozidriv Screwdriver PZ1 5*100mm Carbon steel Magnetized	144	40*26*24	0.0250	11.00	10.00	82054000
379		FHCSPZ2150	Pozidriv Screwdriver, PZ2 6*150mm Carbon steel Magnetized	144	40*31.5*24	0.0302	14.00	13.00	82054000
380		FHISS4100	Insulated slotted screwdriver ,size:4×100mm , Material:CRV	144	55*31*46	0.0784	16.60	17.60	82054000
381		FHIPH2100	Insulated Phillips screwdriver, size: PH2×100mm, Material:CRV	144	36.5*30*40.5	0.0443	13.50	14.50	82054000

382		FHIPZ2100	Insulated Pozidriv screwdriver, size:PZ2×100mm, Material:CRV	144	36.5*30*40.5	0.0443	13.50	14.50	82054000
383		FHSDT190	Screwdriver tester CRV 4mm*190mm 110-500v	400	35*32*28	0.0314	10.00	11.00	9031809090
384		FHSDT140	Screwdriver tester CRV 3mm*140mm 110-500v	400	42*26*26	0.0284	\$11.00	\$12.00	\$9,031,809,090.00
385		FHSDT180	Screwdriver tester CRV 4mm*180mm 110-500v	400	50*28*26	0.0364	\$13.40	\$14.00	\$9,031,809,090.00
386		FHDM001	Digital meter Industrial quality DC Voltage: 0.1mV~600V ±(0.8%+5) AC Voltage: 1mV~600V ±(1.0%+3) DC Current: 1uA~10A ±(1.0%+2) AC Current: 0.01uA~10A ±(1.0%+5) Resistance: 0.1Ω~60MΩ ±(0.8%+2) Capacitance:1nF~60000μF ±(3.0%+5) Frequency: 10~10MHz ±(0.1%+5) Diodes: 3.2V Auto power off With backlight function Packed by color box	20	37x29.5x24	0.026	6.80	7.40	\$9,030,311,000.00
387		FHDM002	Digital AC clamp meter Industrial quality DC Voltage: 1mV~1000V ±(0.5%+3) AC Voltage: 1mV~750V ±(1.2%+10) AC Current: 0.01A~600A ±(3.0%+10) Resistance: 1Ω~40MΩ ±(1.2%+8) Capacitance: 1nF~30000μF ±(5.0%+10) Frequency: 10Hz~10MHz ±(0.1%+3) Temperature test: -20~1000°C ±(1°C) Continuity: 50Hz~5000Hz Auto power off With backlight function With flash light function Packed by color box	20	46x28.5x20.7	0.027	7.00	7.50	\$9,030,331,000.00
388		FHVD10001	AC Voltage Detector AC Voltage: 12V-1000V AC Frequency: 50Hz/60Hz Alarm mode: Sound and light alarm Flash light : White LED Low battery indication Auto power off Switchable battery cover Auto distinguish the Live line and Netural line Packed by double blister	50	38x20x24	0.018	5.00	5.50	\$9,030,339,000.00
389		FHSD0201	2 IN 1 SCREWDRIVER SET CR-V 6*150MM SL6&PH2 Blister	48	54*30*28	0.0454	14.00	16.00	82054000
390		FHST1006	Screwdriver sets, SL6*38mm SL5*75mm SL6*100mm PH2*38mm PH1*75mm PH2*100mm, Material:CRV	24	49*36*37	0.0653	18.50	19.50	82054000

391		FHCS2006	6pc screwdriver set SL:3×75mm 5×100mm 6×150mm PH0×75mm PH1×100mm PH2×150mm carbon steel	24	45*29*51	0.0700	13.00	14.00	82054000
392		FHPSB006	6pcs precision screwdriver,SL1.0mm SL1.4mm SL1.8mm 2.0mm PH0 PH1,Material:CRV	120	52*38*41	0.0810	16.50	18.00	82054000
393		FHIBSS08	8pcs interchangeable screwdriver set, SL: 3X65 5X65 6X65 PH: PH0X65 PH1X65 PH2X65 1x tack puller 1x scratch awl Material:CRV	36	37*26*34	0.0327	10.60	11.60	82054000
394		FHSDK3801	38PCS TOOL SET 37PC BITS (CR-V) SL3,SL4,SL5X2,SL6,SL7 PH0,PH1X2,PH2X3,PH3 PZ0,PZ1X2,PZ2X2,PZ3 T10,T15,T20,T25X2,T27,T30,T40 H3,H4X2,H5X2,H6 S0,S1,S2,S3 1PC RATCHET WRENCH	36	37*26*26	0.0250	19.00	20.00	82054000
395		FHSDK3802	38PCS RATCHET SCREWDRIVER SET 26PCS BITS (CR-V) SL3,SL4,SL5,SL6,SL7 PH0,PH1,PH2,PH3 PZ0,PZ1,PZ2,PZ3 T10,T15,T20,T25,T27,T30,T40 H3,H4,H5,H6 S1,S2 9PCS SOCKETS (carbons steel): 5,6,7,8,9,10,11,12,13MM; 1pc EXTENSION BAR (1/4X3") 1pc DR SOCKETS; 1pc RATCHET WRENCH	24	37.5*25.5*32.5	0.0311	19.00	20.00	82054000
396		FHSDK47	47PCS RATCHET SCREWDRIVER SET 35PC 6.3X25MM CR-V BITS: -3 -4 -5 - 6 -7 PH0 PH1X3 PH2X5 PH3X3 PZ0 PZ1 PZ2X2 PZ3X2 T10 T15 T20 T25 T27 T30 T40 H2 H3 H4 H5 H6 9PC 35MM 1/4" DR.SOCKET: 4 5 6 7 8 9 10 11 12 1PC 4-6 1PC 6.3X139MM BAR 1PC T HANDLE	24	43*24.5*27.6	0.0291	15.50	16.50	82054000
397		FHHK0009	9PCS HEX KEY, Extra long arm size:1.5/2.5/3/4/5/6/8/10mm,Material:615 0Crv	30	32*31.5*27.5	0.0277	13.00	13.50	82041100
398		FHHK1009	9pcs Ball point hex key, , Extra long arm size:1.5/2.5/3/4/5/6/8/10mm,Material:615 0Crv	30	32*31.5*27.5	0.0277	13.00	13.50	82041100
399		FHHK2009	9pcs Torx hex key, Extra long arm ,T10 T15 T20 T25 T27 T30 T40 T45 T50,Material:6150Crv	30	32*31.5*27.5	0.0277	13.00	13.50	82041100
400		FHHK0019	9pcs hex key, mid-length size:1.5/2.5/3/4/5/6/8/10mm,Material:615 0Crv	40	44*29*27	0.0345	15.50	16.00	82041100
401		FHHK1019	9pcs Ball point hex key, , mid-length size:1.5/2.5/3/4/5/6/8/10mm,Material:615 0Crv	40	44*29*27	0.0345	15.50	16.00	82041100
402		FHHK2019	9pcs Torx hex key, , mid-length T10 T15 T20 T25 T27 T30 T40 T45 T50,Material:6150Crv	40	44*29*27	0.0345	15.50	16.00	82041100

403		FHPCRV06	Combination spanner, 6mm,Material:CRV	200	30*22*13.5	0.0089	7.50	7.50	82041100
404		FHPCRV07	Combination spanner, 7mm,Material:CRV	200	30*24*13.5	0.0097	12.50	14.50	82041100
405		FHPCRV08	Combination spanner, 8mm,Material:CRV	200	32.5*26*13.5	0.0114	12.00	14.00	82041100
406		FHPCRV09	Combination spanner, 9mm,,Material:CRV	200	35*28*13.5	0.0132	16.00	18.00	82041100
407		FHPCRV10	Combination spanner, 10mm,Material:CRV	200	30*15*16	0.0072	7.00	9.00	82041100
408		FHPCRV11	Combination spanner, 11mm,Material:CRV	200	32*15*16	0.0077	9.00	11.00	82041100
409		FHPCRV12	Combination spanner, 12mm,Material:CRV	200	34*16*18	0.0098	10.00	12.00	82041100
410		FHPCRV13	Combination spanner, 13mm,Material:CRV	200	36*17*19.5	0.0119	11.50	13.50	82041100
411		FHPCRV14	Combination spanner, 14mm,Material:CRV	200	36*19.5*18.5	0.0130	15.50	17.50	82041100
412		FHPCRV15	Combination spanner, 15mm,Material:CRV	100	21*19*21.5	0.0086	11.00	12.00	82041100
413		FHPCRV16	Combination spanner, 16mm,Material:CRV	100	21.5*20*22.5	0.0097	11.00	12.00	82041100
414		FHPCRV17	Combination spanner, 17mm,Material:CRV	100	23*20.5*23	0.0108	12.50	13.50	82041100
415		FHPCRV18	Combination spanner, 18mm,Material:CRV	100	23.5*21.5*22.5	0.0114	14.50	15.50	82041100
416		FHPCRV19	Combination spanner, 19mm,Material:CRV	100	24.5*22.5*23.5	0.0130	16.50	17.50	82041100
417		FHPCRV20	Combination spanner, 20mm,Material:CRV	50	35*25.5*10.6	0.0095	9.50	10.50	82041100

418		FHPCRV21	Combination spanner, 21mm,Material:CRV	50	35*27*11	0.0104	9.50	10.50	82041100
419		FHPCRV22	Combination spanner, 22mm,Material:CRV	50	36.5*28*11	0.0153	11.00	12.00	82041100
420		FHPCRV23	Combination spanner, 23mm,Material:CRV	50	35*29*11.5	0.0117	13.00	14.00	82041100
421		FHPCRV24	Combination spanner, 24mm,Material:CRV	50	37.5*30*12	0.0135	11.00	12.00	82041100
422		FHPCRV25	Combination spanner, 25mm,Material:CRV	40	30.5*29.5*11.5	0.0103	14.50	15.50	82041100
423		FHPCRV26	Combination spanner, 26mm,Material:CRV	40	32.*30*12	0.0117	15.00	16.00	82041100
424		FHPCRV27	Combination spanner, 27mm,Material:CRV	40	33*31*12.5	0.0128	15.50	16.50	82041100
425		FHPCRV28	Combination spanner, 28mm,Material:CRV	20	34*16.5*13.5	0.0076	9.00	10.00	82041100
426		FHPCRV29	Combination spanner, 29mm,Material:CRV	20	35*16.5*14	0.0081	9.00	10.00	82041100
427		FHPCRV30	Combination spanner, 30mm,Material:CRV	20	36*16.5*14	0.0081	9.50	10.50	82041100
428		FHPCRV32	Combination spanner, 32mm,Material:CRV	20	38.5*17*15	0.0098	11.50	12.50	82041100
429		FHDOCRV0607	Double open end spanner,6*7,Material:CRV	200	27*12*15	0.0049	7.00	8.00	82041100
430		FHDOCRV0809	Double open end spanner,8*9,Material:CRV	200	31*13*16	0.0064	7.50	8.50	82041100
431		FHDOCRV1011	Double open end spanner,10*11,Material:CRV	100	35*14*17	0.0083	11.00	12.00	82041100
432		FHDOCRV1213	Double open end spanner,12*13,Material:CRV	100	18.5*17*19	0.0060	8.00	9.00	82041100

433		FHDOCRV1415	Double open end spanner,14*15,Material:CRV	100	20*17*21.5	0.0073	10.50	11.50	82041100
434		FHDOCRV1617	Double open end spanner,16*17,Material:CRV	100	23.5*22*17	0.0088	15.00	16.00	82041100
435		FHDOCRV1819	Double open end spanner,18*19,Material:CRV	50	26*23.5*9	0.0055	11.00	12.00	82041100
436		FHDOCRV2022	Double open end spanner,20*22,Material:CRV	50	30*25*12	0.0090	11.00	12.00	82041100
437		FHDOCRV2224	Double open end spanner,22*24,Material:CRV	50	30*26.5*12	0.0095	14.50	15.50	82041100
438		FHDOCRV2427	Double open end spanner,24*27,Material:CRV	40	29.5*26*13.5	0.0104	15.50	16.50	82041100
439		FHDOCRV2730	Double open end spanner,27*30,Material:CRV	20	31.5*15*14.5	0.0069	9.50	10.50	82041100
440		FHDOCRV3032	Double open end spanner,30*32,Material:CRV	20	34*15*15.5	0.0079	12.00	13.00	82041100
441		FHORCRV0607	Offset ring spanner,6*7,Material:CRV	200	40*19.5*15	0.0029	9.00	10.00	82041100
442		FHORCRV0809	Offset ring spanner,8*9,Material:CRV	200	40*21.5*15	0.0129	11.50	12.50	82041100
443		FHORCRV1011	Offset ring spanner,10*11,Material:CRV	100	24*22.5*15	0.0086	8.50	9.50	82041100
444		FHORCRV1213	Offset ring spanner,12*13,Material:CRV	100	25*23.5*16	0.0094	12.00	13.00	82041100
445		FHORCRV1415	Offset ring spanner,14*15,Material:CRV	100	27*26*17	0.0119	14.00	15.00	82041100
446		FHORCRV1617	Offset ring spanner,16*17,Material:CRV	50	30*16*18	0.0086	10.00	11.00	82041100
447		FHORCRV1819	Offset ring spanner,18*19,Material:CRV	50	31.5*19*19.5	0.0117	12.00	13.00	82041100

448		FHORCRV2022	Offset ring spanner,20*22,Material:CRV	20	36*21*8.5	0.0064	7.00	8.00	82041100
449		FHORCRV2224	Offset ring spanner,22*24,Material:CRV	20	37*23.5*9.5	0.0083	8.00	9.00	82041100
450		FHORCRV2427	Offset ring spanner,24*27,Material:CRV	20	38.5*23.5*10	0.0090	9.50	10.50	82041100
451		FHORCRV2730	Offset ring spanner,27*30,Material:CRV	20	39*24*11	0.0103	11.50	12.50	82041100
452		FHORCRV3032	Offset ring spanner,30*32,Material:CRV	20	40.5*25*11.5	0.0116	11.50	12.50	82041100
453		FHDO0008	8PCS DOUBLE OPEN END SPANNER SET, 6×7mm 8×9mm 10×11mm 12×13mm 14×15mm 16×17mm 18×19mm 20×22mm,	20	41.8*28*31	0.0363	15.10	16.00	82041100
454		FHCS0008	8PCS COMBINATION SPANNER SET, 6 8 10 12 13 15 17 19mm	20	47.5*42*17.5	0.0349	17.50	18.00	82041100
455		FHOR0008	8PCS OFFSET RING SPANNER SET, 6×7mm 8×9mm 10×11mm 12×13mm 14×15mm 16×17mm 18×19mm 20×22mm,	20	64*41.5*17.5	0.0465	21.00	21.50	82041100
456		FHCGS005	5pcs fixed combination gear spanner set Industrial quality, 8mm 10mm 13mm 17mm 19mm Forward/reverse Material:CRV	18	41*28*21.5	0.025	13.70	14.70	82041100
457		FHCSS0008	8PCS DOUBLE OPEN END SPANNER SET, 6×7mm 8×9mm 10×11mm 12×13mm 14×15mm 16×17mm 18×19mm 20×22mm,	20	31*30*17	0.0158	16.50	17.00	82041100
458		FHUW0932	Multipurpose self-locking spanner x 2pcs Carbon steel hardness: 42-47hrc Rubber handle size: 9-32mm	24	38*38*28	0.0404	18.00	20.00	82041100
459		FHAW7006	ADJUSTABLE WRENCH, size:6",Material:CRV	120	51*42.5*21.5	0.0466	18.00	19.50	82041200

460		FHAW7008	ADJUSTABLE WRENCH, size:8",Material:CRV	48	35.5*30.5*20.5	0.0222	13.00	14.50	82041200
461		FHAW7010	ADJUSTABLE WRENCH, size:10",Material:CRV	24	37*35.5*15	0.0197	10.60	11.60	82041200
462		FHAW7012	ADJUSTABLE WRENCH, size:12",Material:CRV	24	41.5*40*15	0.0249	17.30	19.00	82041200
463		FHAW1006	Adjustable wrench, size:6",45 # semi finished plating	120	34*15.6*19	0.0101	19.00	20.00	82041200
464		FHAW1008	Adjustable wrench, size:8",45 # semi finished plating	60	22*18*23.5	0.0093	18.00	19.00	82041200
465		FHAW1010	Adjustable wrench,size:10",45 # semi finished plating	30	28.5*23*15.5	0.0102	13.00	14.00	82041200
466		FHAW1012	Adjustable wrench,size:12",45 # semi finished plating	20	32*16.6*15.5	0.0082	14.00	15.00	82041200
467		FHCRW1350	Cross rim wrench, size:17*19*21*23 350MM, Material:45#	15	32*28*26	0.0233	17.00	18.00	82041100
468		FHYSW080910	Y-Type socket wrench, size:8*9*10,Material:40Cr	50	53*27.5*27.5	0.0401	12.00	13.00	82041100
469		FHYSW081012	Y-Type socket wrench, size:8*10*12,Material:40Cr	50	53*27.5*27.5	0.0401	13.40	14.40	82041100
470		FHYSW101214	Y-Type socket wrench, size:10*12*14,Material:40Cr	50	53*27.5*27.5	0.0401	15.60	16.60	82041100
471		FHYSW121417	Y-Type socket wrench, size:12*14*17,Material:40Cr	50	53*27.5*27.5	0.0401	19.20	20.20	82041100
472		FHTSW008	T-handle socket wrench, size:8*200*300,Material:40Cr	50	36*36.5*22.5	0.0296	22.10	23.10	82041100
473		FHTSW009	T-handle socket wrench, size:9*200*300,Material:40Cr	50	36*36.5*22.5	0.0296	13.00	14.00	82041100


474		FHTSW010	T-handle socket wrench, size:10*200*300,Material:40Cr	50	36*36.5*22.5	0.0296	13.20	14.20	82041100
475		FHTSW012	T-handle socket wrench, size:12*200*300,Material:40Cr	50	36*36.5*22.5	0.0296	14.50	15.50	82041100
476		FHTSW013	T-handle socket wrench, size:13*200*300,Material:40Cr	50	36*36.5*22.5	0.0296	14.80	15.80	82041100
477		FHTSW014	T-handle socket wrench, size:14*200*300,Material:40Cr	50	36*36.5*22.5	0.0296	15.10	16.10	82041100
478		FHTSW017	T-handle socket wrench, size:17*200*300,Material:40Cr	50	36*36.5*22.5	0.0296	16.80	17.80	82041100
479		FHTSW019	T-handle socket wrench, size:19*200*300,Material:40Cr	50	36*36.5*22.5	0.0296	17.40	18.40	82041100
480		FHLSW008	L-angled socket wrench,, size:8mm,Material:40Cr	250	34*18*28	0.0171	13.00	14.00	82041100
481		FHLSW010	L-angled socket wrench, size:10mm,Material:40Cr	200	34*18*28	0.0171	19.00	20.00	82041100
482		FHLSW012	L-angled socket wrench, size:12mm,Material:40Cr	120	41*21*17	0.0188	16.00	17.00	82041100
483		FHLSW013	L-angled socket wrench, size:13mm,Material:40Cr	120	41*21*17	0.0188	18.00	19.00	82041100
484		FHLSW014	L-angled socket wrench, size:14mm,Material:40Cr	90	41*21*17	0.0188	17.00	18.00	82041100
485		FHLSW017	L-angled socket wrench, size:17mm,Material:40Cr	60	41*20*20	0.0164	18.00	19.00	82041100
486		FHLSW019	L-angled socket wrench, size:19mm,Material:40Cr	40	27*23*20	0.0124	14.00	15.00	82041100

487		FHRW1014	1/4" RATCHET WRENCH CR-V 72T Plastic card	90	28.5*28*22	0.0176	14.50	16.50	82041100
488		FHRW1038	3/8" RATCHET WRENCH CR-V 72T Plastic card	60	28.5*28*22	0.0176	21.00	23.00	82041100
489		FHRW1012	1/2" RATCHET WRENCH CR-V 72T Plastic card	30	28.5*28*22	0.0176	17.50	19.50	82041100
490		FHST0612	12pcs 1/4" ratchet handle with sockets set 1PC 1/4" quick release reversible ratchet handle 72Teeth CR-V 10pcs CR-V sockets: 4,5,6,7,8,9,10,11,12,13MM 1pc CR-V extention bar 4"	40	32*28*34	0.0305	17.00	18.00	82060000
491		FHST1012	12pcs 3/8" ratchet handle with sockets set 1PC-3/8" quick release reversible ratchet handle 72Teeth CR-V 10pcs CR-V sockets: 10,11,12,13,14,15,17,19,22,24MM 1pc CR-V extention bar 3"	20	39*32*21	0.0262	21.00	22.00	82060000
492		FHST1312	12pcs 1/2" ratchet handle with sockets set 1PC-1/2" quick release reversible ratchet handle 72Teeth CR-V 10pcs CR-V sockets: 10,11,12,13,14,15,17,19,22,24MM 1pc CR-V extention bar 5"	8	36*23*23	0.0190	15.00	16.00	82060000
493		FHST2046	46pcs car repair tool kit, 13PCS-1/4"DR.SOCKETS: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14MM 21PCS-1/4"DR.BIT SOCKETS: SL4,5,5,7 PH1,2,3 PZ1,2,3 HW3,4,5,6,7,8 T10,15,20,25,30,40 3PCS-HEX KEY WRENCHES: 1.5,2,2.5MM 1PC-1/4"DR.UNIVERSAL JOINT 2PCS- 1/4"DR.EXTENSION BARS: 2"&4" 1PC-1/4"DR.FLEXIBLE EXTENSION:6" 1PC- 1/4"DR.SLIDING T BAR 1PC-1/4"DR.QUICK REVERSIBLE RATCHET HANDLE 1PC-1/4"DR.SPINNER HANDLE:6"	10	36*26.5*29.5	0.0281	12.70	13.70	82060000

494		FHST2077	77pcs car repair tool kit,9PCS-1/4"DR.SOCKET:4,5,6,7,8,9,10,11,12MM 1PC-1/4"DR.SLIDING T BAR 1PC-1/4"DR.EXTENSION BAR :3" 2PCS-1/4"&1/2"DR.UNIVERSAL JOINT 1PC-1/4"DR.COUPLER 2PCS-1/4"&1/2"DR.QUICK REVERSIBLE RATCHET HANDLE 13PCS-1/2"DR.SOCKET:10,11,12,13,14,15,17,19,22,24,27,30,32MM 1PC-1/2"DR.SPARK PLUG SOCKET:21MM 2PCS-1/2"DR.EXTENSION BAR:5"&10" 1PC-3-WAY ADAPTOR 3/8"(F)X1/2"(M) 11PCS-SPANNER:7,8,9,10,11,12,13,14,15,17,19MM 4PCS-WRENCHES:8*9MM 10*11MM 12*13MM 14*15MM 21PCS-BITS:SL3,4,5,5,7,PH0,1,2,3,PZ1,2,3,T10,15,20,25,30,H2,3,4,5,6, 1PC-1/4"DR.ADAPTOR 7PCS-HEX KEY WRENCHES:1.5,2.0,2.5,5,6,8,10MM, Material:CRV	4	43*31*35	0.0467	22.00	23.00	82060000
495		FHHS1208	Industrial quality 1/2" Hexagonal Socket 8*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*26	0.0165	6.95	7.95	\$8,204,200,000.00
496		FHHS1209	Industrial quality 1/2" Hexagonal Socket 9*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*26	0.0165	6.95	7.95	\$8,204,200,000.00
497		FHHS1210	Industrial quality 1/2" Hexagonal Socket 10*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*26	0.0165	7.43	8.43	\$8,204,200,000.00
498		FHHS1211	Industrial quality 1/2" Hexagonal Socket 11*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*26	0.0165	7.67	8.67	\$8,204,200,000.00
499		FHHS1212	Industrial quality 1/2" Hexagonal Socket 12*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*26	0.0165	8.15	9.15	\$8,204,200,000.00
500		FHHS1213	Industrial quality 1/2" Hexagonal Socket 13*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*26	0.0165	8.15	9.15	\$8,204,200,000.00
501		FHHS1214	Industrial quality 1/2" Hexagonal Socket 14*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*26	0.0165	8.63	9.63	\$8,204,200,000.00
502		FHHS1215	Industrial quality 1/2" Hexagonal Socket 15*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*26	0.0165	8.63	9.63	\$8,204,200,000.00
503		FHHS1216	Industrial quality 1/2" Hexagonal Socket 16*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*26	0.0165	8.63	9.63	\$8,204,200,000.00
504		FHHS1217	Industrial quality 1/2" Hexagonal Socket 17*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*20	0.0170	9.75	10.75	\$8,204,200,000.00
505		FHHS1218	Industrial quality 1/2" Hexagonal Socket 18*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*20	0.0170	11.67	12.67	\$8,204,200,000.00






506		FHHS1219	Industrial quality 1/2" Hexagonal Socket 19*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*33.5*20	0.0170	11.67	12.67	\$8,204,200,000.00
507		FHHS1220	Industrial quality 1/2" Hexagonal Socket 20*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*23*34	0.0223	14.03	15.03	\$8,204,200,000.00
508		FHHS1221	Industrial quality 1/2" Hexagonal Socket 21*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*23*34	0.0223	14.03	15.03	\$8,204,200,000.00
509		FHHS1222	Industrial quality 1/2" Hexagonal Socket 22*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*23*34	0.0223	16.43	17.43	\$8,204,200,000.00
510		FHHS1223	Industrial quality 1/2" Hexagonal Socket 23*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*23*26	0.0227	16.30	17.30	\$8,204,200,000.00
511		FHHS1224	Industrial quality 1/2" Hexagonal Socket 24*38mm Material:CR-V 50BV30 polished,chrome-plated	144	38*23*26	0.0227	17.50	18.50	\$8,204,200,000.00
512		FHHS1225	Industrial quality 1/2" Hexagonal Socket 25*42mm Material:CR-V 50BV30 polished,chrome-plated	120	42*23*20	0.0193	17.50	18.50	\$8,204,200,000.00
513		FHHS1226	Industrial quality 1/2" Hexagonal Socket 26*42mm Material:CR-V 50BV30 polished,chrome-plated	120	42*23*20	0.0193	18.50	19.50	\$8,204,200,000.00
514		FHHS1227	Industrial quality 1/2" Hexagonal Socket 27*42mm Material:CR-V 50BV30 polished,chrome-plated	120	42*23*20	0.0193	19.50	20.50	\$8,204,200,000.00
515		FHHS1228	Industrial quality 1/2" Hexagonal Socket 28*42mm Material:CR-V 50BV30 polished,chrome-plated	96	38*23*21	0.0184	16.70	17.70	\$8,204,200,000.00
516		FHHS1229	Industrial quality 1/2" Hexagonal Socket 29*42mm Material:CR-V 50BV30 polished,chrome-plated	96	38*23*21	0.0184	17.70	18.70	\$8,204,200,000.00
517		FHHS1230	Industrial quality 1/2" Hexagonal Socket 30*42mm Material:CR-V 50BV30 polished,chrome-plated	96	38*23*21	0.0184	18.70	19.70	\$8,204,200,000.00
518		FHHS1232	Industrial quality 1/2" Hexagonal Socket 32*42mm Material:CR-V 50BV30 polished,chrome-plated	96	38*23*21	0.0184	21.10	22.10	\$8,204,200,000.00
519		FHHS1208L	Industrial quality 1/2" Deep Hexagonal Socket 8*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*30	0.0238	16.40	17.40	\$8,204,200,000.00
520		FHHS1209L	Industrial quality 1/2" Deep Hexagonal Socket 9*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*30	0.0238	16.40	17.40	\$8,204,200,000.00

521		FHHS1210L	Industrial quality 1/2" Deep Hexagonal Socket 10*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*30	0.0238	16.40	17.40	\$8,204,200,000.00
522		FHHS1211L	Industrial quality 1/2" Deep Hexagonal Socket 11*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*30	0.0238	16.40	17.40	\$8,204,200,000.00
523		FHHS1212L	Industrial quality 1/2" Deep Hexagonal Socket 12*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*30	0.0238	16.40	17.40	\$8,204,200,000.00
524		FHHS1213L	Industrial quality 1/2" Deep Hexagonal Socket 13*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*30	0.0238	16.40	17.40	\$8,204,200,000.00
525		FHHS1214L	Industrial quality 1/2" Deep Hexagonal Socket 14*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*24	0.0238	16.30	17.30	\$8,204,200,000.00
526		FHHS1215L	Industrial quality 1/2" Deep Hexagonal Socket 15*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*24	0.0238	16.30	17.30	\$8,204,200,000.00
527		FHHS1216L	Industrial quality 1/2" Deep Hexagonal Socket 16*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*24	0.0238	15.10	16.10	\$8,204,200,000.00
528		FHHS1217L	Industrial quality 1/2" Deep Hexagonal Socket 17*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*24	0.0238	18.70	19.70	\$8,204,200,000.00
529		FHHS1218L	Industrial quality 1/2" Deep Hexagonal Socket 18*76mm Material:CR-V 50BV30 polished,chrome-plated	144	32*31*24	0.0238	21.10	22.10	\$8,204,200,000.00
530		FHHS1219L	Industrial quality 1/2" Deep Hexagonal Socket 19*76mm Material:CR-V 50BV30 polished,chrome-plated	120	35*31*22	0.0239	17.50	18.50	\$8,204,200,000.00
531		FHHS1220L	Industrial quality 1/2" Deep Hexagonal Socket 20*76mm Material:CR-V 50BV30 polished,chrome-plated	120	35*31*22	0.0239	20.50	21.50	\$8,204,200,000.00
532		FHHS1221L	Industrial quality 1/2" Deep Hexagonal Socket 21*76mm Material:CR-V 50BV30 polished,chrome-plated	120	35*31*22	0.0239	20.50	21.50	\$8,204,200,000.00
533		FHHS1222L	Industrial quality 1/2" Deep Hexagonal Socket 22*76mm Material:CR-V 50BV30 polished,chrome-plated	90	35*32*16.5	0.0185	18.25	19.25	\$8,204,200,000.00
534		FHHS1223L	Industrial quality 1/2" Deep Hexagonal Socket 23*76mm Material:CR-V 50BV30 polished,chrome-plated	90	35*32*16.5	0.0185	19.00	20.00	\$8,204,200,000.00
535		FHHS1224L	Industrial quality 1/2" Deep Hexagonal Socket 24*76mm Material:CR-V 50BV30 polished,chrome-plated	90	35*32*16.5	0.0185	19.00	20.00	\$8,204,200,000.00
536		FHHS1225L	Industrial quality 1/2" Deep Hexagonal Socket 25*76mm Material:CR-V 50BV30 polished,chrome-plated	48	31*22*26	0.0177	17.30	18.30	\$8,204,200,000.00

537		FHHS1226L	Industrial quality 1/2" Deep Hexagonal Socket 26*76mm Material:CR-V 50BV30 polished,chrome-plated	48	31*22*26	0.0177	18.30	19.30	\$8,204,200,000.00
538		FHHS1227L	Industrial quality 1/2" Deep Hexagonal Socket 27*76mm Material:CR-V 50BV30 polished,chrome-plated	48	31*22*26	0.0177	19.30	20.30	\$8,204,200,000.00
539		FHHS1228L	Industrial quality 1/2" Deep Hexagonal Socket 28*76mm Material:CR-V 50BV30 polished,chrome-plated	32	42*16.5*18	0.0125	14.70	15.70	\$8,204,200,000.00
540		FHHS1229L	Industrial quality 1/2" Deep Hexagonal Socket 29*76mm Material:CR-V 50BV30 polished,chrome-plated	32	42*16.5*18	0.0125	15.70	16.70	\$8,204,200,000.00
541		FHHS1230L	Industrial quality 1/2" Deep Hexagonal Socket 30*76mm Material:CR-V 50BV30 polished,chrome-plated	32	42*16.5*18	0.0125	16.70	17.70	\$8,204,200,000.00
542		FHHS1232L	Industrial quality 1/2" Deep Hexagonal Socket 32*76mm Material:CR-V 50BV30 polished,chrome-plated	32	42*16.5*18	0.0125	17.90	18.90	\$8,204,200,000.00
543		FHHF0300	Hacksaw frame,size:12",510g Square tube coating	36	41*32*40.5	0.0531	18.00	19.00	82021000
544		FHHF1300	Hacksaw frame,size:12",460g Flat iron coating	36	47.5*23.5*28.5	0.0318	17.00	18.00	82021000
545		FHBH01812	Bi-metal hacksaw blade,size:12",M2+D6A 18T	800	36*30*12.5	0.0135	18.00	21.00	82022010
546		FHBH02412	Bi-metal hacksaw blade,size:12",M2+D6A 24T	800	36*30*12.5	0.0135	18.00	21.00	82022010
547		FHCSSH02412	hacksaw blade,size:12", 24T Material: carbon steel	1000	33*16*19	0.0100	20.00	18.00	82022010
548		FHHS0400	Hand saw,16",65 mn material thickness 0.9 mm on three sides by 8 tooth gear grinding nine pointed quenching	36	51*29*31	0.0458	13.00	14.00	82021000
549		FHHS0450	Hand saw,18",65 mn material thickness 0.9 mm on three sides by 8 tooth gear grinding nine pointed quenching	36	56*29*31	0.0503	14.00	15.00	82021000
550		FHHS0500	HAND SAW 20"(500mm), Material:65Mn	36	61x29x32	0.0566	19.00	20.00	82021000
551		FHFS0180	Folding saw,180MM 7",65 manganese steel saw blade, 1.2 thick, pitch 3.6 MM, double color handle	48	36*32*35	0.0403	12.00	13.00	82021000
552		FHUC0003	Self-loading cutter with 6pcs blades Housing material: Aluminium-Alloy Blade size: 19*61*0.6mm	72	42.5*26.5*26.5	0.0299	9.50	11.00	82119300


553		FHUC0001	18MM Aluminium-Alloy cutter with TPR grip Size:44.5×33.5×40cm Blade size: 18*100*0.5mm SK5;	144	50*25.5*42	0.0536	13.70	15.70	82119300
554		FHLL03	Green line laser level 5 Lines 8 Points Wavelength: 532nm Accuracy:±1mm/5m Leveling range: ±3°Diode:532nm CLASS 2,<1mW Power supply: Li-ion batteries Working range(Radius) Dot: ≤30m; Line: ≤10m; (>30m with detector) Working temperature:0℃ to 40℃ Working time: 4hrs Power supply:Rechargeable lithium battery Safety class: class II Weight: ≈ 2kg Packing:Aluminum Box	8	50*49*26.5	0.0650	14.00	15.00	90153000
555		FHLL04	Red line laser level 5 Lines 8 Points Wave length: 635Nm laser diode Damping Level: Automatic Damping Automatic leveling range: ± 3° Down Point: 5m/±1mm Precision/Accuracy: 7m/±1mm Working range: 15m Dustproof and waterproof rating: IP54 Operating temperature: - 10℃~+50℃ Power supply:Rechargeable lithium battery Rechargeable 3.7V lithium battery Safety class: class II Weight: ≈ 2kg Packing:Aluminum Box	8	50*49*26.5	0.0650	14.00	15.00	90153000
556		FHLL05	Red line laser level CROSS level 5 Lines 8 Points Wave length: 635-675nm Leveling/compensation range: 4° ±1° Accuracy: /±3mm/10m Precision/Accuracy: 7m/±1mm Working range: 15m Dustproof and waterproof rating: IP54 Operating temperature: - 10℃~+50℃ Power supply:2x1.5V AA battery Packing:carry bag+color box Include 1 magnetic pivoting base	20	41.5*29.27	0.0325	9.00	10.50	90153000
557		FHLL3601	Green line laser level 12 Lines Accuracy: ±1.5mm / 5m cross accuracy: 90°±30" Self-leveling range:Approx. ±3° Power supply: Li-ion batteries Working temperature: 0℃-- +45℃ Working Time: 6hrs Packing:Canvas bag+Color box	8	57*43*34.5	0.0850	16.00	17.00	90153000
558		FHLLS15	Tripod 1.5m 0.5-1.5m	10	59*55*23	0.0746	14.00	12.00	8205590000
559		FHLMT40	Laser distance meter Measuring Range:0.05-40m Accuracy: ±2 (mm) Laser Type: ≤ 1mw 635nm Data record:99 groups Function: Single-distance Measurement, Continuous Measurement, Area Measurement, Volume Measurement, Indirect Pythagoras Measurement Angle measurement Units:M/F/In Battery: 2x1.5v AAA	50	66*36.5*23	0.0554	11.00	10.00	90151000

560	 60m	FHLMT60	Laser distance meter Measuring Range:0.05-60m Accuracy: ±2 (mm) Laser Type: ≤ 1mw 635nm Data record:99 groups Function: Single-distance Measurement, Continuous Measurement, Area Measurement, Volume Measurement, Indirect Pythagoras Measurement Angle measurement Units:M/F/In Battery: 2x1.5vv AAA	50	66*36.5*23	0.0554	11.00	10.00	90151000
561	 80m	FHLMT80	Laser distance meter Measuring Range:0.05-80m Accuracy: ±2 (mm) Laser Type: ≤ 1mw 635nm Data record:99 groups Function: Single-distance Measurement, Continuous Measurement, Area Measurement, Volume Measurement, Indirect Pythagoras Measurement Angle measurement Units:M/F/In Battery: 2x1.5vv AAA	50	66*36.5*23	0.0554	11.00	10.00	90151000
562	 100m	FHLMT100	Laser distance meter Measuring Range:0.05-100m Accuracy: ±2 (mm) Laser Type: ≤ 1mw 635nm Data record:99 groups Function: Single-distance Measurement, Continuous Measurement, Area Measurement, Volume Measurement, Indirect Pythagoras Measurement Angle measurement Units:M/F/In Battery: 2x1.5vv AAA	50	66*36.5*23	0.0554	11.00	10.00	90151000
563		FHSMT103	STEEL MEASURING TAPE, 3m*16mm metric & imperial mark	120	37*20*28	0.0207	11.50	12.50	90178000
564		FHSMT105	STEEL MEASURING TAPE,5m*19mm,CS; metric & imperial mark	96	33*23*30	0.0228	15.50	16.50	90178000
565		FHSMT175	STEEL MEASURING TAPE, 7.5m*25mm metric & imperial mark	48	36*19*29	0.0198	14.50	15.50	90178000
566		FHSMT203	STEEL MEASURING TAPE, 3m*16mm metric & imperial mark Auto lock Lock automatically, convenient to use.	96	38*31*32	0.0377	14.00	15.00	90178000
567		FHSMT205	STEEL MEASURING TAPE 5m*19mm metric & imperial mark Auto lock Lock automatically, convenient to use.	60	49*17*32	0.0267	13.50	14.50	90178000
568		FHSMT275	STEEL MEASURING TAPE, 7.5m*25mm metric & imperial mark Auto lock Lock automatically, convenient to use.	48	38*20*37	0.0281	18.50	19.50	90178000
569		FHF4020	Fiberglass measuring tape,20m,ABS	50	51*29*29	0.0429	17.00	18.00	90178000

570		FHFM4030	Fiberglass measuring tape,30m	50	51*34*34	0.0590	19.00	20.00	90178000
571		FHFM4050	Fiberglass measuring tape,50m,ABS	20	40*22*42	0.0370	10.00	11.00	90178000
572		FHVC0151	Digital Plastic Digital Calier 0-15mm (6") Material:Plastic Reading:0.1mm/0.01" Battery 1.5v Metric/inch system conversion at any position Packing:blister	100	46*37*33	\$0.06	\$8.50	\$10.50	\$90,173,000.00
573		FHVC0150	Vernier caliper,0-150mm 0.02mm,Material:Stainless steel	50	47*26*23	0.0281	14.00	16.00	9017300
574		FHSL03023	Torpedo Level 23cm/9" With 3 bubbles ABS, Magnetic	120	57.5*25*21	0.0300	10.50	12.00	9031809090
575		FHSL05040	Spirit Level 40cm/16" With 3 bubbles Aluminum, Milled bottom	60	42*25.5*26.5	0.0280	12.00	13.00	9031809090
576		FHSL05080	Spirit Level 80cm/32" With 3 bubbles Aluminum, Milled bottom	30	82*21.5*17	0.0300	10.00	11.00	9031809090
577		FHSL05100	Spirit Level 100cm/40" With 3 bubbles Aluminum, Milled bottom	20	102*31*15	0.0480	9.00	10.00	9031809090
578		FHSL06040	Spirit Level, INDUSTRIAL 40cm/16" With 3 bubbles Heavy duty aluminum frame Thickness: 1.8mm Accuracy: 0.5mm /m Three vial : 90°,180°,45° Two milled surface Magnetic	30	42*31*22	0.0290	13.00	14.00	9031809090
579		FHSL06060	Spirit Level INDUSTRIAL 60cm/24" With 3 bubbles Heavy duty aluminum frame Thickness: 1.8mm Accuracy: 0.5mm /m Three vial : 90°,180°,45° Two milled surface Magnetic	30	62*31*22	0.0430	20.00	21.00	9031809090
580		FHSL06080	Spirit Level INDUSTRIAL 80cm/32" With 3 bubbles Heavy duty aluminum frame Thickness: 1.8mm Accuracy: 0.5mm /m Three vial : 90°,180°,45° Two milled surface Magnetic	20	82*31*15	0.0380	18.00	19.00	9031809090
581		FHSL06100	Spirit Level INDUSTRIAL 100cm/40" With 3 bubbles Heavy duty aluminum frame Thickness: 1.8mm Accuracy: 0.5mm /m Three vial : 90°,180°,45° Two milled surface Magnetic	20	102*31*15	0.0480	22.00	23.00	9031809090
582		FHSL04040B	Bridge Spirit level INDUSTRIAL 40cm/16" With 2 bubbles, horizontal & vertical Materil: Cast Aluminum Milled bottom	60	41*23*23	0.0220	11.00	12.00	6970476579482
583		FHSL04060B	Bridge Spirit level INDUSTRIAL 60cm/24" With 2 bubbles, horizontal & vertical Materil: Cast Aluminum Milled bottom	60	61*23*23	0.0320	15.00	16.00	6970476579499

584		FHAHS012	Aluminum handle square, 12", Aluminum handle steel, ROD rod material stainless steel rod rod 1.3 mm thick	60	40*32.5*25	0.0325	14.00	15.00	90172000
585		FHPK1002	Putty knife, 2", Material: Stainless steel	120	32*29*34.5	0.0320	10.00	11.00	82055900
586		FHPK1003	Putty knife, 3", Material: Stainless steel	120	32*29*34.5	0.0320	10.00	11.00	82055900
587		FHPK1004	Putty knife, 4", Material: Stainless steel	120	32*29*34.5	0.0320	12.00	13.00	82055900
588		FHPK1005	Putty knife, 5", Material: Stainless steel	120	32*29*34.5	0.0320	12.00	13.00	82055900
589		FHPK1006	Putty knife, 6", Material: Stainless steel	120	36*30*37	0.0400	19.00	20.00	82055900
590		FHPT2115	Plastering trowel, 280x115mm Thickness: 0.7mm, Material: Carbon Steel	60	52*30*52	0.0811	22.00	23.00	82055900
591		FHPT2130	Putty knife, 280x130mm Thickness: 0.7mm, Material: Carbon Steel	60	54*30*52	0.0842	27.00	28.00	82055900
592		FHFRT2419	Foam rubber trowel, 240*100*19mm, Material: High quality rubber foam	36	65*26*64	0.1082	22.50	23.50	82055900
593		FHEVA2412	EVA foam trowel, 240*100*12mm, Material: EVA	36	64.5*26*57	0.0956	15.80	16.80	82055900
594		FHBT0006	Bricklaying trowel, 6", Carbon steel thickness of 1.0 mm polishing double-color plastic handle	72	48*30*34	0.0490	10.00	11.00	82055100
595		FHBT0008	Bricklaying trowel, 8", Carbon steel thickness of 1.0 mm polishing double-color plastic handle	72	50*34*37	0.0629	14.00	15.00	82055100
596		FHBT0010	Bricklaying trowel, 10", Carbon steel thickness of 1.0 mm polishing double-color plastic handle	72	52*42*38	0.0830	19.00	20.00	82055100
597		FHWB0101	1" Paint brush Size: 1" x 44mm Wooden handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	600	45*42*28	0.0529	13.00	14.00	9603401100

598		FHWB0115	1.5" Paint brush Size: 1.5" x44mm Wooden handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	480	49*43*35	0.0737	16.00	17.00	9603401100
599		FHWB0102	2" Paint brush Size: 2" x 51mm Wooden handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	360	45*43*38	0.0735	16.00	17.00	9603401100
600		FHWB0125	2.5" Paint brush Size: 2.5" x 51mm Wooden handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	240	46*34*37.5	0.0587	15.00	16.00	9603401100
601		FHWB0103	3" Paint brush Size: 3" x 51mm Wooden handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	180	57*25*40	0.0570	14.00	15.00	9603401100
602		FHWB0104	4" Paint brush Size: 4" x 57mm Wooden handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	120	48*26*45	0.0562	13.00	14.00	9603401100
603		FHPB0301	1" Paint brush Size: 1" x44mm Plastic handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	600	43.5*41.5*31	0.0560	14.00	15.00	9603401100
604		FHPB0315	1.5" Paint brush Size: 1.5" x44mm Plastic handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	480	44*44*34	0.0658	15.00	16.00	9603401100
605		FHPB0302	2" Paint brush Size: 2" x51mm Plastic handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	360	46*42*35	0.0676	15.00	16.00	9603401100
606		FHPB0325	2.5" Paint brush Size: 2.5" x51mm Plastic handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	360	51*47*39	0.0935	19.00	20.00	9603401100
607		FHPB0303	3" Paint brush Size: 3" x51mm Plastic handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	240	47*38*40	0.0714	14.00	15.00	9603401100

608		HPB0304	4" Paint brush Size: 4" x57mm Plastic handle PET & white bristle in stainless steel ferrule Package: PVC bag with color sticker	120	48*26*47	0.0587	10.00	11.00	9603401100
609		HPR0504	4" mini roller Size: 4" x11mm Material: polyester and acrylic Length of the handle: 400mm Fibre height: 11mm Dia of central shank: 5.7mm Convenient and fast change the roller cover Package: poly bag	100	46*38*32	0.0559	10.00	11.00	9603402000
610		FHPR0604	4" mini roller Material: acrylic Length of the handle: 400mm Fibre height: 4mm Dia of central shank: 5.7mm Convenient and fast change the roller cover Packing: poly bag	100	46*38*32	0.0559	10.00	11.00	9603402000
611		FHRC0504-1	4" Roller cover Fibre height: 11mm Convenient and fast change the roller cover Match with FHPR0504/FHPR0604 Package: poly bag	500	53*32*31	0.0526	6.00	7.00	9603402000
612		FHRC0604-1	4" Roller cover Fibre height: 4mm Convenient and fast change the roller cover Match with FHPR0504/FHPR0604 Package: poly bag	500	53*32*31	0.0526	6.00	7.00	9603402000
613		HPR0609	9" Paint roller Material: polyester and acrylic Fibre height: 11mm Dia of central shank: 5.7mm Convenient and fast change the roller cover Using for outside wall or coarse wall surface Package: poly bag	50	55*42*28	0.0647	12.00	13.00	9603402000
614		FHPR0709	9" Paint roller Material: acrylic Fibre height: 8mm Dia of central shank: 5.7mm Convenient and fast change the roller cover Using for outside wall or coarse wall surface Packing: poly bag	50	55*42*28	0.0647	12.00	13.00	9603402000
615		HRC0609-1	9" Roller cover Fibre height: 11mm Convenient and fast change the roller cover Match with FHPR0609/FHPR0709 Package: poly bag	100	56*28*47	0.0737	6.00	7.00	9603402000
616		HRC0709-1	9" Roller cover Fibre height: 8mm Convenient and fast change the roller cover Match with FHPR0609/FHPR0709 Package: poly bag	100	56*28*47	0.0737	6.00	7.00	9603402000
617		FHPR0810	10" Paint roller Material: polyester and acrylic Fibre height: 11mm Dia of central shank: 7.8mm Convenient and fast change the roller cover Using for outside wall or coarse wall surface Package: poly bag	50	60*42*34	0.0857	16.00	17.00	9603402000
618		FHPR0910	10" Paint roller Material: acrylic Fibre height: 8mm Dia of central shank: 7.8mm Convenient and fast change the roller cover Using for outside wall or coarse wall surface Packing: poly bag	50	60*42*34	0.0857	16.00	17.00	9603402000
619		FHRC0810-1	10" Roller cover Fibre height: 11mm Convenient and fast change the roller cover Match with FHPR0810/FHPR0910 Package: poly bag	50	31*31*51	0.0490	5.50	6.50	9603402000

620		FHRC0910-1	10" Roller cover Fibre height:8mm Convenient and fast change the roller cover Match with FHPR0810/FHPR0910 Package: poly bag	50	31*31*51	0.0490	5.50	6.50	9603402000
621		FHPT0009	9" Paint tray	50	57*31*38	0.0671	11.00	12.00	9603402000
622		FHRG0010	Hand riveter,10",Material Q235 gun with 1.8 MM thickness monochromatic handle rivet 2.4 3.2 4.0 4.8 MM in diameter	40	47.5*35*29	0.0482	20.00	22.00	82055900
623		FHCG0009	Cauiking gun,9",	36	42*34*54	0.0771	11.00	13.00	82055900
624		FHCG0109	Cauiking gun,9",	36	34.5*25*34	0.0324	10.00	12.00	82055900
625		FHCG0209	Aluminium caulking gun,9"	24	68*29*47	0.0927	13.00	14.00	82055900
626		FHCG0215	Aluminium caulking gun,15"	24	68*28*45	\$0.09	\$16.00	\$17.50	\$82,055,900.00
627		FHMST190	3in1 silicone trowel&scraper	100	50*35*48	0.0840	\$9.00	\$9.50	\$392,690,909.00
628		FHTC0400	Tile cutter,400mm, *for parallel cuts *cuts up to 10mm thick *width of the metal base:140mm *dia of chromed rod:14mm *thickness of the metal:0.7mm *replaceable cutting blades:YG6X,φ15*φ6*1.5MM	10	56*30*48.5	0.0815	16.00	18.00	82055900
629		FHTC0600	Tile cutter,600mm , *for parallel cuts *cuts up to 12mm thick *width of the metal base:200mm *dia of chromed rod:19mm *thickness of the base:1.8mm *replaceable cutting blades:YG6X,φ16*φ6*3MM	2	30*22*85	0.0561	9.60	11.60	82055900
630		FHTC60002 Industrial quality	Tile cutter 600mm *professional tile cutter *for parallel & angled (0°-60°)cuts *die casting cutting assembly with ball bearing *sliding ball support large tile moving *stopping rod support mass tile cutting *max cutting depth: 14mm *thickness of base: 1.8mm *ball bearing scoring :YG6X,φ22*φ6*6MM	2	82.5*24.5*48	\$0.10	\$14.00	\$15.00	\$82,055,900.00

631		FHTC0800 Industrial quality	Tile cutter,800mm, *for parallel & angled cuts *linear bearing inside ensures the smooth & accurate cutting action *cuts up to 14mm thick *dia of solid chromed rod:16mm *thickness of the base:1.8mm *simple and convenient replacement of the scoring wheel *pencil scoring wheel:φ10mm	2	98*21*36	0.0741	18.50	21.00	82055900
632		FHTC80002 Industrial quality	Tile cutter,800mm , *for parallel & angled cuts *die casting cutting assembly with ball bearing *cuts up to 14mm thick *dia of solid chromed rod:20mm *the thickness of steel base:2.5mm *replaceable cutting blades:YG6X,φ22*φ6*2MM	2	102*21*33	0.0707	19.00	21.00	8205590000
633		FHTC800021 Industrial quality	Tile cutter,800mm , *professional tile cutter *for parallel & angled (0°-60°)cuts *die casting cutting assembly with ball bearing *sliding ball support large tile moving *stopping rod support mass tile cutting *max cutting depth: 14mm *thickness of base: 1.8mm *ball bearing scoring :YG6X,φ22*φ6*6MM	2	107*20*47	0.1006	15.00	17.00	8205590000
634		FHTB0014	Tool box,14" , 35×18×16cm,Material:PP	16	69*37*64	0.1634	12.50	14.00	42029200
635		FHBV0004	Bench vice,4",Jaw width:100MM(4") Clamp force:600KG Net weight: 5kg	2	32X29X18	0.0167	10.00	11.00	82057000
636		FHBV0005	Bench vice,5",Jaw width:125MM(5") Clamp force:900KG Net weight: 7kg	2	32X31X18	0.0180	14.00	15.00	82057000
637		FHBV0006	Bench vice,6",Jaw width:150MM(6") Clamp force:1200KG Net weight: 11.5kg	1	35*18*19	0.0120	11.50	12.00	82057000
638		FHBV0008	Bench vice,8",Jaw width:200MM(8") Clamp force:1500KG Net weight: 18kg	1	45*21.5*22	0.0213	18.00	19.00	82057000
639		FHHS414	Heavy Duty 3 in 1 Staple Gun Quick jam release button Impact power adjustment	24	55*43.5*24	0.0574	13.00	14.00	82055900
640		FHPL0235	Planer,235mm*50mm ,65Mn	30	53*26*31	0.0427	15.00	17.00	82053000
641		FHHM03	Welding Magnetic Holder,3" Material:steel Capacity:25LBS	48	43*25*18	0.019	16.00	17.00	8505119000

642		FHMH04	Welding Magnetic Holder,4" Material:steel Capacity:50LBS	36	30*30*22.5	0.020	23.00	24.00	8505119000
643		FHMH05	Welding Magnetic Holder,5" Material:steel Capacity:75LBS	24	38*33.5*19	0.024	27.00	28.00	8505119000
644		FPCG0620	Working Gloves 10" Raw white cotton yarn,10 gauge,2 string 620g/dozen Package:12 pairs/dozen in polybag with color sticker	240	52x25x48	0.0630	12.50	13.50	61169200
645		FPCG0750	Knitted & PVC dots gloves 10" Raw white cotton yarn,10 gauge,2 string PVC dots one side 750g/dozen Package:12 pairs/dozen in polybag with color sticker	240	52X25X50	0.0650	15.00	16.00	61161000
646		FPNG01	Nitrile Gloves 10" 13 gauge white polyester blue nitrile palm coated Excellent comfort and fit. Outsanding dexterity. Excellent puncture resistance at palm, long lating and perspiration-free, long wearing. Package: 1 pair/head card 12 pairs/dozen in polybag with color sticker	120	46x25x25	0.0290	5.10	5.60	61161000
647		FPLCG01 (industrial quality)	Lated Coated Gloves 10" Cotton Jersey liner, smooth nitrile fully coated Textured palm dip for extra grip and durability. Industry Applications : Materials handling, glass handing, operations, fishing, farming, construction and plywood industries, sanitation, general maintenance. Package: 1 pair/head card 12 pairs/dozen in polybag with color sticker	120	66x27x43	0.0770	14.60	15.20	61161000
648		FPLG010 (industrial quality)	Cow Split Leather Gloves 10.5" 203g/pair Surface:Cow split leather,reinforce the palm Back:Blue striped cotton Lining:Cotton half lining Package: 1 pair/head card 12 pairs/dozen in polybag	120	38*28*65	0.0940	24.00	25.00	4203291090
649		FPWG014 (industrial quality)	Welding Leather Gloves 14" 335g/pair Cow split leather,full leather back Lining:Cotton lining on palm,denim lining on cuff Package: 1 pair/head card 12 pairs/dozen in polybag	60	72*25*35	0.0630	20.00	21.00	4203291090

650		FPSG01	Safety Goggles with CE approval Frame: PVC Lens:PC,1.0mm thickness Impact resistant Soft and light weight PVC frame with air holes High-impact polycarbonate lenses have high transparency comfortable for wearing. Package:polybag with paper hanger	100	37*41*43	0.0660	7.00	8.00	9004909000
651		FPSG02	Safety Goggles with CE approval Frame & Lens: PCLight weight,comfortable to wear,wide visual field Impact resistant Packing: polybag with paper hanger	100	37*41*43	0.0660	7.00	8.00	9004909000
652		FPSG03	Safety Goggles with CE approval Frame & Lens: PC Full view design Impact resistant Fit to wearing the corrective glasses,also can be used as visitors glasses. Can defend against splash particles in the round Packing: polybag with paper hanger	100	37*41*43	0.0660	7.00	8.00	9004909000
653		FPSG04	Safety Goggles with CE approval Frame:Nylon Lens:PC Expert quality made from impact resistant polycarbonate Gives clear distortion free viewing Adjustable leg of frame for comfortable use and fit Packing: polybag with paper hanger	100	37*41*43	0.0660	7.00	8.00	9004909000
654		FSSGA1	Face Shield Head hoop material: PP Face shield material: PC, Size: 39X20cm, thickness1.0mm	40	48*43.5*49.5	0.1030	12.00	13.00	3926909090
655		FPEP01	Earplug with CE approval Size:13x25mm Material: PU SNR:34db Recoil time30-40s Package: 1pair/OPP bag, 200pais/color box	4000	60*35*58	0.1220	8.00	9.00	3926909090
656		FPEM01	Ear Muff Head hoop: POM Shell:ABS SNR:22db NNR:20db Self-aligning suspension,easily adjusts muffs on headband for quick fitting Soft foam-filled cushion provides good seal for protection against harmful noise Packing: polybag with paper hanger	50	58*40*42	0.0970	5.00	6.00	3926909090
657		FPSH01 (industrial quality)	Safety Helmet Shell:ABS 4-point attachment provides impact protection Ratchet adjustment knob	30	65*28.5*55	0.1019	10.00	12.00	3926909090
658		FPRV011	Reflective Vest CE-approved to EN471 Size:M 66x56cm 100% polyester, 120g/m² 5cm high visibility sewing tape Packing: polybag with color label	50	36*25*28	0.0250	4.00	5.00	6114300090
659		FPRV012	Reflective Vest CE-approved to EN471 Size:L 68x56cm 100% polyester, 120g/m² 5cm high visibility sewing tape Packing: polybag with color label	50	36*25*28	0.0250	4.00	5.00	6114300090

660		FPRV013	Reflective Vest CE-approved to EN471 Size:XL 68x58cm 100% polyester, 120g/m² 5cm high visibility sewing tape Packing: polybag with color label	50	36*25*28	0.0250	4.00	5.00	6114300090
661		FPRV014	Reflective Vest CE-approved to EN471 Size:XXL 70x60cm 100% polyester, 120g/m² 5cm high visibility sewing tape Packing: polybag with color label	50	36*25*28	0.0250	4.00	5.00	6114300090
662		FPRV015	Reflective Vest CE-approved to EN471 Size:XXL 70x62cm 100% polyester, 120g/m² 5cm high visibility sewing tape Packing: polybag with color label	50	36*25*28	0.0250	4.00	5.00	6114300090
663		FPSB0140 (industrial quality)	Safety Boots Size: Eur 40# Upper Material:Embossed cow leather Lining:Breathable mesh Insole:EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function:Anti-impact, anti-puncture , anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6403400090
664		FPSB0141 (industrial quality)	Safety Boots Size: Eur 41# Upper Material:Embossed cow leather Lining:Breathable mesh Insole:EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function:Anti-impact, anti-puncture , anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6403400090
665		FPSB0142 (industrial quality)	Safety Boots Size: Eur 42# Upper Material:Embossed cow leather Lining:Breathable mesh Insole:EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function:Anti-impact, anti-puncture , anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6403400090
666		FPSB0143 (industrial quality)	Safety Boots Size: Eur 43# Upper Material:Embossed cow leather Lining:Breathable mesh Insole:EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function:Anti-impact, anti-puncture , anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6403400090
667		FPSB0144 (industrial quality)	Safety Boots Size: Eur 44# Upper Material:Embossed cow leather Lining:Breathable mesh Insole:EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function:Anti-impact, anti-puncture , anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6403400090

668		FPSB0145 (industrial quality)	Safety Boots Size: Eur 45# Upper Material: Embossed cow leather Lining: Breathable mesh Insole: EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function: Anti-impact, anti-puncture, anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6403400090
669		FPSB1140 (industrial quality)	Safety Boots Size: Eur 40# Material: PVC Steel toe cap and steel midsole High Level Oil, Acid, Alkali resistance 100% waterproof Desludging shoe sole Packing: poly bag with color label	10	58X43X33	0.0830	12.00	14.00	6401929000
670		FPSB1141 (industrial quality)	Safety Boots Size: Eur 41# Material: PVC Steel toe cap and steel midsole High Level Oil, Acid, Alkali resistance 100% waterproof Desludging shoe sole Packing: poly bag with color label	10	58X43X33	0.0830	12.00	14.00	6401929000
671		FPSB1142 (industrial quality)	Safety Boots Size: Eur 42# Upper Material: Embossed cow leather Lining: Breathable mesh Insole: EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function: Anti-impact, anti-puncture, anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6401929000
672		FPSB1143 (industrial quality)	Safety Boots Size: Eur 43# Upper Material: Embossed cow leather Lining: Breathable mesh Insole: EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function: Anti-impact, anti-puncture, anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6401929000
673		FPSB1144 (industrial quality)	Safety Boots Size: Eur 44# Upper Material: Embossed cow leather Lining: Breathable mesh Insole: EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function: Anti-impact, anti-puncture, anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6401929000
674		FPSB1145 (industrial quality)	Safety Boots Size: Eur 45# Upper Material: Embossed cow leather Lining: Breathable mesh Insole: EVA coated mesh Feature: Steel toe & steel midsole Outsole Material: PU injection dual density Function: Anti-impact, anti-puncture, anti-static Package: color box	10	58X43X33	0.0830	12.00	14.00	6401929000

675		FACD110012	Abrasive cutting disc Size:100*1.2*16mm	600	39*22*22	0.0189	16.00	17.00	6804.2210
676		FACD110510	Abrasive cutting disc Size:105*1.0*16mm	400	39*22*22	0.0189	16.00	17.00	6804.2210
677		FACD111510	Abrasive cutting disc size:115*1.0*22.2mm	400	61*16*12.5	0.0122	13.00	14.00	6804.2210
678		FACD111530	Abrasive cutting disc, size:115*3*22.2mm	240	38*25*12.5	0.0119	12.00	13.00	6804.2210
679		FACD112510	Abrasive cutting disc, size:125*1*22.2mm	400	38*27*13.5	0.0139	16.00	17.00	6804.2210
680		FACD112530	Abrasive cutting disc, size:125*3*22.2mm	240	38*27*13.5	0.0139	16.00	17.00	6804.2210
681		FACD118016	Abrasive cutting disc, size:180*1.6*22.2mm	200	38*25*19	0.0181	19.00	18.00	6804.2210
682		FACD118020	Abrasive cutting disc, size:180*2*22.2mm	160	38*25*19	0.0181	23.00	22.00	6804.2210
683		FACD118030	Abrasive cutting disc, size:180*3*22.2mm	100	39*19*19	0.0141	18.00	19.00	6804.2210
684		FACD123020	Abrasive cutting disc, size:230*2*22.2mm	120	24*20*24	0.0115	14.00	15.00	6804.2210
685		FACD123030	Abrasive cutting disc, size:230*3*22.2mm	100	24*20*24	0.0115	14.00	15.00	6804.2210
686		FACD135530	Abrasive cutting disc, size:355*3*25.4mm	25	36*36*9	0.0117	17.00	18.00	6804.2210

687		FAGD110060	Abrasive grinding disc, size:100*6*16mm	200	38*22*22	0.0184	21.00	22.00	6804.2210
688		FAGD111560	Abrasive grinding disc, size:115*6*22mm	100	49*22*12.5	0.0135	20.00	21.00	6804.2210
689		FAGD112560	Abrasive grinding disc, size:125*6*22mm	100	39*27*13.5	0.0142	17.00	18.00	6804.2210
690		FAGD118060	Abrasive grinding disc, size:180*6*22.2mm	60	38*23*19	0.0166	22.00	23.00	6804.2210
691		FAGD123060	Abrasive grinding disc, size:230*6*22.2mm	40	24*23*24	0.0132	18.00	19.00	6804.2210
692		FDBM11010	Diamond cutting blade 110X20mm Blade width:10mm Packing: color box	100	29*19*23	0.0127	10.00	11.00	8207.1910
693		FDBD111018	Diamond cutting blade 110X20mm Blade width:7mm Packing: color box	100	29*19*23	0.0127	10.00	11.00	8207.1910
694		FDBW111018	Diamond cutting blade 110X20mm Blade width:5mm Packing: color box	100	29*19*23	0.0127	10.00	11.00	8207.1910
695		FDBS111020	Diamond cutting blade 110X20mm Blade width:7mm Packing: color box	100	29*19*23	0.0127	10.00	11.00	8207.1910
696		FDBD111520	Diamond cutting blade 115X22.2mm Blade width:7mm Packing: color box	100	29*19*23	0.0127	11.00	12.00	8207.1910
697		FDBW111520	Diamond cutting blade 115X22.2mm Blade width:5mm Packing: color box	100	29*19*23	0.0127	11.00	12.00	8207.1910
698		FDBS111522	Diamond cutting blade 115X22.2mm Blade width:7mm Packing: color box	100	29*19*23	0.0127	11.00	12.00	8207.1910

699		FDBD112520	Diamond cutting blade 125X22.2mm Blade width:7mm Packing: color box	100	29.5*19.5*23	0.0132	13.00	14.00	8207.1910
700		FDBW112520	Diamond cutting blade 125X22.2mm Blade width:5mm Packing: color box	100	29.5*19.5*23	0.0132	13.00	14.00	8207.1910
701		FDBS112522	Diamond cutting blade 125X22.2mm Blade width:7mm Packing: color box	100	29.5*19.5*23	0.0132	13.00	14.00	8207.1910
702		FDBD118024	Diamond cutting blade 180X22.2mm Blade width:7mm Packing: color box	50	40*27*13	0.0140	17.00	18.00	8207.1910
703		FDBW118022	Diamond cutting blade 180X22.2mm Blade width:5mm Packing: color box	50	40*27*13	0.0140	17.00	18.00	8207.1910
704		FDBS118026	Diamond cutting blade 180X22.2mm Blade width:7mm Packing: color box	50	40*27*13	0.0140	17.00	18.00	8207.1910
705		FDBD123026	Diamond cutting blade 230X22.2mm Blade width:7mm Packing: color box	25	33*27*14	0.0125	16.00	17.00	8207.1910
706		FDBW123024	Diamond cutting blade 230X22.2mm Blade width:5mm Packing: color box	25	33*27*14	0.0125	16.00	17.00	8207.1910
707		FDBS123028	Diamond cutting blade 230X22.2mm Blade width:7mm Packing: color box	25	33*27*14	0.0125	16.00	17.00	8207.1910
708		FDGW10001	Diamond grinding wheel, 100mm continous type 100x20mm Thickness:5mm Packing: color box	50	48*27*19	0.0246	15.50	16.50	8207.1910
709		FDGW10002	Diamond grinding wheel,100mm segment type 100x20mm Thickness:5mm Packing: color box	50	48*27*19	0.0246	14.50	15.50	8208.1910
710		FDGW11501	Diamond grinding wheel, 115mm continous type 115x22.23mm Thickness:5mm Packing: color box	50	50*30*20.5	0.0308	20.00	21.00	8209.1910

711		FDGW11502	Diamond grinding wheel, 115mm segment type 115x22.23mm Thickness:5mm Packing: color box	50	50*30*20.5	0.0308	19.00	20.00	8210.1910
712		FDGW12501	Diamond grinding wheel, 125mm continuous type 125x22.23mm Thickness:5mm Packing: color box	50	58*33*22	0.0421	25.00	26.00	8211.1910
713		FDGW12502	Diamond grinding wheel, 125mm segment type 125x22.23mm Thickness:5mm Packing: color box	50	58*33*22	0.0421	22.00	23.00	8212.1910
714		FCSB111020	4" TCT saw blade for wood 110x20mmx40T Package:color box	100	41.5*21.5*27.5	0.0245	13.00	17.00	8202.3100
715		FCSB111030	4" TCT saw blade for wood 110x20mmx40T Package:color box	100	62*28*15	0.0260	13.00	17.00	8202.3100
716		FCSB116524	165mm TCT saw blade for wood (super thin type) 165x16/20mmx24T Package:color box (for FCCS165LFX)	100	57*37*23	0.0485	\$20.20	\$21.20	8202.3100
717		FCSB118524	7" TCT saw blade for wood 185x16/20mmx24T Package:color box	50	41.5*21.5*27.5	0.0245	13.00	17.00	8202.3100
718		FCSB118540	7" TCT saw blade for wood 185x16/20mmx40T Package:color box	50	41.5*21.5*27.5	0.0245	13.50	17.50	8202.3100
719		FCSB118560	7" TCT saw blade for wood 180x16/20mmx60T Package:color box	50	41.5*21.5*27.5	0.0245	14.00	18.00	8202.3100
720		FCSB118060	7" TCT saw blade for wood 180x25.4mmx60T Package:color box	50	41.5*21.5*27.5	0.0245	14.00	18.00	8202.3100
721		FCSB121048	8 1/4" TCT saw blade for wood 210x30mmx48T Package:color box	50	22.5*22.5*26	0.0132	19.00	24.00	8202.3100
722		FCSB221060	8 1/4" TCT saw blade for Aluminum 210x30mmx60T Package:color box	50	46.5*24*27.5	0.0307	19.30	24.30	8202.3100
723		FCSB123560	9" TCT saw blade for wood 235x25.4mmx60T Package:color box	25	33*26*29	0.0245	19.00	20.00	8202.3100

724		FCSB125460	10" TCT saw blade for wood 254x30mmx60T Package:color box	25	28.5*28.5*27.5	0.0223	16.00	19.50	8202.3100
725		FCSB125480	10" TCT saw blade for wood 254x30mmx80T Package:color box	25	28.5*28.5*27.5	0.0223	16.50	20.00	8202.3100
726		FCSB225410	10" TCT saw blade for Aluminum 254x30mmx100T Package:color box	25	28.5*28.5*27.5	0.0223	19.30	24.30	8202.3100
727		FCSB130060	12" TCT saw blade for wood 300x25.4mmx60T Package:color box	20	28.5*28.5*27.5	0.0223	19.30	24.30	8202.3100
728		FCSB1300100	12" TCT saw blade for Aluminum 300x25.4mmx100T Package:color box	20	28.5*28.5*27.5	0.0223	19.30	24.30	8202.3100
729		FCSB135560	14" TCT saw blade for wood 355x25.4mmx60T Package:color box	20	28.5*28.5*27.5	0.0223	19.30	24.30	8202.3100
730		FWB10075A	3" wire cup brush with nut Size: 75mm Wire dia:0.3mm Thread:M10*1.5 Packing: double blister	80	59*36*39.5	0.0839	15.00	18.50	9603501100
731		FWB14075A	3" wire cup brush with nut Size: 75mm Wire dia:0.3mm Thread:M14*2 Packing: double blister	80	59*36*39.5	0.0839	15.00	18.50	9603501100
732		FWB10100A	4" wire cup brush with nut Size: 100mm Wire dia:0.3mm Thread:M10*1.5 Packing: double blister	60	49.5*39*44	0.0849	20.00	23.50	9603501100
733		FWB14100A	4" wire cup brush with nut Size: 100mm Wire dia:0.3mm Thread:M14*2 Packing: double blister	60	49.5*39*44	0.0849	20.00	23.50	9603501100
734		FWB14125A	5" wire cup brush with nut Size:125mm Wire dia:0.3mm Thread:M14*2 Packing: double blister	24	54*29*36	0.0564	13.00	15.00	9603501100

735		FWB10075B	3" wire cup brush with nut Size: 75mm Wire dia:0.5mm Thread:M10*1.5 Packing: double blister	48	49.5*40*30	0.0594	14.00	15.00	9603501100
736		FWB14075B	3" wire cup brush with nut Size: 75mm Wire dia:0.5mm Thread:M14*2 Packing: double blister	48	49.5*40*30	0.0594	14.00	15.00	9603501100
737		FWB10100B	4" wire cup brush with nut Size: 100mm Wire dia:0.5mm Thread:M10*1.5 Packing: double blister	48	52*48*30	0.0749	17.00	18.00	9603501100
738		FWB14100B	4" wire cup brush with nut Size: 100mm Wire dia:0.5mm Thread:M14*2 Packing: double blister	48	52*48*30	0.0749	17.00	18.00	9603501100
739		FWB14125B	5" wire cup brush with nut Size:125mm Wire dia:0.5mm Thread:M14*2 Packing: double blister	24	54*29*36	0.0564	15.00	16.00	9603501100
740		FWB10100C	4" Crimped wire bevel brush (INDUSTRIAL) Size:100mm Wire dia:0.3mm Thread:M10*1.5 Packing: double blister	60	48*42*31.5	0.0635	13.00	15.00	9603501100
741		FWB14100C	4" Crimped wire bevel brush (INDUSTRIAL) Size:100mm Wire dia:0.3mm Thread:M14*2 Packing: double blister	60	48*42*31.5	0.0635	13.00	15.00	9603501100
742		FWB050D	2" Circular grinding wire brush Size:50mm Wire dia:0.3mm Shank dia:6.35mm(1/4") Packing: double blister	240	60*33*40	0.0792	14.50	15.50	9603501100
743		FWB075D	3" Circular grinding wire brush Size:75mm Wire dia:0.3mm Shank dia:6.35mm(1/4") Packing: double blister	144	66*53*25	0.0875	14.50	15.50	9603501100

744		FWB100D	4" Circular grinding wire brush Size:100mm Wire dia:0.3mm Shank dia:6.35mm(1/4") Packing: double blister	60	46*26*43	0.0514	9.50	10.50	9603501100
745		FWB025E	1" Wire end brush with shank Size: 25mm Shank dia:6.35mm(1/4") Wire dia:0.3mm Packing: double blister	240	54*37*48	0.0959	16.80	17.80	9603501100
746		FWB050E	2" Wire end brush with shank Size: 50mm Shank dia:6.35mm(1/4") Wire dia:0.3mm Packing: double blister	180	60*35.5*43.5	0.0927	15.00	16.80	9603501100
747		FWB075E	3" Wire end brush with shank Size: 75mm Shank dia:6.35mm(1/4") Wire dia:0.3mm Packing: double blister	120	54*37*48	0.0959	18.50	19.50	9603501100.0000
748		FHWB100	plastic hand brush Length:250MM Weight:100g Wire length:140*32MM	120	42*29.5*34	0.0421	15.00	16.00	9603501100.0000
749		FMTA04	SETS 1PC wood sawblade, size:10mmX40mmx0.6mmX18T 1PC wood sawblade, size:20mmX40mmx0.6mmX18T 1PC wood sawblade, size:32mmX40mmx0.6mmX18T 1PC radial sawblade, size:Φ87mmX0.50X18T material: CR-V 4PCS/SET	48	46*29*38.5	0.0514	8.30	9.80	6974281445130
750		FMTA17	17PCS MULTI-TOOL ACCESSORIES SETS 1PC rigid scraper, size: 50mm 1PC flexible scraper, size: 50mm 1PC rigid sawblade, size: Φ87mmX0.50X18T 1PC sanding pad, size:80mm 1PC wood sawblade, size:34mmX0.66X18T 1PC Bi-metal sawblade, size:34mmX0.8X18T 1PC wood sawblade, size: 34mmx0.66x 14T 10PCS sandpaper.	40	49*35*36	0.0617	12.30	14.00	6974281445147
751		FRSB150M	Reciprocating saw blade for metal Material: Bi-metal 150mmX1.0mmx19mm 18TPI 2PCS/SET	100	23.5*19*19.5	0.0087	4.80	5.30	8202.9190

752		FRSB152W	Reciprocating saw blade for wood Material: CR-V 152mmX1.2mmx19mm 6TPI 2PCS/SET	100	23.5*19*19.5	0.0087	4.80	5.30	8202.9190
753		FJSB100502	Jig saw blade,HCS,FT101D*5pcs,Pakage:single blister+inner box+carton	250	51*40.5*12	0.0248	10.00	12.00	8202.9190
754		FJSB100503	Jig saw blade,HCS,FT111C*5pcs,Pakage:single blister+inner box+carton	250	51*40.5*12	0.0248	10.00	12.00	8202.9190
755		FJSB100504	Jig saw blade,HSS,FT118B*5pcs,Pakage:single blister+inner box+carton	250	51*40.5*12	0.0248	10.00	12.00	8202.9190
756		FJSB100505	Jig saw blade,HCS,FT244D*5pcs,Pakage:single blister+inner box+carton	250	51*40.5*12	0.0248	10.00	12.00	8202.9190
757		FJSB100501K	Jig saw blade,HSS,FT127D*1pc,HSS+FT111C*2, HCS+FT118B*2,Pakage:single blister+inner box+carton	250	51*40.5*12	0.0248	10.00	12.00	8202.9190
758		FSDB111025	Screwdriver bits,Material: S2 PH2,25mm*10pcs, nickel plated,with magnetic, Anti-slip Pakage:Plastic transparency box	100	37*34*11	0.0138	5.50	6.00	8206.0000
759		FSDB111050	Screwdriver bits,,Material: S2 PH2,50mm*10pcs, nickel plated,with magnetic, Anti-slip Pakage:Plastic transparency box	100	37*34*11	0.0138	10.00	12.50	8206.0000
760		FSDB121065	Screwdriver bits,,Material: S2 PH2,65mm*10pcs, nickel plated,with magnetic, Pakage:Plastic transparency box	100	37*34*11	0.0138	12.00	13.00	8206.0000





761		FDBK016	16pcs drill bit set Metal: 2/3/4/5/6/8mm Mansory: 4/5/6/8/10mm Wood: 4/5/6/8/10mm	20	58*32*29	0.0538	10	11.00	8207.5090
762		FDBG10010	HSS,DIN338 Diameter:1.0mm Overall length: 34mm Flute length: 12mm 118°General angle 10pcs packed in poly bag with color label	100	29*13*8.5	0.0032	0.7	1.00	8207.5090
763		FDBG10015	HSS,DIN338 Diameter:1.5mm Overall length: 43mm Flute length: 20mm 118°General angle 10pcs packed in poly bag with color label	100	29*13*8.5	0.0032	0.7	1.00	8207.5090
764		FDBG10020	HSS,DIN338 Diameter:2.0mm Overall length: 49mm Flute length: 24mm 118°General angle 10pcs packed in poly bag with color label	100	29*13*8.5	0.0032	1	1.50	8207.5090
765		FDBG10025	HSS,DIN338 Diameter:2.5mm Overall length: 57mm Flute length: 30mm 118°General angle 10pcs packed in poly bag with color label	100	41*13*8.5	0.0045	2	2.50	8207.5090
766		FDBG10030	HSS,DIN338 Diameter:3.0mm Overall length: 61mm Flute length: 33mm 118°General angle 10pcs packed in poly bag with color label	100	41*13*8.5	0.0045	2.5	3.50	8207.5090
767		FDBG10032	HSS,DIN338 Diameter: 3.2mm Overall length: 61mm Flute length: 33mm 118°General angle 10pcs packed in poly bag with color label	100	41*13*8.5	0.0045	3	4.00	8207.5090
768		FDBG10035	HSS,DIN338 Diameter:3.5mm Overall length: 70mm Flute length: 39mm 118°General angle 10pcs packed in poly bag with color label	100	41*13*8.5	0.0045	3.5	4.50	8207.5090
769		FDBG10040	HSS,DIN338 Diameter:4.0mm Overall length: 75mm Flute length: 43mm 118°General angle 10pcs packed in poly bag with color label	50	41*13*8.5	0.0045	2	3.00	8207.5090
770		FDBG10042	HSS,DIN338 Diameter: 4.2mm Overall length: 61mm Flute length: 33mm 118°General angle 10pcs packed in poly bag with color label	50	41*13*8.5	0.0045	2.5	3.50	8207.5090
771		FDBG10045	HSS,DIN338 Diameter:4.5mm Overall length: 80mm Flute length: 47mm 118°General angle 10pcs packed in poly bag with color label	50	41*13*8.5	0.0045	3	4.00	8207.5090
772		FDBG10048	HSS,DIN338 Diameter: 4.8mm Overall length: 61mm Flute length: 33mm 118°General angle 10pcs packed in poly bag with color label	50	37*17*13	0.0082	4	5.00	8207.5090
773		FDBG10050	HSS,DIN338 Diameter:5.0mm Overall length: 86mm Flute length: 52mm 118°General angle 10pcs packed in poly bag with color label	50	37*17*13	0.0082	4.5	5.50	8207.5090
774		FDBG10055	HSS,DIN338 Diameter:5.5mm Overall length: 93mm Flute length: 57mm 118°General angle 10pcs packed in poly bag with color label	50	37*17*13	0.0082	6	7.00	8207.5090



775		FDBG10060	M2 HSS,DIN338 Diameter:6.0mm Overall length: 93mm Flute length: 57mm 118°General angle 10pcs packed in poly bag with color label	50	37°17*13	0.0082	7	8.00	8207.5090
776		FDBG10065	M2 HSS,DIN338 Diameter:6.5mm Overall length: 101mm Flute length: 63mm 118°General angle 10pcs packed in poly bag with color label	50	42°19*16	0.0128	9	10.00	8207.5090
777		FDBG10070	M2 HSS,DIN338 Diameter:7.0mm Overall length: 109mm Flute length: 69mm 118°General angle 10pcs packed in poly bag with color label	50	42°19*16	0.0128	11.5	12.50	8207.5090
778		FDBG10075	M2 HSS,DIN338 Diameter:7.5mm Overall length: 109mm Flute length: 69mm 118°General angle 10pcs packed in poly bag with color label	50	42°19*16	0.0128	12.5	13.50	8207.5090
779		FDBG05080	M2 HSS,DIN338 Diameter:8.0mm Overall length: 117mm Flute length: 75mm 118°General angle 5pcs packed in poly bag with color label	60	32°23*13	0.0096	9.5	10.50	8207.5090
780		FDBG05085	M2 HSS,DIN338 Diameter:8.5mm Overall length: 117mm Flute length: 75mm 118°General angle 5pcs packed in poly bag with color label	60	32°23*13	0.0096	10.5	11.50	8207.5090
781		FDBG05090	HSS,DIN338 Diameter:9.0mm Overall length: 125mm Flute length: 81mm 118°General angle 5pcs packed in poly bag with color label	60	32°23*13	0.0096	12	13.00	8207.5090
782		FDBG05095	HSS,DIN338 Diameter:9.5mm Overall length: 125mm Flute length: 81mm 118°General angle 5pcs packed in poly bag with color label	60	40°25*18	0.0180	14.5	15.50	8207.5090
783		FDBG05100	HSS,DIN338 Diameter:10.0mm Overall length: 133mm Flute length: 87mm 118°General angle 5pcs packed in poly bag with color label	60	40°25*18	0.0180	16.5	17.50	8207.5090
784		FDBG05105	HSS,DIN338 Diameter:10.5mm Overall length: 133mm Flute length: 87mm 118°General angle 5pcs packed in poly bag with color label	60	40°25*18	0.0180	18	19.00	8207.5090
785		FDBG05110	HSS,DIN338 Diameter:11.0mm Overall length: 142mm Flute length: 94mm 118°General angle 5pcs packed in poly bag with color label	50	43°20*18	0.0155	17.5	18.50	8207.5090
786		FDBG05115	HSS,DIN338 Diameter:11.5mm Overall length: 142mm Flute length: 94mm 118°General angle 5pcs packed in poly bag with color label	50	43°20*18	0.0155	20	21.00	8207.5090
787		FDBG05120	HSS,DIN338 Diameter:12.0mm Overall length: 151mm Flute length: 101mm 118°General angle 5pcs packed in poly bag with color label	50	43°20*18	0.0155	22.5	23.50	8207.5090
788		FDBG05125	HSS,DIN338 Diameter:12.5mm Overall length: 151mm Flute length: 101mm 118°General angle 5pcs packed in poly bag with color label	50	43°20*18	0.0155	24	25.00	8207.5090
789		FDBG05130	HSS,DIN338 Diameter:13.0mm Overall length: 151mm Flute length: 101mm 118°General angle 5pcs packed in poly bag with color label	50	43°20*18	0.0155	26.5	27.50	8207.5090


790		FDBG05140	HSS,DIN338 Diameter: 14.0mm Overall length: 160mm Flute length: 108mm 118°General angle 5pcs packed in poly bag with color label	20	21*21*21	0.0093	13	14.00	8207.5090
791		FDBG05150	HSS,DIN338 Diameter: 15.0mm Overall length: 169mm Flute length: 114mm 118°General angle 5pcs packed in poly bag with color label	20	21*21*21	0.0093	15.5	16.50	8207.5090
792		FDBG05160	HSS,DIN338 Diameter: 16.0mm Overall length: 178mm Flute length: 120mm 118°General angle 5pcs packed in poly bag with color label	20	23*23*23	0.0122	19	20.00	8207.5090
793		FDBM02010	HSS Twist drill bit, Material: M2 Size: 1x34mm, working length: 12mm 2pcs/package	200	36*25*18		1	1.60	8207.5090
794		FDBM02015	HSS Twist drill bit, Material: M2 Size: 1.5x40mm, working length: 18mm 2pcs/package	200	36*25*18		1	1.70	8207.5090
795		FDBM02020	HSS Twist drill bit, Material: M2 Size: 2x49mm, working length: 24mm 2pcs/package	200	36*25*18		1	2.00	8207.5090
796		FDBM02025	HSS Twist drill bit, Material: M2 Size: 2.5x57mm, working length: 30mm 2pcs/package	200	36*25*18		1.5	2.50	8207.5090
797		FDBM02030	HSS Twist drill bit, Material: M2 Size: 3.0x61mm, working length: 33mm 2pcs/package	200	36*25*18		1.5	2.50	8207.5090
798		FDBM02032	HSS Twist drill bit, Material: M2 Size: 3.2x65mm, working length: 36mm 2pcs/package	200	36*25*18		2	3.00	8207.5090
799		FDBM02035	HSS Twist drill bit, Material: M2 Size: 3.5x70mm, working length: 39mm 2pcs/package	200	36*25*18		2	3.00	8207.5090
800		FDBM01040	HSS Twist drill bit, Material: M2 Size: 4.0x75mm, working length: 43mm 1pc/package	200	36*25*18		1.7	2.70	8207.5090
801		FDBM01042	HSS Twist drill bit, Material: M2 Size: 4.2x75mm, working length: 43mm 1pc/package	200	36*25*18		2	3.00	8207.5090
802		FDBM01045	HSS Twist drill bit, Material: M2 Size: 4.5x80mm, working length: 47mm 1pc/package	200	36*25*18		2	3.00	8207.5090
803		FDBM01048	HSS Twist drill bit, Material: M2 Size: 4.8x86mm, working length: 52mm 1pc/package	200	36*25*18		2.5	3.50	8207.5090
804		FDBM01050	HSS Twist drill bit, Material: M2 Size: 5x86mm, working length: 52mm 1pc/package	200	36*25*18		2.5	3.50	8207.5090
805		FDBM01055	HSS Twist drill bit, Material: M2 Size: 5.5x93mm, working length: 57mm 1pc/package	200	36*25*18		3.00	4.00	8207.5090
806		FDBM01060	HSS Twist drill bit, Material: M2 Size: 6x93mm, working length: 57mm 1pc/package	200	36*25*18		3.50	4.50	8207.5090
807		FDBM01065	HSS Twist drill bit, Material: M2 Size: 6.5x101mm, working length: 63mm 1pc/package	100	41*25*20		2.50	3.50	8207.5090
808		FDBM01070	HSS Twist drill bit, Material: M2 Size: 7x109mm, working length: 69mm 1pc/package	100	41*25*20		3.00	4.00	8207.5090
809		FDBM01075	HSS Twist drill bit, Material: M2 Size: 7.5x109mm, working length: 69mm 1pc/package	100	41*25*20		3.00	4.00	8207.5090
810		FDBM01080	HSS Twist drill bit, Material: M2 Size: 8x117mm, working length: 75mm 1pc/package	100	41*25*20		3.50	4.50	8207.5090
811		FDBM01085	HSS Twist drill bit, Material: M2 Size: 8.5x117mm, working length: 75mm 1pc/package	100	41*25*20		4.00	5.00	8207.5090
812		FDBM01090	HSS Twist drill bit, Material: M2 Size: 9x125mm, working length: 81mm 1pc/package	100	41*25*20		5.00	6.00	8207.5090
813		FDBM01095	HSS Twist drill bit, Material: M2 Size: 9.5x125mm, working length: 81mm 1pc/package	100	41*25*20		5.50	6.50	8207.5090
814		FDBM01100	HSS Twist drill bit, Material: M2 Size: 10x133mm, working length: 87mm 1pc/package	100	41*25*20		6.50	7.50	8207.5090
815		FDBM01105	HSS Twist drill bit, Material: M2 Size: 10.5x133mm, working length: 87mm 1pc/package	100	41*25*20		7.00	8.00	8207.5090
816		FDBM01110	HSS Twist drill bit, Material: M2 Size: 11x142mm, working length: 94mm 1pc/package	100	41*25*20		8.00	9.00	8207.5090
817		FDBM01115	HSS Twist drill bit, Material: M2 Size: 11.5x142mm, working length: 94mm 1pc/package	100	47*25*22		9.00	10.00	8207.5090
818		FDBM01120	HSS Twist drill bit, Material: M2 Size: 12x151mm, working length: 101mm 1pc/package	100	47*25*22		10.00	11.00	8207.5090

819			FDBM01125	HSS Twist drill bit, Material: M2 Size: 12.5x151mm, working length: 101mm 1pc/package	100	47°25'22"		11.00	12.00	8207.5090
820			FDBM01130	HSS Twist drill bit, Material: M2 Size: 13x151mm, working length: 101mm 1pc/package	100	47°25'22"		11.50	12.50	8207.5090
821			FDBM01140	HSS Twist drill bit, Material: M2 Size: 14x160mm, working length: 108mm 1pc/package	100	53°28'14"		15.00	16.00	8207.5090
822			FDBM01150	HSS Twist drill bit, Material: M2 Size: 15x169mm, working length: 114mm 1pc/package	100	53°28'14"		17.00	18.00	8207.5090
823			FDBM01160	HSS Twist drill bit, Material: M2 Size: 16x178mm, working length: 120mm 1pc/package	100	53°28'14"		21.00	22.00	8207.5090
824			FDBC102010	HSS Twist drill bit, Material: M35 Size: 1x34mm, working length: 12mm 2pcs/package	200	36°25'18"		1.00	1.60	8207.5090
825			FDBC102015	HSS Twist drill bit, Material: M35 Size: 1.5x40mm, working length: 18mm 2pcs/package	200	36°25'18"		1.00	1.70	8207.5090
826			FDBC102020	HSS Twist drill bit, Material: M35 Size: 2x49mm, working length: 24mm 2pcs/package	200	36°25'18"		1.00	2.00	8207.5090
827			FDBC102025	HSS Twist drill bit, Material: M35 Size: 2.5x57mm, working length: 30mm 2pcs/package	200	36°25'18"		1.50	2.50	8207.5090
828			FDBC102030	HSS Twist drill bit, Material: M35 Size: 3.0x61mm, working length: 33mm 2pcs/package	200	36°25'18"		1.50	2.50	8207.5090
829			FDBC102032	HSS Twist drill bit, Material: M35 Size: 3.2x65mm, working length: 36mm 2pcs/package	200	36°25'18"		2.00	3.00	8207.5090
830			FDBC102035	HSS Twist drill bit, Material: M35 Size: 3.5x70mm, working length: 39mm 2pcs/package	200	36°25'18"		2.00	3.00	8207.5090
831			FDBC100040	HSS Twist drill bit, Material: M35 Size: 4.0x75mm, working length: 43mm 1pc/package	200	36°25'18"		1.70	2.70	8207.5090
832			FDBC100042	HSS Twist drill bit, Material: M35 Size: 4.2x75mm, working length: 43mm 1pc/package	200	36°25'18"		2.00	3.00	8207.5090
833			FDBC100045	HSS Twist drill bit, Material: M35 Size: 4.5x80mm, working length: 47mm 1pc/package	200	36°25'18"		2.00	3.00	8207.5090
834			FDBC100048	HSS Twist drill bit, Material: M35 Size: 4.8x86mm, working length: 52mm 1pc/package	200	36°25'18"		2.50	3.50	8207.5090
835			FDBC100050	HSS Twist drill bit, Material: M35 Size: 5x86mm, working length: 52mm 1pc/package	200	36°25'18"		2.50	3.50	8207.5090
836			FDBC100055	HSS Twist drill bit, Material: M35 Size: 5.5x93mm, working length: 57mm 1pc/package	200	36°25'18"		3.00	4.00	8207.5090
837			FDBC100060	HSS Twist drill bit, Material: M35 Size: 6x93mm, working length: 57mm 1pc/package	200	36°25'18"		3.50	4.50	8207.5090
838			FDBC100065	HSS Twist drill bit, Material: M35 Size: 6.5x101mm, working length: 63mm 1pc/package	100	41°25'20"		2.50	3.50	8207.5090
839			FDBC100070	HSS Twist drill bit, Material: M35 Size: 7x109mm, working length: 69mm 1pc/package	100	41°25'20"		3.00	4.00	8207.5090
840			FDBC100075	HSS Twist drill bit, Material: M35 Size: 7.5x109mm, working length: 69mm 1pc/package	100	41°25'20"		3.00	4.00	8207.5090
841			FDBC100080	HSS Twist drill bit, Material: M35 Size: 8x117mm, working length: 75mm 1pc/package	100	41°25'20"		3.50	4.50	8207.5090
842			FDBC100085	HSS Twist drill bit, Material: M35 Size: 8.5x117mm, working length: 75mm 1pc/package	100	41°25'20"		4.00	5.00	8207.5090
843			FDBC100090	HSS Twist drill bit, Material: M35 Size: 9x125mm, working length: 81mm 1pc/package	100	41°25'20"		5.00	6.00	8207.5090
844			FDBC100095	HSS Twist drill bit, Material: M35 Size: 9.5x125mm, working length: 81mm 1pc/package	100	41°25'20"		5.50	6.50	8207.5090
845			FDBC100100	HSS Twist drill bit, Material: M35 Size: 10x133mm, working length: 87mm 1pc/package	100	41°25'20"		6.50	7.50	8207.5090
846			FDBC100105	HSS Twist drill bit, Material: M35 Size: 10.5x133mm, working length: 87mm 1pc/package	100	41°25'20"		7.00	8.00	8207.5090
847			FDBC100110	HSS Twist drill bit, Material: M35 Size: 11x142mm, working length: 94mm 1pc/package	100	41°25'20"		8.00	9.00	8207.5090
848			FDBC100115	HSS Twist drill bit, Material: M35 Size: 11.5x142mm, working length: 94mm 1pc/package	100	47°25'22"		9.00	10.00	8207.5090
849			FDBC100120	HSS Twist drill bit, Material: M35 Size: 12x151mm, working length: 101mm 1pc/package	100	47°25'22"		10.00	11.00	8207.5090
850			FDBC100125	HSS Twist drill bit, Material: M35 Size: 12.5x151mm, working length: 101mm 1pc/package	100	47°25'22"		11.00	12.00	8207.5090
851			FDBC100130	HSS Twist drill bit, Material: M35 Size: 13x151mm, working length: 101mm 1pc/package	100	47°25'22"		11.50	12.50	8207.5090

852		FDBC100140	HSS Twist drill bit, Material: M35 Size: 14x160mm, working length: 108mm 1pc/package	100	53°28'14		15.00	16.00	8207.5090
853		FDBC100150	HSS Twist drill bit, Material: M35 Size: 15x169mm, working length: 114mm 1pc/package	100	53°28'14		17.00	18.00	8207.5090
854		FDBC100160	HSS Twist drill bit, Material: M35 Size: 16x178mm, working length: 120mm 1pc/package	100	53°28'14		21.00	22.00	8207.5090
855		FDBM100031	Masonry drill bit, 3*60mm, industrial quality	250	34°27'17	0.0156	1.10	2.10	8207.5090
856		FDBM100041	Masonry drill bit, 4*75mm, industrial quality	250	34°27'17	0.0156	2.10	3.10	8207.5090
857		FDBM100051	Masonry drill bit, 5*85mm, industrial quality	250	34°27'17	0.0156	3.10	4.10	8207.5090
858		FDBM100061	Masonry drill bit, 6*100mm, industrial quality	250	34°27'17	0.0156	4.40	5.50	8207.5090
859		FDBM100081	Masonry drill bit, 8*120mm, industrial quality	400	53°28'25	0.0371	9.20	10.20	8207.5090
860		FDBM100082	Masonry drill bit, 8*200mm, industrial quality	250	53°28'25	0.0371	11.00	12.00	8207.5090
861		FDBM100101	Masonry drill bit, 10*120mm, industrial quality	250	53°28'25	0.0371	14.00	15.00	8207.5090
862		FDBM100102	Masonry drill bit, 10*200mm, industrial quality	250	53°28'25	0.0371	16.00	17.00	8207.5090
863		FDBM100121	Masonry drill bit, 12*150mm, industrial quality	160	53°28'25	0.0371	21.00	22.00	8207.5090
864		FDBM100122	Masonry drill bit, 12*200mm, industrial quality	160	53°28'25	0.0371	23.00	24.00	8207.5090
865		FGDB03	Glass drill bit, 3*83mm working length: 47mm	400	38°23'42	0.0367	5.00	6.00	8205.3000
866		FGDB04	Glass drill bit, 4*84mm working length: 47mm	400	38°23'42	0.0367	6.00	7.00	8205.3000
867		FGDB05	Glass drill bit, 5*84mm working length: 47mm	400	38°23'42	0.0367	7.00	8.00	8205.3000
868		FGDB06	Glass drill bit, 6*102mm working length: 60mm	400	38°23'42	0.0367	9.00	10.00	8205.3000
869		FGDB08	Glass drill bit, 8*104mm working length: 64mm	200	41.5°23'20	0.0191	6.00	7.00	8205.3000
870		FGDB10	Glass drill bit, 10*123mm working length: 75mm	200	45.5°24'30	0.0328	10.00	11.00	8205.3000
871		FGDB12	Glass drill bit, 12*125mm working length: 78mm	200	45.5°24'30	0.0328	15.00	16.00	8205.3000
872		FDBW100030	Wood twist drill bit, 3*61mm	100	40°25'18	0.0180	1.00	1.50	8207.5090
873		FDBW100040	Wood twist drill bit, 4*75mm	100	40°25'18	0.0180	1.00	1.50	8207.5090
874		FDBW100050	Wood twist drill bit, 5*86mm	100	40°25'18	0.0180	1.40	1.85	8207.5090
875		FDBW100060	Wood twist drill bit, 6*93mm	100	40°25'18	0.0180	1.85	2.31	8207.5090
876		FDBW100070	Wood twist drill bit, 7*109mm	100	40°25'18	0.0180	2.50	2.90	8207.5090
877		FDBW100080	Wood twist drill bit, 8*117mm	100	40°25'18	0.0180	3.50	3.90	8207.5090
878		FDBW100090	Wood twist drill bit, 9*125mm	100	40°25'18	0.0180	4.60	5.00	8207.5090
879		FDBW100100	Wood twist drill bit, 10*133mm	100	40°25'18	0.0180	5.60	6.10	8207.5090
880		FDBW100110	Wood twist drill bit, 11*142mm	100	40°25'18	0.0180	7.00	7.40	8207.5090
881		FDBW100120	Wood twist drill bit, 12*151mm	100	40°25'18	0.0180	8.50	8.90	8207.5090
882		FDBW100130	Wood twist drill bit, 13*151mm	100	40°25'18	0.0180	9.30	9.70	8207.5090
883		FFWB06	Wood flat drill 6*152mm	100	33°25'19	0.0157	3.40	3.90	8207.5090
884		FFWB08	Wood flat drill 8*152mm	100	33°25'19	0.0157	3.90	4.40	8207.5090
885		FFWB10	Wood flat drill 10*152mm	100	33°25'19	0.0157	4.26	4.76	8207.5090
886		FFWB12	Wood flat drill 12*152mm	100	33°25'19	0.0157	4.39	4.90	8207.5090
887		FFWB13	Wood flat drill 13*152mm	100	33°25'19	0.0157	4.42	4.95	8207.5090
888		FFWB14	Wood flat drill 14*152mm	100	33°25'19	0.0157	4.58	5.10	8207.5090
889		FFWB16	Wood flat drill 16*152mm	100	33°25'19	0.0157	4.84	5.30	8207.5090
890		FFWB18	Wood flat drill 18*152mm	100	33°25'19	0.0157	4.86	5.36	8207.5090
891		FFWB19	Wood flat drill 19*152mm	100	33°25'19	0.0157	4.90	5.40	8207.5090
892		FFWB20	Wood flat drill 20*152mm	100	33°25'19	0.0157	5.00	5.50	8207.5090
893		FFWB22	Wood flat drill 22*152mm	100	33°25'19	0.0157	5.10	5.60	8207.5090
894		FFWB24	Wood flat drill 24*152mm	100	33°25'19	0.0157	5.42	5.90	8207.5090
895		FFWB25	Wood flat drill 25*152mm	100	33°25'19	0.0157	5.44	5.95	8207.5090
896		FFWB28	Wood flat drill 28*152mm	100	33°25'23	0.0190	5.50	6.10	8207.5090

897		FFWB30	Wood flat drill 30*152mm	100	33*25*23	0.0190	5.80	6.40	8207.5090
898		FFWB32	Wood flat drill 32*152mm	100	33*25*23	0.0190	6.10	6.70	8207.5090
899		FFWB35	Wood flat drill 35*152mm	100	33*25*23	0.0190	6.16	6.75	8207.5090
900		FFWB36	Wood flat drill 36*152mm	100	33*25*23	0.0190	6.18	6.80	8207.5090
901		FFWB38	Wood flat drill 38*152mm	100	33*25*23	0.0190	6.25	6.85	8207.5090
902		FFWB40	Wood flat drill 40*152mm	100	33*25*23	0.0190	6.30	6.90	8207.5090
903		FDBG105001K	5pcs HSS-G twist drill bits set, (Ø3,4,5,6,8mm) Package:Plastic transparency box	50	40*25*18	0.0180	8.00	9.00	8207.5090
904		FDBW105001K	5pcs wood twist drill bits set, (Ø,4,5,6,8,10mm) Package:Plastic transparency box	50	40*25*18	0.0180	8.50	9.50	8207.5090
905		FDBM105001K	5pcs masonry drill bits set, (Ø,4,5,6,8,10mm) Package:Plastic transparency box	50	40*25*18	0.0180	8.50	9.50	8207.5090
906		FHDS104110	SDS plus hammer drill bit,4*110mm	200	58*27*39	0.0611	28.00	29.00	8207.5090
907		FHDS105110	SDS plus hammer drill bit,5*110mm	200	58*27*39	0.0611	28.00	29.00	8207.5090
908		FHDS106110	SDS plus hammer drill bit,6*110mm	400	58*27*39	0.0611	22.00	23.00	8207.5090
909		FHDS108110	SDS plus hammer drill bit,8*110mm	400	58*27*39	0.0611	24.00	25.00	8207.5090
910		FHDS110110	SDS plus hammer drill bit,10*110mm	200	58*27*39	0.0611	25.00	26.00	8207.5090
911		FHDS106160	SDS plus hammer drill bit,6*160mm	200	58*27*39	0.0611	22.00	23.00	8207.5090
912		FHDS108160	SDS plus hammer drill bit,8*160mm	200	40*28*23	0.0258	17.00	18.00	8207.5090
913		FHDS110160	SDS plus hammer drill bit,10*160mm	200	40*28*23	0.0258	18.00	19.00	8207.5090
914		FHDS112160	SDS plus hammer drill bit,12*160mm	200	40*28*23	0.0258	22.00	23.00	8207.5090
915		FHDS114160	SDS plus hammer drill bit,14*160mm	200	40*28*23	0.0258	24.00	25.00	8207.5090
916		FHDS116160	SDS plus hammer drill bit,16*160mm	200	40*28*23	0.0258	22.00	23.00	8207.5090
917		FHDS106210	SDS plus hammer drill bit,6*210mm	200	40*28*23	0.0258	20.00	21.00	8207.5090
918		FHDS108210	SDS plus hammer drill bit,8*210mm	200	40*28*23	0.0258	22.00	23.00	8207.5090
919		FHDS110210	SDS plus hammer drill bit,10*210mm	200	40*28*23	0.0258	23.00	24.00	8207.5090
920		FHDS112210	SDS plus hammer drill bit,12*210mm	200	40*28*23	0.0258	24.00	25.00	8207.5090
921		FHDS114210	SDS plus hammer drill bit,14*210mm	100	40*28*23	0.0258	26.00	27.00	8207.5090
922		FHDS116210	SDS plus hammer drill bit,16*210mm	100	40*28*23	0.0258	24.00	25.00	8207.5090
923		FHDS118210	SDS plus hammer drill bit,18*210mm	100	42*37*15	0.0233	27.00	28.00	8207.5090
924		FHDS120210	SDS plus hammer drill bit,20*210mm	50	42*37*15	0.0233	18.00	19.00	8207.5090
925		FHDS106260	SDS plus hammer drill bit,6*260mm	200	40*28*23	0.0258	24.00	25.00	8207.5090
926		FHDS108260	SDS plus hammer drill bit,8*260mm	200	40*28*23	0.0258	26.00	27.00	8207.5090
927		FHDS110260	SDS plus hammer drill bit,10*260mm	200	40*28*23	0.0258	25.00	26.00	8207.5090

928		FHDS112260	SDS plus hammer drill bit, 12*260mm	100	40*28*23	0.0258	28.00	29.00	8207.5090
929		FHDS114260	SDS plus hammer drill bit, 14*260mm	100	42*37*15	0.0233	26.00	27.00	8207.5090
930		FHDS116260	SDS plus hammer drill bit, 16*260mm	100	42*37*15	0.0233	24.00	25.00	8207.5090
931		FHDS118260	SDS plus hammer drill bit, 18*260mm	50	42*37*15	0.0233	27.00	28.00	8207.5090
932		FHDS120260	SDS plus hammer drill bit, 20*260mm	50	42*37*15	0.0233	24.00	25.00	8207.5090
933		FHDS122260	SDS plus hammer drill bit, 22*260mm	50	42*37*15	0.0233	26.00	27.00	8207.5090
934		FHDS124260	SDS plus hammer drill bit, 24*260mm	50	42*37*15	0.0233	16.00	17.00	8207.5090
935		FHDS126260	SDS plus hammer drill bit, 26*260mm	50	39*31*13	0.0157	15.00	16.00	8207.5090
936		FHDS108310	SDS plus hammer drill bit, 8*310mm	150	44*24*15	0.0158	17.00	18.00	8207.5090
937		FHDS110310	SDS plus hammer drill bit, 10*310mm	150	44*24*15	0.0158	18.00	19.00	8207.5090
938		FHDS112310	SDS plus hammer drill bit, 12*310mm	150	44*24*15	0.0158	21.00	22.00	8207.5090
939		FHDS114310	SDS plus hammer drill bit, 14*310mm	50	44*24*15	0.0158	19.00	20.00	8207.5090
940		FHDS116310	SDS plus hammer drill bit, 16*310mm	50	44*24*15	0.0158	23.00	24.00	8207.5090
941		FHDS118310	SDS plus hammer drill bit, 18*310mm	50	44*24*15	0.0158	24.00	25.00	8207.5090
942		FHDS120310	SDS plus hammer drill bit, 20*310mm	50	44*24*15	0.0158	26.00	27.00	8207.5090
943		FHDS122310	SDS plus hammer drill bit, 22*310mm	50	44*24*15	0.0158	14.00	15.00	8207.5090
944		FHDS124310	SDS plus hammer drill bit, 24*310mm	50	44*24*15	0.0158	16.00	17.00	8207.5090
945		FHDS108450	SDS plus hammer drill bit, 8*450mm	100	57*22*13	0.0163	12.00	13.00	8207.5090
946		FHDS110450	SDS plus hammer drill bit, 10*450mm	100	57*22*13	0.0163	13.00	14.00	8207.5090
947		FHDS112450	SDS plus hammer drill bit, 12*450mm	100	57*22*13	0.0163	14.00	15.00	8207.5090
948		FHDS114450	SDS plus hammer drill bit, 14*450mm	40	57*22*13	0.0163	15.00	16.00	8207.5090
949		FHDS116450	SDS plus hammer drill bit, 16*450mm	40	57*22*13	0.0163	17.00	18.00	8207.5090
950		FHDS118450	SDS plus hammer drill bit, 18*450mm	40	57*22*13	0.0163	14.00	15.00	8207.5090
951		FHDS120450	SDS plus hammer drill bit, 20*450mm	40	57*22*13	0.0163	16.00	17.00	8207.5090
952		FHDS122450	SDS plus hammer drill bit, 22*450mm	30	57*22*13	0.0163	19.00	20.00	8207.5090
953		FHDS124450	SDS plus hammer drill bit, 24*450mm	30	57*22*13	0.0163	21.00	22.00	8207.5090
954		FHDS110600	SDS plus hammer drill bit, 10*600mm	50	73*18*15	0.0197	25.00	26.00	8207.5090
955		FHDS112600	SDS plus hammer drill bit, 12*600mm	50	73*18*15	0.0197	26.00	27.00	8207.5090
956		FHDS114600	SDS plus hammer drill bit, 14*600mm	50	73*18*15	0.0197	27.00	28.00	8207.5090
957		FHDS116600	SDS plus hammer drill bit, 16*600mm	50	73*18*15	0.0197	29.00	30.00	8207.5090
958		FHDS118600	SDS plus hammer drill bit, 18*600mm	30	73*18*15	0.0197	16.00	17.00	8207.5090
959		FHDS120600	SDS plus hammer drill bit, 20*600mm	30	73*18*15	0.0197	17.00	18.00	8207.5090
960		FHDS122600	SDS plus hammer drill bit, 22*600mm	20	73*18*15	0.0197	18.00	19.00	8207.5090

961		FHDS125600	SDS plus hammer drill bit,25*600mm	20	73*18*15	0.0197	22.00	23.00	8207.5090
962		FDBSM16400	SDS MAX hammer drill bit,16*400mm	25	46*28*10	0.0129	10.50	11.50	8207.5090
963		FDBSM22400	SDS MAX hammer drill bit, 22*400mm	20	46*18*12	0.0099	14.00	15.00	8207.5090
964		FDBSM25400	SDS MAX hammer drill bit, 25*400mm	20	46*18*12	0.0099	14.70	15.70	8207.5090
965		FDBSM18600	SDS MAX hammer drill bit, 18*600mm	20	66*18*12	0.0143	15.40	17.40	8207.5090
966		FDBSM25600	SDS MAX hammer drill bit, 25*600mm	10	66*12*10	0.0079	12.00	13.00	8207.5090
967		FDBSM28600	SDS MAX hammer drill bit, 28*600mm	5	65*12*8	0.0062	6.50	7.50	8207.5090
968		FDBSM30600	SDS MAX hammer drill bit,30*600mm	5	65*14*9	0.0082	8.50	9.50	8207.5090
969		FDBSM32600	SDS MAX hammer drill bit, 32*600mm	5	65*14*9	0.0082	9.00	10.00	8207.5090
970		FDBSM20800	SDS MAX hammer drill bit, 20*800mm	10	85*12*11	0.0112	12.00	13.00	8207.5090
971		FDBSM25800	SDS MAX hammer drill bit, 25*800mm	10	85*12*11	0.0112	15.00	16.00	8207.5090
972		FDBSM30800	SDS MAX hammer drill bit, 30*800mm	5	85*14*9	0.0107	12.00	13.00	8207.5090
973		FHCS114000	SDS plus point chisel 250mm	80	39*31*13	0.0157	14.00	15.00	8207.5090
974		FHCS114020	SDS plus flat chisel 20mm working length:250mm	80	39*31*13	0.0157	15.00	16.00	8207.5090
975		FHCS114040	SDS plus flat chisel 40mm working length:250mm	80	42*37*15	0.0233	20.00	21.00	8207.5090
976		FHCH2830000	SDS MAX point chisel 300mm	20	35*15*14	0.0074	9.80	10.80	8207.5090
977		FHCH2840000	SDS MAX point chisel 400mm	20	45*15*14	0.0063	13.70	14.70	8207.5090
978		FHCH2830025	SDS Max flat chisel 25mm working length:300mm	20	35*15*14	0.0074	10.20	11.20	8207.5090
979		FHCH2840025	SDS Max flat chisel 25mm working length:400mm	20	45*15*14	0.0063	14.30	15.30	8207.5090
980		FDCH117000	Hex point chisel,17mm working length:400mm	25	57*22*13	0.0163	24.00	25.00	8207.5090
981		FDCH117025	Hex flate chisel,17*25mm working length:400mm	25	57*22*13	0.0163	24.00	25.00	8207.5090
982		FDCH128000	Hex point chisel,28mm working length:560mm	10	64*20*11	0.0141	22.00	23.00	8207.5090
983		FDCH130000	Hex point chisel,30mm working length:410mm	10	57*22*13	0.0163	16.00	17.00	8207.5090
984		FDCH130040	Hex flate chisel,30*40mm working length:410mm	10	57*22*13	0.0163	17.00	18.00	8207.5090

985		FSDSDK501	5pcs SDS+ hammer drill bits set Ø5x110mm Ø6/8/10/12x160mm Package:Plastic box	50	57*28*23	0.0367	19.00	20.00	8207.5090
986		FSDSDK502	5pcs SDS+ hammer drill bits set Ø6x110mm Ø8/10/12/14x160mm Package:Plastic box	50	57*28*23	0.0367	22.00	23.00	8207.5090
987		FRS05-1M	Display stand Width: 1m Height: 2.2m	1	120*45*14	0.0756	24.00	25.00	9403.2000